



AUCTIONS

2 AUCTIONS • 2 DAYS • DENTON & DALLAS, TEXAS

**SALE
#1**

**WEDNESDAY, FEBRUARY 19
10:00 A.M.**

TRINITY INDUSTRIES
615 EAST SYCAMORE STREET
DENTON, TEXAS 76205

INSPECTION: Tuesday, February 18, 9:00 A.M. to 4:00 P.M.

FAB. EQUIPMENT
SHOT BLAST
PAINT BOOTH
WELDING MACHINES
FORKLIFTS
OVERHEAD BRIDGE
CRANES • MORE



CCE INC. 20 T. X 36' SPAN OVERHEAD BRIDGE CRANE

LIEN CHIEH 500 T. CAP.
HYDRAULIC STRAIGHT SIDE PRESS

SAMPLE VIEW OF
LINCOLN WELDERS

**2
AVAILABLE**



**AS NEW AS
2012**

On-Site Bidding in Denton & Dallas, Texas or Bid Via Webcast at BidSpotter.com

BUYER'S PREMIUM:
15% ON-SITE • 18% WEBCAST

**SALE
#2**

**THURSDAY, FEBRUARY 20
10:00 A.M.**

TRINITY INDUSTRIES
4001 IRVING BLVD.
DALLAS, TEXAS 75247

INSPECTION: Wednesday, February 19, 9:00 A.M. to 4:00 P.M.

MET LAB
MACHINE TOOLS
GRINDERS • SAWS
SHOP SUPPLIES

2013



OXFORD INSTRUMENTS
FOUNDRY-MASTER PRO
OPTICAL EMISSION
SPECTROMETER

**AS NEW AS
2008**



WILSON ROCKWELL
DIGITAL HARDNESS TESTER
AND WILSON-WOLPERT
MICRO HARDNESS TESTER



NARDINI MDL. FAST TRACE CNC FLATBED LATHE



ABEX DENISON
MULTI-PRESS

Sale Conducted By:

PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

Ron Moore, Texas Lic. #7314

HOUSTON • DALLAS • ST. LOUIS

Headquarters:

1304 Langham Creek Drive, Suite 454
Houston, Texas 77084

PHONE: (713) 691-4401

FAX: (713) 672-7905

E-MAIL: pmi@pmi-auction.com
WEBSITE: www.pmi-auction.com

**SALE
#1**

**WEDNESDAY, FEBRUARY 19
10:00 A.M. EDT**

TRINITY INDUSTRIES
615 EAST SYCAMORE STREET, DENTON, TEXAS 76205

HYDRAULIC PLATE ROLL

COLE-TUVE MDL. 4RS-8-320 4-ROLL, new 2007, 8' x 3/4" mild steel, pendant control, hyd. drop end, 13" top roll dia., S/N SL-230160.



HYDRAULIC STRAIGHT SIDE PRESS

LIEN CHIEH 500 T. CAP. MDL. LDP-500, new 1997, 31.5" stroke, 52" daylight, 138" x 59" T-slotted bed and ram, (2) cylinders, 14" ram dia., S/N KHM03179.



SELF ALIGNING TANK TURNING ROLLS

(2) POWERED SELF ALIGNING TANK TURNING ROLLS, both have bevel gear boxes, one has a Baldor 2 HP motor, the other does not have a motor, (1) self aligning idler, all have (4) H.D. rubber wheels per side, wheel thickness on the drivers 10" per wheel, idler wheel thickness 6", system can be mounted on V-style tracks.

TANK TURNING ROLL SETS

TRINITY INDUSTRIES LOW PROFILE IDLER AND POWER TURNING SET, new 2014, S/N 23946414, Trinity Industries low profile power, new 2014, S/N 234464P5, adjustable dual solid rubber tires.

TRINITY INDUSTRIES LOW PROFILE IDLER AND POWER TURNING SET, trunnion, new 2007, S/N 231959N, idler trunnion, new 2007, S/N 231959PI, adjustable dual solid rubber tires.

TURNING ROLL IDLERS

(4) CUSTOM HYDRAULIC IDLERS, rubber wheels 18" OD x 7"W. x 12" ID, 24" btwn. wheels.



TRINITY TURNING ROLLS

PLASMA CUTTING SYSTEM

ESAB MDL. AVENGER 1-16-VIPC, new 2006, installed 2007, Esab VBA 5-axis bevel cutting head, Esab Mdl. M3 plasma system, 16"W. x 40'L. tbl., Esab Mdl. EPP400 – 400 amp pwr. source, Mdl. CC-11 coolant circulator, S/N 0560940641.

AUTOMATIC SHOT BLAST SYSTEM

WHEELABRATOR MDL. DE000-006, new 2001, 12-wheel at 24 HP each, bridge girder, 460 v., 288 HP total, 267.2 kW, 372.55 amps, rail system w/center driven chain link drive, dust collection system, S/N 2380.

DUST COLLECTOR

ABRASIVE BLAST SYSTEMS, (6) cartridges.

PAINT BOOTH

COL-MET 15'W x 50'L. X 20'H., lighting system, V-type rail served, filtration system.



WHEELABRATOR AUTOMATIC
SHOT BLAST SYSTEM



COL-MET 15'W. X 50'L. X 20'H. PAINT BOOTH

2 AUCTIONS • 2 DAYS • DENTON & DALLAS, TEXAS



ESAB MDL. AVENGER 1 PLASMA CUTTING SYSTEM



SAMPLE VIEW OF LINCOLN WELDERS

WELDING POSITIONER

KOIKE ARONSON MDL. GE25A, 2,500-lb. cap., S/N 9535.

WELDING MACHINES

(2) MILLER MDL. DIMENSION 1000, S/N LF161800, S/N LF440426C; (2) MILLER MDL. DIMENSION 652, S/N KF993446, S/N LC618990; (5) MILLER MDL. DELTAWELD 652, S/N MA020982C, S/N MA0209992C, S/N LE309439, S/N LA231028 w/Miller 70 Series wire feeder, S/N LK490099U, S/N LE191899 w/Miller R115 wire feeder, S/N LG330467W; MILLER MDL. DELTAWELD 651, S/N JJ452233; (2) MILLER MDL. DELTAWELD 452, S/N KH509517, S/N KF820141 w/Miller 70 Series wire feeder, S/N MD050343U; (2) MILLER MDL. DELTAWELD 451, S/N KE698027, S/N KC177297; MILLER MDL. DELTAWELD 450, S/N JB557232; MILLER MDL. SHOPMATE 300DX, S/N MA150175N; (2) MILLER MDL. CP302, S/N LA214714 w/22A wire feeder, S/N LB233889, S/N LB273367 w/22A wire feeder, S/N LA208553; MILLER MDL. MILLERMATIC 250, S/N KF843852; MILLER MDL. SRH-222, S/N T469815.

TIG WELDERS

(8) LINCOLN MDL. PRECISION TIG 375, as new as 2012, S/N U1070306408 (2007), S/N U1110501001 (2011), S/N U107-0311503 (2007), S/N U1070306405 (2007), S/N U112-0606959 (2012), S/N U1110907793 (2011), S/N U1070900319 (2007), S/N U1071106116 (2007); MILLER MDL. SYNCROWAVE 350DX, Miller chiller, S/N MD040398L; (4) LINCOLN MDL. PRECISION TIG 275, new 2007, S/N U1071200670, S/N U1071205848, S/N U1071205860, S/N U1071200669.

CUSTOM TRACK WELDER

BUG-O SYSTEM MDL. CAS-2060/CUSTOM DOOR FRAME, 130"L. x 54"W., Tweco Mdl. TC900 pwr. source, S/N 801-14-199-001-A.

SUITCASE WIRE FEEDERS

(34) LINCOLN LN-25 PRO PORTABLE WIRE FEEDERS, as new as 2012.

MILLER MDL. SUITCASE 12RC, S/N's N.A.

MISCELLANEOUS WELDING EQUIPMENT

(7) ZIPLINE WELDING BOOMS; (7) MILLER COOLMATE 3 CHILLERS; MILLER 24 V. CONSTANT SPEED WIRE FEEDER; LINCOLN MDL. POWER FEED 84 WIRE FEEDER, new 2015, S/N U1150303228; ESAB MDL. 3004 WIRE FEEDER, S/N 910-103-2446; LARGE QUANTITY OF LINCOLN ELECTRIC ULTRACORE WELDING WIRE, Part No. 81Ni1A75-H (on four pallets); ED021278 Wire (on one pallet); 80Ni1M Wire (on one pallet); ED011065 Wire (on one pallet).

MISC. SHOP & WAREHOUSE EQUIPMENT

(36) HEAVY DUTY PNEUMATIC GRINDERS; ELECTRIC SWITCH GEAR; CONTACTORS; RELAYS; STARTERS; WIRE; LIGHTING; REGULATORS; VALVES; FITTINGS; SCREWS; NUTS & BOLTS; DOALL C-916 HORIZ. BANDSAW.



SAMPLE VIEW OF MILLER WELDERS



MILLER SYNCROWAVE 350 DX WELDER



SELF ALIGNING TANK TURNING ROLLS


INSPECTION: Tuesday, February 18,
9:00 A.M. to 4:00 P.M.



BUG-O SYSTEM
TRACK WELDER



MILLER CP-302 WELDER



(2) P&H HARNISCHFEGER 15 T. X 66' SPAN OVERHEAD BRIDGE CRANES



(2) CCE INC. 20 T. X 36' SPAN OVERHEAD BRIDGE CRANES



(2) CCE INC. 5 T. X 45' SPAN OVERHEAD BRIDGE CRANES

ROTARY SCREW AIR COMPRESSORS

(2) TWISTAIR MDL. TA030T2-5, 125 PSI max. pressure, S/N 102842, S/N 102843.

AIR COMPRESSOR

WORTHINGTON ROLL-AIR MDL., 75 HP motor, S/N N.A.

SPREADER BAR

TRINITY INDUSTRIES 10 T. CAP., new 2014, S/N MLD-1220.

MAGNETIC PLATE LIFTING SYSTEM

12 T. CAP., (4) Walker Mdl. 18x72RL 18" x magnets and (1) spare magnet.

OVERHEAD BRIDGE CRANES

(2) CCE INC. 20 T. X 36' SPAN, top running double girder, S/N 11967, S/N N.A.

P&H HARNISCHFEGER 20 T. X 66' SPAN, top running, double girder, P&H hoist, S/N CH24218.

(2) P&H HARNISCHFEGER 15 T. X 66' SPAN, double girder, top running, radio frequency remote control, S/N CH22386, S/N CH24219.

(2) CCE INC. 5 T. X 45' SPAN, underslung, single girder, 5 T. hoist.

CUSTOM 2 T. X 40' APPROX. SPAN, underslung, single girder, 2 T. hoist.

LARGE CAPACITY FORKLIFT

TAYLOR 36,000-LB. CAP. MDL. T360L, new 2007, Cummins QSB5.9 turbo diesel engine, power shift trans., 36,000-lb. cap. at 24" load center, 15' max. lift ht., 13'8" lowered mast ht., 1200 x 20 tires, cab w/heat and A/C, for positioners, 92" forks, S/N 34601.

FORKLIFTS

CATERPILLAR 10,000-LB. BASE CAP. MDL. GC45KS1, new 2006, 90" triple stage mast, 180" lift ht., cushion tires, LPG, side shift, forks, S/N AT87A01949.

YALE 7,000-LB. BASE CAP. MDL. GLC070, new 2013, 105" triple stage mast, 225" lift, cushion tires, LPG, 48" forks, S/N A910V23377L.

TOYOTA 7,000-LB. BASE CAP. MDL. 8FGCU32, new 2014, 88" standard mast, 131" lift ht., cushion tires, LPG, forks, S/N 64417.

KOMATSU 6,000-LB. BASE CAP. MDL. FG30HT-16, new 2013, 86" triple stage mast, 185" lift ht., pneumatic style tires, side shift, fork positioner, forks, 5,000 hours on meter, S/N A231439.

(2) TOYOTA 3,000-LB. BASE CAP. MDL. 8FGCU15, new 2013, 90" standard mast, cushion tires, LPG, forks, S/N 21089, S/N 21357.

**SALE
#1**

TWISTAIR
MDL. TA030T2-5
ROTARY SCREW
AIR
COMPRESSORS



TAYLOR 36,000-LB. CAP. FORKLIFT



YALE 7,000-LB. BASE CAP. FORKLIFT



KOMATSU 6,000-LB. BASE CAP. FORKLIFT



CATERPILLAR 10,000-LB. BASE CAP. FORKLIFT

2013



SALE #2

**THURSDAY,
FEBRUARY 20
10:00 A.M.**

**OXFORD INSTRUMENTS
FOUNDRY-MASTER PRO
OPTICAL EMISSION
SPECTROMETER**



**SATEC SYSTEMS INC.
MDL. S1-1K3 PENDULUM
IMPACT TESTER**



**SATEC SYSTEMS INC.
MDL. 120HVL TENSILE**

OPTICAL EMISSION SPECTROMETER

OXFORD INSTRUMENTS FOUNDRY-MASTER PRO, new 2013, computer system, misc. hardware, set-up tooling, calibration standards, S/N 44Q0062.

TENSILE & MATERIAL TESTING

SATEC SYSTEMS INC. MDL. 120HVL, 120,000-lb. cap., type UTM, S/N 1066.

WARNER & SWASEY BALDWIN MATERIAL TESTING EQUIPMENT UNIVERSAL TEST MACHINE, new 2002, Mdl. 120HV, 120,000-lb. cap., S/N 120HV-1025.

PENDULUM IMPACT TESTER

SATEC SYSTEMS INC. MDL. S1-1K3, new 2002, 300 ft./lbs. units of 1 ft./lbs., 125 ft./lbs. units of 1 ft./lbs., S/N 1618.

BEND TESTER

FISCHER ENGINEERING CO. MDL. BT3, 1/32" to 2.5" bend radius range, Ohio Oscillator Mdl. H133-190-00-E7-HS1-PKH-N rotary actuator, 190 deg. rotation, 2,000 PSI, S/N 117948.

SPECIMEN TEMPERATURE CONDITIONING BATH

FTS SYSTEMS "CHARPYCOOL", S/N 325516W.



**WILSON INSTRUMENTS
MDL. CLB3 BRINELL
HARDNESS TESTER**



**WILSON ROCKWELL
DIGITAL HARDNESS TESTER
AND WILSON-WOLPERT
MICRO HARDNESS TESTER**

TRINITY INDUSTRIES 4001 IRVING BLVD., DALLAS, TEXAS 75247

ABRASIVE CUT-OFF SAW

ALLIED HIGH TECH PRODUCTS POWERCUT 10 MDL. 5-4000, 10" dia. blade cap., new 2014, S/N PC10-083A-K13.

HARDNESS TESTERS

WILSON INSTRUMENTS BRINELL HARDNESS TESTER MDL. CLB3, new 2006, 6,750-lb. cap., Instron control, 54" ht. cap., S/N SSYSQ5604.

WILSON ROCKWELL SERIES B2000 DIGITAL, Size 2, installed 2008, Instron control, 150 kG cap., 236-lb. cap., System I.D. No. RB2000Q8809.

WILSON-WOLPERT TUKON MDL. 2100B MICRO, 10, 25, 50, 100, 200, 300, 500, 1,000 gf test loads, Instron control, S/N T2100B02511.

CUSTOM DIGITAL IMAGING CENTER

CONSISTING OF: Nikon Mdl. SMZ1000 telescope w/Nikon Mdl. Coolpix 950 digital camera, 56" ht. platform.

MICROSCOPES

ZEISS MDL. AXIOVERT40MAT, S/N 235134980; **MEIJI TECHNO.**

GRINDING & POLISHING SYSTEMS

ALLIED HIGH TECH PRODUCTS MDL. MetPrep4 PH-6, 0-150 RPM, Allied AD-5 fluid dispenser.

MOUNTING PRESS

ALLIED HIGH TECH PRODUCTS MDL. TechPress 3, 1,500 watt heating power, up to 4,500 PSI molding pressure.

FINE GRIT SANDING MACHINE

BUHLER.



**ALLIED HIGH TECH PRODUCTS
POWERCUT 10 MDL. ABRASIVE
CUT-OFF SAW**




**ALLIED HIGH TECH
PRODUCTS GRINDING
AND POLISHING SYSTEM**



**ALLIED HIGH TECH PRODUCTS
MOUNTING PRESS**

**CUSTOM DIGITAL
IMAGING CENTER**






NARDINI MDL. FAST TRACE CNC FLATBED LATHE



JET 13" X 40" TOOLROOM LATHE



MICROVU 12" OPTICAL COMPARATOR



**MAZAK
YAMAZAKI
MDL. H-1000
HORIZ. MILL**



**LION
MDL. FU321M
HORIZ. MILL**

OPTICAL COMPARATOR
MICROVU 12" MDL. 500 HP, new 2002, 500 HP, S/N 23882.

**PORTABLE HARDNESS
TESTER**
PROTEQ MDL. EQUOTIP.

SURFACE PLATE
STARRETT GRADE A, 24" x 18" x 6" thk.

DIGITAL SCALE
O'HAUS ADVENTURE SL MDL. AS214, 210 grams max. cap., S/N 8029011062.

DYNAMOMETERS
DILLON 20,000-LB. CAP., 20-lb. divisions.
(2) DILLON 2,000-LB. CAP., 20-lb. divisions.

**MISC. LABORATORY
EQUIPMENT**
OMEGA MDL. DPG409 SERIES HIGH ACCU-
RACY DIGITAL PRESSURE GAUGE; (2)
VWR DYLATHERM HOT PLATES; APPROX.
(10) EPSILON MDL. 3542 AXIAL EXTEN-
SOMETERS; INSTRON AXIAL EXTENSOM-
ETERS; ALLIED HIGH TECH PRODUCTS
GRIT SILICONE CARBON PAPER up to 600
grit; XTECH INSTRUMENTS DIGITAL THER-
MOMETER; LABORATORY GLASS WARE;
BEAKERS; BOTTLES; REFRACTOR.

CNC FLATBED LATHE

NARDINI MDL. FAST TRACE, G.E. Fanuc Series 20T CNC control, 18" x 40" dist. btwn. centers, front and rear turrets, each w/Dorian toolposts, tailstock, 8" dia. 4-jaw chuck, coolant, S/N D5JEV021.

ENGINE LATHE

17" X 60" CINCINNATI, 12" dia. 4-jaw chuck, coolant, spds.: 37-1,470 RPM, 1-3/4" bore.

TOOLROOM LATHE

13" X 40" JET MDL. GH-1340A, new 2001, collet, 6" dia. 3-jaw chuck, 8" dia. 4-jaw chuck, Newall Topaz 2-axis D.R.O., faceplate, Dorian toolpost, steadyrest, splash guard, foot brake, S/N 001W682.

HORIZONTAL MILLS

MAZAK YAMAZAKI MDL. H-1000, 12" x 63" tbl., right angle attach., custom hyd. clamping system, pendant control, Anilam Wizard 800 2-axis D.R.O., S/N 11702.

LION MDL. FU321M, 12" x 58" tbl., Anilam Wizard 550 D.R.O., right angle attach., S/N 9720.

VERTICAL TURRET MILL

JET MDL. JVM-840, 7" x 30" tbl., Kurt vise, 1-1/2 HP main motor, S/N 55915.

SURFACE GRINDER

BROWN & SHARPE, 6" x 17" electromagnetic chuck, S/N 528-2-1208.



**OMEGA
DIGITAL
PRESSURE
GAUGE**



**XTECH
INSTRUMENTS
DIGITAL
THERMOMETER**



ABEX DENISON MULTI-PRESS



AMADA CUTMASTER MDL. HA400
AUTOMATIC HORIZ. BANDSAW



SCHMIDT MDL. STYLINER MARK III
MARKING MACHINE

SALE #2

**THURSDAY, FEBRUARY 20
10:00 A.M.**

**TRINITY INDUSTRIES
DALLAS, TEXAS**

MULTI-PRESS

ABEX DENISON MDL. WR067S011-19551A259, 6 T. cap., 7-1/2 HP motor, 16" daylight, 7-1/2" throat, 3.25" cylinder bore, 12" stroke, 2.25" ram dia., S/N 24225.

MARKING MACHINES

SCHMIDT MDL. STYLINER MARK III, new 2004, S/N 14186.

SCHMIDT MDL. STINGER, S/N 19216.

AUTOMATIC HORIZONTAL BANDSAW

AMADA CUTMASTER MDL. HA400, retrofit Sumitomo Mdl. AF-500 transistor inverter.

KEYWAY CUTTER

BLACKS MDL. CNB-3-120, S/N 73/43/7.

CUT-OFF SAW

EVERETT INDUSTRIES MDL. 1416, 2,100 RPM, S/N 06-5237.

HEAT TREAT FURNACES

(3) PARAGON MDL. HT22, Part No. S0428, 2,000 degree max temp., S/N 322012, S/N's N.A.

WELDING MACHINE

LINCOLN MDL. IDEALARC 250, S/N AC306921.

MISCELLANEOUS SHOP SUPPORT EQUIPMENT

KALAMAZOO BELT SANDER, Baldor 1/2 HP motor, 2"W. belt; CUSTOM SANDING SYSTEM, Dust Cop dust collector, 2"W. x 36"L. belt; VISES; MILWAUKEE ANGLE GRINDER; H.D. METAL BENCHES; JET 8" MDL. JBG-8A DOUBLE END GRINDER; DOUBLE END GRINDERS; CUT-OFF WHEELS; CUT-OFF DISCS (new and used); ASSORTED SANDPAPER; ANGLE GRINDERS; HACKSAWS; ELECTRIC DRILLS; HAND TOOLS; DRILLS; PIPE WRENCHES; VISES; (3) ENERPAC TURBO 2 HYDRAULIC POWER PACKS; PUCK STYLE HYDRAULIC POWER PACKS; DRILL DOCTOR TOOLBOXES; SET-UP TOOLING; LIQUID NITROGEN CONTAINERS; MITUTOYO DIGITAL CALIPERS; NUTS; BOLTS; BOTTLE JACKS; SUMP PUMPS; GREASE GUNS; EMPLOYEE LOCKERS; WELDING SHIELDS; FLOOR POLISHER; PALLET JACKS; MANUAL PALLET LIFT; SHOP LADDERS; TOOLBOXES.



(3) PARAGON MDL. HT22 HEAT TREAT
FURNACES



FTS SYSTEM "CHARYCOOL" BATH



CINCINNATI 17" X 60" ENGINE LATHE



SAMPLE VIEW OF TOOLS



MEIJI TECHNO MICROSCOPE

PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

P.O. Box 218568
Houston, TX 77218-8568

DATED MATERIAL – PLEASE DELIVER



**PUBLIC
INVITED**

SALE #1: WED., FEB. 19 • 10:00 A.M.

SALE #2: THURS., FEB. 20 • 10:00 A.M.



**ATTENTION: PLANT MANAGER
OR EQUIPMENT BUYER**

Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

SALE #1:

**FABRICATING EQUIP. • SHOT BLAST
PAINT BOOTH • WELDING MACHINES
FORKLIFTS UP TO 36,000-LB. CAP.
(7) OVERHEAD CRANES
UP TO 20 T. X 66' SPAN**

SALE #2:

**MET LAB • MACHINE TOOLS
GRINDERS • SAWS • SHOP SUPPLIES**



SALE #1 DIRECTIONS & LODGING

FROM DFW INTERNATIONAL AIRPORT: Head North on International Pkwy. and merge onto TX-121 N and continue for 4.2 miles. Continue onto Sam Rayburn Tollway for 2.7 miles. Take the I-35E N towards Denton and continue for 16.9 miles. Take Exit 464 US 77 toward Denton for 1.7 miles. Turn right onto S. Bell Ave. for .5 miles then turn right onto E. Sycamore look for auction signs on your right.

HAMPTON INN & SUITES DENTON, 1513 Centre Pl. Dr., Denton, TX 76205 (940) 891-4900
HILTON GARDEN INN DENTON, 3110 Colorado Blvd., Denton, TX 76210.....(940) 891-4700

SALE #2 DIRECTIONS & LODGING

FROM DFW INTERNATIONAL AIRPORT: Head South on International Pkwy. and merge onto TX-114 E towards Irving/Downtown Dallas for 4.8 miles. Merge onto TX-183 E then use the right lane to merge onto I-35E S. Take Exit 432B and turn right onto Commonwealth Dr. and then slight right onto Irving Blvd. continue one mile and look for auction signs on your right.

HAMPTON INN & SUITES DALLAS MARKET CENTER..... (214) 631-1300
3051 N Stemmons Fwy., Dallas, TX 75247

HOLIDAY INN EXPRESS & SUITES DALLAS CENTRAL MARKET CENTER..... (214) 905-1400
1521 Inwood Rd., Dallas, TX 75247

UNABLE TO ATTEND?

Bid on-line in real time at **BidSpotter.com**
TO PARTICIPATE YOU MUST:

1. Register at www.BidSpotter.com. Use the link to BidSpotter on PMI's website calendar. DO IT NOW.

2. Either send wire transfer, or, overnight delivery service a cashier's check deposit in the amount of \$3,000 (U.S. Bidders) or \$10,000 (Foreign Bidders) to:
Plant & Machinery Inc.
1304 Langham Creek Drive, Suite 454, Houston, TX 77084
Wire transfer instructions can be found at pmi-auction.com

You must be registered and have your deposit in the hands of Plant & Machinery, Inc. at least 24 hours prior to the start of the auction. Failure to register and/or failure to send your deposit to Plant & Machinery, Inc. may disqualify you from bidding. **DON'T WAIT.**

If you need assistance, don't hesitate to call (713) 691-4401.

ALL WEBCAST BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.

FINANCE YOUR AUCTION PURCHASE

Conserve Your Cash &
Increase Your Bidding Power

**AuctionLea\$e Provides
M&E Financing**

**With Approvals from
\$5,000 to \$999,000**

(800) 438-1470

Apply Online:
www.AuctionLease.com

PARTIAL TERMS & CONDITIONS

A 15% Buyer's Premium Will Apply On-site.

A 18% Buyer's Premium Will Apply to Webcast Bids. See Above Rules for Participation.

Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.

ALL PAYMENTS MUST BE MADE BY CASH, CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.

Here is an example of what your letter should be: *Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$_____.* This letter is good until March 20, 2020.

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased **"AS IS," WITH "ALL FAULTS" AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE."** THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR

USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.