

Multi Location 7-18-18  
Master Catalog

ITEM	QTY	DESCRIPTION
1	1	<b>VERTICAL TURRET MILL, BRIDGEPORT 9" X 48"</b> , 2 HP variable spd. Head, servo pwr. feed, Acu-Rite 2-axis D.R.O., Coolmist coolant system, S/N 240283. <b>(LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)</b>
2	1	<b>VERTICAL TURRET MILL, BRIDGEPORT 9" X 48"</b> , 2 HP variable spd. Head, servo pwr. feed, Acu-Rite 2-axis D.R.O., Coolmist coolant system, S/N 244518. <b>(LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)</b>
3	1	<b>VERTICAL TURRET MILL, BRIDGEPORT 9" X 48"</b> , 2 HP variable spd. Head, servo pwr. feed, Acu-Rite 2-axis D.R.O., Coolmist coolant system, S/N 249631. <b>(LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)</b>
4	1	<b>VERTICAL MACHINING CENTER, HURCO MDL. BMC30/SSM</b> , Ultimax SSM CNC control, 16" x 40" table, 30" X-axis travel, 18" Y-axis travel, 24" Z-axis travel, CAT-40, 10 HP, 8,000 max. RPM, 24 pos. ATC, S/N B3SM91004047BD, (1997), <b>(LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)</b>
5	1	<b>VERTICAL MILL, HURCO MDL. KM3P</b> , Ultimax CNC control, 14" X 49" TABLE, 24" X-axis travel, 14" Y-axis travel, 5" quill & 15.5" knee (manual) Z-axis travel, 3 HP spd. motor, variable spds: 60-4000 RPM in (2) ranges, 4th axis ready, quick change tooling, S/N KDD-9003053D. <b>(LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)</b>
6	1	<b>LATHE, BRIDGEPORT-ROMI EZ-PATH II 20" X 40"</b> , EZ-PATH CNC control, Rohm 12" dia. 3-jaw chuck, 2 1/2" bore, 12" dia 4-jaw chuck, quick change toolpost w/holders, spd. spds: 4-3500 RPM in (3) ranges, 10 HP motor, A2-6 spd. nose, S/N 002-081766-349, (1996), <b>(LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)</b>
7	1	<b>GAP BED ENGINE LATHE, VICTOR 20" X 60" MDL. S2060G</b> , 12" dia 3-jaw chuck, taper attach., Newall C80 2-axis D.R.O.,k quick change toolpost, spds: 30-1800 RPM, 7 1/2 HP motor, 3 1/8" spd. bore, faceplate, collet tube, S/N 780636, <b>(LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)</b>
8	1	<b>SURFACE GRINDER, MATTISON 12" X 36"</b> , NEUTROFIER II 12" x 36" electromagnetic chuck, 3" x18" dia wheel, 15 HP motor, 12" vert. stroke, Mitutoyo linear scale counter on vert. travel, S/N 12324. <b>(LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)</b>
9	1	<b>SURFACE GRINDER, HARIG MDL. SUPER 612</b> , Walter-Ceramax 6" x 12" magnetic chuck, 1 HP motor, Vac-U-Guard attach. <b>(LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)</b>
10	1	<b>SURFACE GRINDER, HARIG MDL. 612</b> , Walter-Ceramax 6" x 12" magnetic chuck, 1 1/2 HP motor, Vac-U-Guard attach. <b>(LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)</b>
11	1	<b>RADIAL ARM DRILL PRESS, CARLTON 3' X 11"</b> , 24" x 19" x 15" 3-sided tilting box table, pwr. elevation & clamping, S/N 1A1700. <b>(LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)</b>
12	1	<b>ROLL-IN VERTICAL BANDSAW, MDL. EF1459</b> , 29 1/2" x 18 1/2" table, S/N 99133EF, (1999) <b>(LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)</b>
13	1	<b>OPTICAL MEASURING SYSTEM,, OMIS II</b> , Quadra-Chek 300 Geometric read out, Ram Optical Instrumentation Video probe, 6" x 12" table, unit on roller stand. <b>(LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)</b>
14	1	<b>ELECTRICAL DISCHARGE MACHINE, ELTEE PULSITRON (HURCO) MDL. TRM-39</b> , EP300CP power supply, 30 amp, 11.4" X-axis travel, 7.5" Y-axis travel, 7.5" Z-axis travel, 11" X 16.5" table size, Futaba Pulscale D.R.O., S/N RE9002071A. <b>(LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)</b>
15	1	<b>ELECTRICAL DISCHARGE MACHINE, ELTEE PULSITRON MDL. TRM-21</b> EP300CP power supply, 30 amp, 8" X-axis travel, 6" Y-axis travel, 10.5" Z-axis travel, 16" x 11" work table, Futaba Pulscale D.R.O., vectoring head, VMC control, S/N PC9001072A <b>(LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)</b>
16	LOT	<b>ELECTRODE MATERIAL &amp; SYSTEM 3R TOOLING FOR EDM's Including:</b> Hydraulic Clamp Holders, Electrode & Square Holders, Machining Block, Rotating Spindle. <b>(LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)</b>
17	LOT	<b>ELECTRODE MATERIAL MISCELLANEOUS ON PALLETS</b> , (as pictured) some used shapes, 1 piece 12" x 12" x 7" <b>(LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)</b>
18	1	<b>INDUSTRIAL AIR CLEANER, AIRFLOW SYSTEMS INC., MDL. F120</b> , 3 HP motor, 24" x 24" x 4" filter, S/N 120909, <b>(LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)</b>
19	1	<b>INDUSTRIAL AIR CLEANER, MICRO AIR, MDL. MA4000</b> , 1 HP motor, S/N 10152, <b>(LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)</b>

Multi Location 7-18-18  
Master Catalog

ITEM	QTY	DESCRIPTION
20	1	TRANSFORMER, OLSUN DRY TYPE, 15 KVA, 3 phase, HV 240/480, LV 208Y/120 (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
21	1	TRANSFORMER, ACME, 9 KVA, 3 phase, 480 V. primary w/taps, 240 V. secondary (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
22	1	PRECISION MACHINE VISE, KURT 6" (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
23	1	PRECISION MACHINE VISE, KURT 6" (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
24	1	PRECISION MACHINE VISE, KURT 6" (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
25	1	PRECISION MACHINE VISE, KURT 6" (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
26	1	PRECISION MACHINE VISE, KURT 6" (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
27	1	UNIVERSAL GRINDING RADIUS ANGLE DRESSER WHEEL DRESSER (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
28	1	INDEX FIXTURE, ATCO PANELMATE No. 1 (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
29	1	INDEX FIXTURE, HARIG GRINDALL No. 1 (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
30	1	RADIUS ANGLE DRESSER, YUASA MDL. 552-00 (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
31	1	BORING HEAD, BRIDGEPORT (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
32	1	BORING HEAD, GAMET (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
33	LOT	(2) TAPPING HEADS, JACOBS CHUCKS, R-8 MILLING HEAD (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
34	LOT	PRECISON BLOCKS & GRINDING VISE (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
36	1	THREAD MILLING ATTACHMENT, DAYTON, SCR control, 1/6 HP motor (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
37	1	RECIPROCATING MOLD POLISHER, DME pwr. pack foot control.(LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
38	1	T-SLOTTED CROSSSLIDING ROTARY TABLE, YUASA MDL. 550-020, 10" X 10", (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
39	1	ROTARY TABLE, BRIDGEPORT 15", S/N 23217, (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
40	1	INDEX SHAPER, YUASA MDL. 550-10, w/10" face plate, (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
41	LOT	(2) 8" DIA. 3-JAW CHUCKS, w/top & soft jaws, (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
42	1	DIE SET, DANLY (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
43	1	MAGNETIC SINE CHUCK, SUBURBAN TOOL MDL. MC66S1, S/N 780-0105 (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
44	LOT	ANGLE PLATES, 16" X 12" X 9", (2) 6" X 8" X 6" (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
45	LOT	(2) VAC-U-GUARDS (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
46	LOT	(2) HUOT DRILL CABINETS
47	LOT	STARRETT GRANITE SURFACE PLATE, 24" X 18", grade B, S/N 906E29 (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
48	LOT	PRECISION GRANITE SURFACE PLATE, 24" X 18", grade B, S/N 0-1 (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
49	LOT	GRANITE SURFACE PLATE, 18" X 12", (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
50	LOT	TAPER SHANK TWIST DRILLS, CARBIDE TURNING TOOLS (in a box) (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
51	1	AIR COMPRESSOR INGERSOLL-RAND, MDL. 2475N7.5, dual stage, 7 1/2 HP motor, (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)
52	1	AIR COMPRESSOR, CHAMPION MDL. VRV5-8, 5 HP motor, air receiving tank, (LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)

Multi Location 7-18-18  
Master Catalog

ITEM	QTY	DESCRIPTION
53	LOT	<b>(13) LOW BAY LIGHTING FIXTURES, COOPER MDL. SS,</b> catalog No. FM40-5T, Part 876286, <b>(LOCATION 1: Matrix Manufacturing Inc., 2625 Miller Ranch Road, Pearland, TX 77584)</b>
54	1	<b>BLAST CLEANING SYSTEM, PANGBORN MDL ES-1844-13 6 WHEEL STRUCTURAL,</b> new 2013, 64" W. X 39.5" HT. Cap., (6) 25HP rotoblast blast wheels, media reclamation system, manual spot check/cleaning station, S/N: S130055. Pangborn dust collection system s/n P003-12/8-173476. Donalson Torit Downflo II Mdl. DF03-12 30 HP dust collector, S/N 4250759-1. <b>(LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)</b>
55	1	<b>VACUUM CHAMBER, CUSTOM 89" X 264" INTERNAL CAPACITY,</b> vertical operating main door, side mounted man door, pedestal control, Asset # 2059 and 2060. Equipped with Dekker Mdl. VMXVFD0453KA1-00 oil-sealed liquid ring 25 HP vacuum pump, new 12/2013, rated at 410CFM, Max. Vacuum: 29 in HgV; 25 Torr; -980 mbar, color touch screen control, S/N 23299 <b>(LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)</b>
56	1	<b>VACUUM CHAMBER, CUSTOM 89" X 264" INTERNAL CAPACITY,</b> vertical operating main door, side mounted man door, pedestal control, Asset # 2059 and 2060. Equipped with Dekker Mdl. VMXVFD0453KA1-00 oil-sealed liquid ring 25 HP vacuum pump, new 12/2013, rated at 410CFM, Max. Vacuum: 29 in HgV; 25 Torr; -980 mbar, color touch screen control, S/N 23300 <b>(LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)</b>
57	1	<b>LARGE CAPACITY MIXER, CONTINENTAL “ROLLO-MIXER” MK IX BATCH COATER MDL. 120-386/37,</b> new 10/2013. Specified for coating 8 to 40 EPS Sphere at a finished density of 37 lbs. Cu. Ft. The max. load volume is 386 cu. ft. Max load weight is 14,282 lbs. Mixer coating speed is 2.93 RPM at with VFO 60Hz. Mixer Heating and Cooling speed is 0.98 RPM with VFO 20 Hz. 30 HP 1,775 RPM drive motor, S/N 2892. (Currently disassembled) <b>(LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)</b>
58	1	<b>MIXER REACTOR, ROSS 1,500 GALLON OPERATING CAP.,</b> new 2007, SA-516-GR-70 shell and heads,10,600 lbs. Design Empty weight, Design Pressure of 15 PSI, Design Temp. Of 250 deg. F, top mounted mixer with anchor style mixing blade, centrifugal pump, S/N 1065420, <b>(LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)</b>
59	1	<b>MIXER REACTOR ROSS 1,500 GALLON OPERATING CAP.,</b> new 2007, SA-516-GR-70 shell and heads,10,600 lbs. Design Empty weight, Design Pressure of 15 PSI, Design Temp. Of 250 deg. F, top mounted mixer with anchor style mixing blade, centrifugal pump, S/N NA, <b>(LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)</b>
60	1	<b>MIXER REACTOR, ROSS 1,500 GALLON OPERATING CAP.,</b> new 2007, SA-516-GR-70 shell and heads,10,600 lbs. Design Empty weight, Design Pressure of 15 PSI, Design Temp. Of 250 deg. F, top mounted mixer with anchor style mixing blade, centrifugal pump, S/N 1065430, <b>(LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)</b>
61	1	<b>MIXER REACTOR, ROSS 1,500 GALLON OPERATING CAP.,</b> new 2007, SA-516-GR-70 shell and heads,10,600 lbs. Design Empty weight, Design Pressure of 15 PSI, Design Temp. Of 250 deg. F, top mounted mixer with anchor style mixing blade, centrifugal pump, S/N NA, <b>(LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)</b>
62	1	<b>MIXER REACTOR, ROSS 1,500 GALLON OPERATING CAP.,</b> new 2007, SA-516-GR-70 shell and heads,10,600 lbs. Design Empty weight, Design Pressure of 15 PSI, Design Temp. Of 250 deg. F, top mounted mixer with anchor style mixing blade, centrifugal pump, S/N 1065456, <b>(LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)</b>
63	1	<b>MIXER REACTOR, ROSS 1,500 GALLON OPERATING CAP.,</b> new 2007, SA-516-GR-70 shell and heads,10,600 lbs. Design Empty weight, Design Pressure of 15 PSI, Design Temp. Of 250 deg. F, top mounted mixer with anchor style mixing blade, centrifugal pump, S/N 1065400, <b>(LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)</b>
64	1	<b>LIDE INDUSTRIES 27,550 GAL. CAP. 13’ W. X 37.5’ HT.,</b> new 2010, 1/4” bottom Type C, 3/16” thick shell and deck, ATM design pressure, Equipped with Monitor Technologies Silo Patrol Mdl. SLU silo monitoring unit, S/N 6037 J-1836. <b>(LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)</b>
65		<b>LIDE INDUSTRIES 27,550 GAL. CAP. 13’ W. X 37.5’ HT.,</b> new 2010, 1/4” bottom Type C, 3/16” thick shell and deck, ATM design pressure, Equipped with Monitor Technologies Silo Patrol Mdl. SLU silo monitoring unit, S/N 6038 J-1836. <b>(LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)</b>
66	1	<b>ULTRAFAB 27,000 GAL. CAP. 13’ W. X 37,5 ‘ HT. ,</b> 3/16” thick shell, bottom and deck, equipped with Monitor Technologies Silo Patrol Mdl. SLU silo monitoring unit. S/N 11097, (1997). <b>(LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)</b>
67	1	<b>ULTRAFAB 27,000 GAL. CAP. 13’ W. X 37,5 ‘ HT. ,</b> 3/16” thick shell, bottom and deck, equipped with Monitor Technologies Silo Patrol Mdl. SLU silo monitoring unit, S/N 11093, (1997), <b>(LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)</b>

Multi Location 7-18-18  
Master Catalog

ITEM	QTY	DESCRIPTION
68		<b>ULTRAFAB 27,000 GAL. CAP. 13’ W. X 37,5 ‘ HT. , 3/16” thick shell, bottom and deck, equipped with Monitor Technologies Silo Patrol Mdl. SLU silo monitoring unit S/N 11108, (1997), (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)</b>
69		<b>ULTRAFAB 27,000 GAL. CAP. 13’ W. X 37,5 ‘ HT. , 3/16” thick shell, bottom and deck, equipped with Monitor Technologies Silo Patrol Mdl. SLU silo monitoring unit, S/N 11111, (1997), (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)</b>
70	1	<b>STORAGE TANK, CHERRY-BURRELL 2,000 GALLON, MDL. HCWE, 316 SS double walled, weight 3,515 lbs., S/N 2000-55-CR6648. (LOCATION 18: FAB CORP, 6951 West Little York, Houston, TX 77040.)</b>
71	1	<b>STORAGE TANK, CHERRY-BURRELL 2,000 GALLON, MDL. GHW, 316 SS double walled, weight 3,515 lbs. S/N 20-67-2336, (LOCATION 18: FAB CORP, 6951 West Little York, Houston, TX 77040.)</b>
72	1	<b>STORAGE TANK, CHERRY-BURRELL 2,000 GALLON MDL GHW, 316 SS double walled, weight 3,515 lbs. S/N 20-74-2795. (LOCATION 18: FAB CORP, 6951 West Little York, Houston, TX 77040.)</b>
74	1	<b>LATHE, CNC LEBLOND MDL. 6642 WIDE BED, ULTRA H.D., retrofit in 2013 by AMS Automation, GE Fanuc Oi-TC CNC control, 66” swing over bed, 42” swing over cross slide, 60” wide bed, 240” dist. btn. Centers, 150,000 lbs. weight capacity at 1 RPM, spds: .9-300 RPM, 58” faceplate w/boring mill jaws, 75 HP motor, (2) steady rests, boring bar attach with boring bar stabilizer, chip conveyor, S/N RWB524 (LOCATION 3: Jet Machine, 1107 Aldine Mail Route,Houston, TX 77039)</b>
74A	1	<b>CNC FLATBED HEAVY DUTY HOLLOW SPINDLE LATHE, AMERICAN Mdl 4025, 2017 retrofit with CNC Control &amp; Drives, 12.5" spindle bore, 40” swing over bed, 25” swing over cross slide, 179” Z-axis travel, 24” dia. 4-jaw chuck, 6 Position Turret. (LOCATION 27: ACE WORLD COMPANIES, 10200 JACKSBORO HWY., FORT WORTH, TX 76135)</b>
75	1	<b>VERTICAL BORING MILL, CNC BULLARD DYN-AU-TAPE 56”, retrofit 9/2008 by Essex Machine Tool Services, Fanuc 0iTC CNC control, 68” sw., 44” under rail, Siemens 55 kW spdl. drive motor, 4-jaw built-in chuck w/hard jaws, 12 pos. ATC w/approx. (8) H.D. turning tools, S/N 32120 (LOCATION 4: Clinton Drive Warehouse Building #8, 3609 CLINTON DRIVE, HOUSTON, TX 77020)</b>
76	1	<b>VERTICAL BORING MILL, CNC BULLARD DYN-AU-TAPE 56”, Autocon Dynapath CNC control, 62” 4-jaw chuck with built in master jaws, 68” Max. swing, 56” height under rail, Speeds from 2-320 RPM, 75 HP motor, S/N 33701. (LOCATION 3: Jet Machine, 1107 Aldine Mail Route, Houston, TX 77039)</b>
76A	1	<b>CNC VERTICAL TURNING LATHE, MAZAK MEGATURN A-12NX, MAZATROL T-PLUS CNC CONTROL, 57” MAX. Swing, 53” max. turning dia., 48” max. work height, 2 pallets, 49” pallet diameter, 30 pos. ATC, 1-200 RPM table speeds, 60 HP table motor, 20 HP milling spindle. (LOCATION 27: ACE WORLD COMPANIES, 10200 JACKSBORO HWY., FORT WORTH, TX 76135)</b>
77	1	<b>ENGINE LATHE, RYAZAN (STANKO) H.D. 33” X 118” MDL. 16K40-3, new 2005, 19.29” sw. over crossslide, 4.13” spdl. bore, spds: 10-1250 RPM, 24.8 HP motor, pwr. compound, 6-way rapid traverse, 15" dia. 4-jaw chuck, steady rest, taper attach., S/N 1504. (LOCATION 5: CNC Automation, 17360 Rodgers Road, New Waverly, TX 77358)</b>
77A	1	<b>ENGINE LATHE, SIDNEY, 45" swing over bed, 190" between centers, 24” dia. 4-jaw chuck, (2) steady rests. (LOCATION 27: ACE WORLD COMPANIES, 10200 JACKSBORO HWY., FORT WORTH, TX 76135)</b>
77B	1	<b>ENGINE LATHE, AMERICAN PACEMAKER, 24" swing over bed, 150" between centers, 20” chuck, (LOCATION 27: ACE WORLD COMPANIES, 10200 JACKSBORO HWY., FORT WORTH, TX 76135)</b>
78	1	<b>HORIZONTAL BORING MILL, 4-1/8” SUMMIT MDL. HTM3/4, NC TABLE-TYPE, new 2002, Heidenhain multi axis DRO &amp; NC control, 43” x 51” rotary table, 52”-X, 39”-Y, 62”-Z Axis travels, 11,000 lbs. max. work piece weight, (18) speeds from 16-1,600, 20 HP, pwr. drawbar, #50 taper, spindle support sleeve, S/N 04-MB-1055. (LOCATION 14: Weatherford Katy, 1040 Schlipf Road, Katy, TX 77493)</b>
78A	1	<b>CNC HORIZONTAL BORING MILL, FEMCO WBMC-100, 3.94” Spindle Dia., #50 taper, FANUC ??? CONTROL, 63” X 56” 4<sup>TH</sup> Axis Rotary Table, X-74.74” x Y-70.86” x Z-63” axis travels, 1,000 RPM max. spindle speed, 25 HP. (LOCATION 27: ACE WORLD COMPANIES, 10200 JACKSBORO HWY., FORT WORTH, TX 76135)</b>
79	1	<b>VERTICAL BORING MILL, DEFUM (TOOLMEX) MDL. KNA110, New 2000, 43” table, 4-jaw w/master jaws, 53” swing, 41” under rail, 40 HP motor, turret &amp; side head, spds: 8-250 RPM, Newall 3-axis D.R.O., S/N 9113 (LOCATION 14: Weatherford Katy, 1040 Schlipf Road, Katy, TX 77493)</b>
79A	1	<b>CNC VERTICAL MACHINING CENTER, HURCO BMC4020, ULTIMAX SSM CNC Control, 48” x 20” table size, X-40” x Y-20” x Z-20” axis travels, 40 taper, 8,000 RPM, 24 ATC, Chip conveyor. (LOCATION 27: ACE WORLD COMPANIES, 10200 JACKSBORO HWY., FORT WORTH, TX 76135)</b>

Multi Location 7-18-18  
Master Catalog

ITEM	QTY	DESCRIPTION
80	1	<b>TURNING CENTER, CNC GILDEMEISTER MDL. CTX500E 2-AXIS</b> , new 2000, Heidenhain CNC Pilot control, 78.74” turning length, 26.38” turning dia. over slide cover, 4.2” spdl. hole, SMW 10” dia. 3-jaw chuck, 12 pos. turret, chip conveyor, coolant filtration system, mist collector, vacuum system for small debris, SMW Autoblok programmable steadyrest, tool presetter, S/N 118001041, <b>(LOCATION 13: Total Oilfield Equipment &amp; Supply, LLC, 2653 Hwy. 44, Robstown, TX 78380)</b>
81	1	<b>TURNING CENTER, CNC OKUMA MDL. LB35II 2-AXIS</b> , OSP-5020L CNC control, 13” X-axis travel, 36.22” Z-axis travel, 27.56” max. sw. over bed, 16.93” sw. over saddle, 18.11” max. turning dia., variable spdl. spds: 14-3200 RPM, 12” dia. 3-jaw chuck, 12 pos. turret, programmable tailstock, mist collector, chip conveyor, coolant filtration system, mist collector, vacuum system for small debris, SMW Programmable steadyrest, tool presetter, S/N 0147 (1994) <b>(LOCATION 13: Total Oilfield Equipment &amp; Supply, LLC, 2653 Hwy. 44, Robstown, TX 78380)</b>
82	1	<b>HORIZONTAL BORING MILL, GIDDINGS &amp; LEWIS MDL. 350T TABLE TYPE</b> , 60” x 122” table, 5” spdl., #6 MT spdl., 975 RPM, 110” X-axis travel, 72” Y-axis travel, 4-way traverse bed w/outboard suppts., 20 HP motor, 3 phase, 1” T-slots, dual spdl., main spdl. – 8-500 RPM/.005-.250 FPR, aux. spdl. – 33-2000 RPM/.001-.062 FPR, .5-25 IPM table feeds, S/N 5846, <b>(LOCATION 13: Total Oilfield Equipment &amp; Supply, LLC, 2653 Hwy. 44, Robstown, TX 78380)</b>
82A	1	<b>HORIZONTAL MILL, CINCINNATI GILBERT</b> , 70” x 158” table size, Travels: X-119”, Y-37”, Z-22”, Newall DRO, S/N 1097. <b>(LOCATION 27: ACE WORLD COMPANIES, 10200 JACKSBORO HWY., FORT WORTH, TX 76135)</b>
83	LOT	<b>COMPLETE LAPPING DEPARTMENT, consisting of the following; FREE WIEGHT LAPPING MACHINES: (2) ENGIS HYPREZ LAPPING SYSTEM 15</b> , 15” lapping plate, free weight lapping discs 5-1/2” dia., S/N 15H0440, S/N 15H0441, <b>CUSTOM</b> , custom 36” lapping table, multiple disc templates; <b>HYDRAULIC PRESS LAPPING MACHINES: ENGIS HYPREZ LAPPING SYSTEM</b> , 24” lapping table, Hyprez Mini Miser control, w/10” hydraulic press disc (3), S/N 24P0420, <b>SPEED LAP 18</b> , 18” lapping table, (4) 6” hydraulic press discs, S/N 18A-042, <b>SPEED FAM 32” ROUGHING TABLE</b> , w/12” hydraulic disc press (4), Type B1AW-1282, S/N SNG-32, <b>SPEED FAM 24</b> , 24” Finishing Copper Plate, (4) 9” hydraulic post disc, Type G-24-BTAW, S/N 01026, <b>LAPPING SYSTEM ACCESSORIES</b> , Pallets of Lapping Wheels, Media & Accessories, Free Weight Lapping Discs 5 1/2” <b>(LOCATION 11: Dyna Tech Seals Inc., 12828 Nimitz St., Houston, TX 77015)</b>
84	1	<b>LATHE, MORI SEIKI, CNC FLAT BED MDL. LL-7</b> , Fanuc 6TB CNC control, 42.9” sw. over bed, 20.4” sw. over cross slide, 6.75” hole thru spdl., 31.5” dia. chuck, 50 HP motor, spdl. spds: 6-1150 RPM, (2) 4 pos. turrets, chip conveyor, splash guards & doors, S/N 150 <b>(LOCATION 21: DIXIE CULLEN INTERESTS, INC., 8501 EAST FREEWAY, HOUSTON, TX 77029)</b>
85	1	<b>ENGINE LATHE, KINGSTON OIL COUNTRY HOLLOW SPINDLE MDL. HK-3000</b> , new 2007, 12.5” spdl. bore, 30” sw. bed, 20.5” sw. over cross slide, 118” dist. btn. centers, spdl. spds: 5-300 RPM, front & rear 4-jaw chucks, steadyrest, taper attach., 20 HP motor, S/N 03870612G <b>(LOCATION 21: DIXIE CULLEN INTERESTS, INC., 8501 EAST FREEWAY, HOUSTON, TX 77029)</b>
86	1	<b>TURRET LATHE, TAIYO SEIKO SADDLE TYPE MDL. 4-T</b> , 38” sw. over bed, 12-5/8” hole thru spdl., 75 HP main motor, spdl. spds: 20-530 RPM, 6 pos. cross sliding turret, (2) boring bars, front & rear taper attaches., 31” dia. 3-jaw chuck w/12-5/8” thru hole, S/N 764010 <b>(LOCATION 21: DIXIE CULLEN INTERESTS, INC., 8501 EAST FREEWAY, HOUSTON, TX 77029)</b>
87	1	<b>LATHE, OKUMA CAPTAIN, CNC, L370</b> , New 2005, OSP-E100L control, 20.86” swing over bed, 14.57” max. turning diameter, 19.685” max turning length, 10.23” X-axis travel, 20.47 Z-axis travel, A2-6 spindle nose, 2.44 spindle bore, 20 HP, spindle speeds from 45-4,500 rpm, collet chuck, chip conveyor, S/N 112762, <b>(LOCATION 16: Byford Machine Tool, Inc., 2038 State Hwy. 6 North, Valley Mills, TX 76689).</b>
88	1	<b>LATHE, OKUMA, CNC, LB15</b> , 1998, OSP5000L-G control, CRT recently replaced, 15.8” swing, 32” max. turning length, 2.5” bore, 12 position turret, 8” Kitagawa power chuck, collet adaptor, SMW Spacesaver 12.6 Autoload bar feeder, S/N 0207A006, <b>(LOCATION 15: Ed's Precision Manufacturing, 6061 Thomas Road, Houston, TX 77041)</b>
89	1	<b>LATHE, OKUMA, CNC, LB15 BIG BORE</b> , OSP5000L-G control, sw. over bed 15.75", Max Turning Diameter 9.84", X-axis travel 5.12" plus 1.77", Z-Axis Travel 20.47", 12 pos. turret, Size of OD/ID Turning Tools 1", Tailstock Quill diameter 3.54", Tailstock Taper of Center MT5, Tailstock Quill Stroke, 4.72", 10" chuck with 2.5" bore, Serial # 0103 9342, (1989), <b>(LOCATION 15A: All American Rigging, 80 Southbelt Industrial Drive, Houston, TX 77047).</b>
90	1	<b>LATHE, MAZAK M5 x 2500, CNC FLATBED</b> , Mazatrol Cam T-2 control, 6.5” spindle bore, 24” swing x 102”, 13” max. turning diameter, 30 HP, 8 pos. front turret, 6 pos. rear turret, 19 ½” 3-jaw chuck, steady rest, pallet of soft jaws. S/N 72801. <b>(LOCATION 17: D&amp;A General Auto, 7905 Almeda Genoa, Houston, TX 77075)</b>

Multi Location 7-18-18  
Master Catalog

ITEM	QTY	DESCRIPTION
91	1	<b>LATHE, MAZAK M4 x 1500, CNC FLATBED</b> , Fanuc 6T CNC control, 3 1/8” spindle bore, 22” swing x 60” between centers, 8 pos. front turret, 6 pos. rear turret, 12” power chuck, s/n 45742. <b>(LOCATION 17: D&amp;A General Auto, 7905 Almeda Genoa, Houston, TX 77075)</b>
92	1	<b>LATHE, DAEWOO PUMA, CNC MDL. 10S</b> , Fanuc Series O-T CNC control, 22.8” sw. over bed, 30.3” max. cutting length, Kitagawa B-10 pwr. chuck, 12 pos. turret, turbo conveyor, S/N 380406, <b>(LOCATION 20: Acra Machine, 17420 West Little York, Houston, TX)</b>
93	1	<b>LATHE, DAEWOO PUMA, CNC MDL. 10S</b> , Fanuc Series 10-T CNC control, 22.8” sw. over bed, 30.3” max. cutting length, Kitagawa B-12 pwr. chuck, 12 pos. turret, Jorgenson chip conveyor, S/N 380010, <b>(LOCATION 20: Acra Machine, 17420 West Little York, Houston, TX)</b>
94	1	<b>GAP BED ENGINE LATHE, KINGSTON 21” X 60” MDL. HLC2160</b> , 13.38” sw. over cross slide, 25-1,500 RPM, 10 HP, 12” dia. 3-jaw chuck, S/N K5059123 <b>(LOCATION 20: Acra Machine, 17420 West Little York, Houston, TX)</b>
95	1	<b>GAP BED ENGINE LATHE, CLAUSING COLCHESTER 17” X 80” MDL. 8055</b> , new 1968, taper attach., 15” dia. 4-jaw chuck, spds: 20-1600 RPM, steady rest, Quick change tool post, S/N 7001802673, <b>(LOCATION 20: Acra Machine, 17420 West Little York, Houston, TX)</b>
96	1	<b>HORIZONTAL BANDSAW, CENTRAL MACHINERY 7” X 12” MDL. 97009</b> , 1 HP motor, <b>(LOCATION 20: Acra Machine, 17420 West Little York, Houston, TX)</b>
97	1	<b>VERTICAL TURRET MILL, ACER ULTIMA 10" X 50", MDL. 4VK TT</b> , 5 HP variable speed head, Newall C-80 2-axis DRO, power feed on knee and cross, S/N 08060746H, <b>(LOCATION 18: FAB CORP, 6951 West Little York, Houston, TX 77040.)</b>
98	1	<b>VERTICAL TURRET MILL, WELLS INDEX MDL. 847</b> , 10” x 48” table, Newall Sapphire 2-axis D.R.O., 2 HP motor, S/N 15935, <b>(LOCATION 20: Acra Machine, 17420 West Little York, Houston, TX)</b>
99	1	<b>VERTICAL TURRET MILL, JOHNFORD MDL. 4AVS</b> , 10” x 50” table, 3 HP motor, variable spd. head, long. pwr. feed, S/N 4AVSGY030R <b>(LOCATION 20: Acra Machine, 17420 West Little York, Houston, TX)</b>
100	1	<b>VERTICAL TURRET MILL, WEBB MDL. 4VK</b> , 10” x 50” table, 30” travel, 12” Y-axis travel, 5” quill, Newall C80 DRO, S/N 792759, (1990) <b>(LOCATION 6: CRG Electric, Inc., 315 Sadie, Odessa, TX)</b>
101	1	<b>VERTICAL MILL, BRIDGEPORT, 9" X 42"</b> , step pulley head, longitudinal pwr. feed, vise. <b>(LOCATION 24: W.B. Wilkins Mfg., 4915-A 94th Street, Lubbock, TX 78424)</b>
102	1	<b>RADIAL DRILL, CINCINNATI BICKFORD, 4' X 12"</b> box table, <b>(LOCATION 24: W.B. Wilkins Mfg., 4915-A 94th Street, Lubbock, TX 78424)</b>
103	1	<b>LATHE, AMERICAN PACEMAKER, 22" x 40"</b> , 3-jaw chuck, taper attachment <b>(LOCATION 24: W.B. Wilkins Mfg., 4915-A 94th Street, Lubbock, TX 78424)</b>
104	1	<b>STEEL SHOT BLASTER, WHEELABRATOR, 46” dia.</b> Usable table, 48” working height <b>(LOCATION 13: Total Oilfield Equipment &amp; Supply, LLC, 2653 Hwy. 44, Robstown, TX 78380)</b>
105	1	<b>CAR BOTTOM FURNACE, HUBER</b> , natural gas fired, 11'-6"W. x 8'-10"H x 24'D internal dims, pwr'd. car w/refractory bed, ceramic wool lining, (6) Eclipse gas burners and manifold, Honeywell digital controls and mdl., DPR 3000 250 mm strip chart recorder. <b>(LOCATION 7: K-2 Pipe &amp; Steel, LLC, 1300 North La Barge Avenue, Wagoner, OK, 74467.)</b>
106	1	<b>CAR BOTTOM FURANCE, HUBER</b> , 1800 degree Max. temp., 10’4” W x 12’8” L x 8’ H work area, nat. gas powered, Watlow digital controller, Honeywell digital over temp & recorder, power driven car with 3 sets of axels, fiber lined, equipped with (4) Power Flame mdl. JD130 package burners, approx. 1,300,000 btu's each, S/N 5220. <b>(LOCATION 8: Dixie Cullen Interests, Inc., 9200 Market Street, Houston, TX 77029)</b>
107	LOT	<b>AEROSOL &amp; PROPELLANT AUTOMATIC FILLING &amp; PACKAGING LINE</b> , new 2014 including: feed table with stainless chain conveyor, QJG Automatic aerosol Filling & capping machine with 3 filler heads and 2 capping heads, weigh station with Weinview scale and display, 342 ml to 360 ml fill weight range, temp. controlled water bathing station with digital display, automatic valve press and cap machine, BS 400LA automatic shrink wrapping machine, Heat shrink & tunnel station. Includes 1 pallet of shrink wrap. <b>(LOCATION 10: Badger Industrial Services &amp; Sales, 8484 Gulf Freeway, Houston, TX 77017)</b>
108	1	<b>AEROSOL &amp; PROPELLANT AUTOMATIC FILLING &amp; PACKAGING LINE</b> , new 2014, feed table with stainless chain conveyor, Meitar model QGQ 750 Automatic aerosol Filling & capping machine with 3 filler heads and 2 capping heads, weigh station with Siemens Smartline touch screen weight checking sys., 342 ml to 360 ml fill weight range, automatic valve press and cap machine, Temp. controlled water bathing station with digital display, BS 400LA automatic shrink wrapping machine, Heat shrink & tunnel station. Includes 1 pallet of shrink wrap. <b>(LOCATION 10: Badger Industrial Services &amp; Sales, 8484 Gulf Freeway, Houston, TX 77017)</b>
109	1	<b>SEMI-AUTOMATIC PROPELLANT/AEROSOL FILLING MACHINE, Meitar QGBS Semi-Auto Propellant filler</b> , new 2004, 30-500ml filling range, 800-1,200 can/hr. capacity. <b>(LOCATION 10: Badger Industrial Services &amp; Sales, 8484 Gulf Freeway, Houston, TX 77017)</b>

Multi Location 7-18-18  
Master Catalog

ITEM	QTY	DESCRIPTION
110	LOT	SPARE PARTS FOR FILLING & PACKAGING LINE (LOCATION 10: Badger Industrial Services & Sales, 8484 Gulf Freeway, Houston, TX 77017)
112	LOT	SHRINK WRAP, approx. 500 rolls, 100 ga., 18" x 2,150 ft., POF centerfold heat shrink wrap film on (7) pallets, (LOCATION 10: Badger Industrial Services & Sales, 8484 Gulf Freeway, Houston, TX 77017)
113	1	HYDRAULIC DRUM CRUSHER, (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
114	LOT	PACKAGING EQUIPMENT, Consisting of the following; BAGGING MACHINE, JOHNSON MDL AD106-LS, 14" X 18" feeder inlet, cut off gate, air operated bag clamps, up to 12 bags per min., S/N 080201; BELT FED BAGGING SCALE, JOHNSON MDL. AD108-LS-DUPLEX, 10-110 lbs. weight range, 1 common bag spout, up to 20 bags per min., 25 tons per hour, S/N 030201. (LOCATION 23: M-G FEED DIVISION, 1201 County Road, Weimer, TX 78962)
114A	1	FORKLIFT, DOOSAN 36,000 LBS. CAP., MDL. D160S-5, DL06 diesel engine, 2-stage mast, pneumatic tires, 115.2" height to overhead guard, 216" lift height, S/N LQ-00317. (LOCATION 27: ACE WORLD COMPANIES, 10200 JACKSBORO HWY, FT. WORTH, TX 76135)
115	1	PIPE HANDLING FORKLIFT, TAYLOR 30,000 LBS. CAP., MDL. TEB300L, Cummings 6 cyl. Turbo diesel engine, Hydraulic Pipe Clamp on forks, Hydraulic tilt, Hydraulic side shift, Power Steering, 180" max lift ht., 8' long forks, 7,000 H.O.M. (LOCATION 25: JR Wheel, 5208 Wooster Rd. W, Norton, OH, 44203.
116	1	FORKLIFT, JCB LOADALL TURBO 4,000 LB. CAP., MDL. 508-40 TELEHANDLER, 111 HP engine, 40' reach, 3-section boom, 6' forks, 5,496 H.O.M., S/N SLP50840VE0578938, (1997), (needs transmission work) (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
117	1	FORKLIFT, TOYOTA 9,000 LB. CAP., MDL. FD 45, Diesel, overhauled, (LOCATION 24: W.B. Wilkins Mfg., 4915-A 94th Street, Lubbock, TX 78424)
118	1	FORKLIFT, YALE 8,000 LB. CAP, MDL. GLP080LJNGBE089, LPG, 3-stage mast, pneu. Style cushion tires, 3' forks, S/N E813V02036B (needs transmission work) (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
119	1	FORKLIFT, HYSTER 5,000 LBS. MDL S50X, 3-stage mast, 187" lift height, LP, cushion tires, S/N A187V01651E, (Needs repair), (LOCATION 18: FAB CORP, 6951 West Little York, Houston, TX 77040.)
120	1	ELECTRIC SWING REACH MAN-UP TURRET FORKLIFT, YALE NTA030SB, 3,000 lbs. cap. 326" Max. load height, S/N B868TO1713F, (LOCATION 27: ACE WORLD COMPANIES, 10200 JACKSBORO HWY., FORT WORTH, TX 76135)
121	1	ELECTRIC SWING REACH MAN-UP TURRET FORKLIFT, YALE NTA030SB, 3,000 lbs. cap. 326" Max. load height, S/N B868TO1726F, (LOCATION 27: ACE WORLD COMPANIES, 10200 JACKSBORO HWY., FORT WORTH, TX 76135)
122	1	FORKLIFT, YALE 3,000 LB. CAP. MDL. GLC030CDJUA083, LP pwrld., 3-stage mast, 190" lift ht., solid tires, side shift, S/N 435542, (LOCATION 20: Acra Machine, 17420 West Little York, Houston, TX)
123	1	ELECTRIC SCISSOR LIFT, JLG COMMANDER MDL. CM26N, 750 lbs. capacity, 26' max. plate height, S/N 0208904077, (LOCATION 18: FAB CORP, 6951 West Little York, Houston, TX 77040.)
124	1	2001 FREIGHTLINER CENTURY-120, CLASS 8 (33001-150000), CAT C-12 ENGINE, chain rack w/truck, mileage: 563,498 (LOCATION 18: FAB CORP, 6951 West Little York, Houston, TX 77040.)
127	1	LASER INSPECTION SCANNER, LASERQC 800, with Virtek laser Mdl. LPS-1DS, 48" x 48" max. scan zone, S/N 05104761, (LOCATION 18: FAB CORP, 6951 West Little York, Houston, TX 77040.)
128	1	FLAT PART MEASUREMENT & DIGITIZING SCANNER, FABRIVISION II, 4' x 6' table, 8 cameras, S/N 2199L, (LOCATION 18: FAB CORP, 6951 West Little York, Houston, TX 77040.)
129	1	CNC GANTRY LASER CUTTING SYSTEM, TANAKA LMXV-Z30-TF6000E, FANUC 16i-LB CNC control, FANUC TF6000E 6,000 WATT LASER POWER SUPPLY, 120" Cutting width, 360" Cutting length, 7.87" Z-axis travel, 1" cutting cap. (LOCATION 27: ACE WORLD COMPANIES, 10200 JACKSBORO HWY., FORT WORTH, TX 76135)
130	1	PRESS BRAKE, PACIFIC 300 T. CAP. X 14', 12' 4-1/2" dist. btn. housings, 14' blade, die tools, S/N 2038 (LOCATION 6: CRG Electric, Inc., 315 Sadie, Odessa, TX 79764)
131	1	PRESS BRAKE, PACIFIC 300 T x 14', 5/16" X 14' MDL.K300-14, 300 T. CAP. 10' 6" dist. btn. housings, 14' bed length, 20" open height, 8" closed height, 10" throat depth, 30 HP, S/N 8155 (LOCATION 6: CRG Electric, Inc., 315 Sadie, Odessa, TX 79764)
132	1	PLATE ROLL, BERTSCH, 19/32" x 8' MDL. 9, 11-1/2" dia. rolls, 15 HP, air cylinder for drop hinge operation, lower rolls grooved longitudinally S/N 10457, (1980) (LOCATION 6: CRG Electric, Inc., 315 Sadie, Odessa, TX 79764)

Multi Location 7-18-18  
Master Catalog

ITEM	QTY	DESCRIPTION
133	1	<b>PLATE ROLL, BERTSCH 1/4" X 7', INITIAL PINCH, 84” length of rolls, 7” diameter of rolls, 0-15 FPM rolling speed, pwr. Rear roll adjustment, Air drop end, variable speed, 10 HP S/N 9382 (LOCATION 6: CRG Electric, Inc., 315 Sadie, Odessa, TX 79764)</b>
134	1	<b>POWER SQUARING SHEAR, HTC 12’ x ½”, MDL. 500-12 AG, 148” overall length of blades, 48” front operated pwr. back gauge, 24” gap, 13 hyd. hold downs, ½” per foot rake angle, 40 HP, S/N A1273722. (LOCATION 6: CRG Electric, Inc., 315 Sadie, Odessa, TX 79764)</b>
135	1	<b>HYDRAULIC PUNCH, W.A. WHITNEY MDL. 652, 30 T. CAP., 5” die thru 10 GA., 1" diameter thru 3/8", 30" throat depth, shut height 8 1/2", Becterm 2-axis position controller, S/N 652-185-35602, punch (LOCATION 6: CRG Electric, Inc., 315 Sadie, Odessa, TX 79764)</b>
136	1	<b>WELDER, MILLER DIMENSION 652, CC/CV-DC Welding Power Source With 70 Series wire feed, S/N LG120187C (LOCATION 6: CRG Electric, Inc., 315 Sadie, Odessa, TX 79764)</b>
137	1	<b>WELDER, MILLER MILLERMATIC 252 MIG welder with cart, leads and gauges, S/N MD251118N (2013) (LOCATION 6: CRG Electric, Inc., 315 Sadie, Odessa, TX 79764)</b>
138	1	<b>WELDER, MILLER MILLERMATIC 252 MIG welder with cart, leads and gauges, S/N MD171244N (2013)(LOCATION 6: CRG Electric, Inc., 315 Sadie, Odessa, TX 79764)</b>
139	1	<b>WELDER, MILLER MILLERMATIC 212 Autoset wirefeed welder with cart, leads and gauges, S/N MB170779N, (2011) (LOCATION 6: CRG Electric, Inc., 315 Sadie, Odessa, TX 79764)</b>
140	1	<b>WELDER, MILLER GOLD STAR 302, welder and leads, S/N MC030677U, (2012) (LOCATION 6: CRG Electric, Inc., 315 Sadie, Odessa, TX 79764)</b>
141	1	<b>PLASMA CUTTER, THERMAL DYNAMICS 82 CUTMASTER, 80 amp. plasma cutter, S/N US52249758 (LOCATION 6: CRG Electric, Inc., 315 Sadie, Odessa, TX 79764)</b>
142	1	<b>UNIVERSAL HYDRALIC IRONWORKER, GEKA HYDRACORP 55A, 4 1/2" x 4 1/2" x 3/8" angle capacity, 12" x 5/8" flat bar, 1 9/16" round &amp; square capacity, 1 1/2" x 3/8" punch, S/N 10316, (1996) (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)</b>
145	1	<b>COMPACT CLADDING CELL, FRONIUS, MDL. FPA 2003/CCC/1250 TIG HW, new 2015, heavy duty base and frame w/railing, 39” horiz. Rotation tbl., programmable logic control FPA 2300/CCC TIG HW, remote control unit FPA-RC w/display, 10M cable, column and boom FCB 1100-1300/ML60/CC w/base, 39” horiz. rotation tbl., TransTIG 5000 Job G/F TIG-DC inverter power source, TransTIG 2200 Job G/F TIG-DC hot wire power source, KD 1500 D-11 wire feeder. (LOCATION 9: TRCW, LLC, 16425 Jacintoport Blvd., Houston, TX 77015)</b>
146	1	<b>WELDING POSITIONER, ARONSON 40,000 LB, MDL HD-400B, 96"x96" tbl., variable speed rotation, pwr tilt, Input voltage 460 volt 3ph, S/N 6922. (LOCATION 12: Mitrowski Welding, 2409 Albright Drive, Houston, TX 77017)</b>
147	1	<b>PLATE BENDING ROLL, ROUND0 DOUBLE PINCH 10’ X 1-5/8” MDL. PS 500/10, 19.69” roll dia., 85 HP motor, hyd. pwr. rolls, hyd. roll adjustment, S/N N.A. (LOCATION 21: DIXIE CULLEN INTERESTS, INC., 8501 EAST FREEWAY, HOUSTON, TX 77029</b>
148	1	<b>PLATE DRILLING &amp; CUTTING MACHINE, CONTROLLED AUTOMATION MODEL LTD-8X, New 2008, Control mdl. LTD-844, Hypertherm HPR260 Plasma power source, 8’ X 45’ CUTING TABLE, Plasma, Oxy, &amp; 10 HP Drilling spindle, Plasma torch max. edge start 2-1/2”, oxy-fuel max. material thickness 4”, drill spindle max. hole dia. 1-9/16”, S/N 07-117.(LOCATION 26: MH WIRTH, 28377 FM 529, KATY, TX 77493)</b>
149	1	<b>UNIVERSAL IRONWORKER, GEKA MDL. 110/A, new 2002, 6 1/2" X 6 1/2" X 1/2" angle cap, 24" x 5/8" flat bar cap., 2" round &amp; square cap., 120 T punch cap., 1/1/2" x 3/4" punch S/N 19318 (LOCATION 26: MH WIRTH, 28377 FM 529, KATY, TX 77493)</b>
149A	1	<b>RADIAL ARM DRILL, 5’ X 15” AMERICAN HOLE WIZARD, Box table, power clamp, elevation, &amp; traverse, 20-1,600 RPM, misc. drills in box included, S/N 74952-56 (LOCATION 26: MH WIRTH, 28377 FM 529, KATY, TX 77493)</b>
149B	1	<b>FLUX CORE WIRE OVEN, PHOENIX TYPE 24, 2500 watts, 100-550 degree temp. range (LOCATION 26: MH WIRTH, 28377 FM 529, KATY, TX 77493)</b>
150	1	<b>CNC PLASMA/OXY CUTTING SYSTEM, MESSER MDL. APOLLO-HSG-8, new 1998, Pilot control Mdl. M282-0010, Hypertherm HT2000 Plasma System, 9’ x 22’ cutting table, Hypertherm Arc Writer, (LOCATION 22: GREENWELL SPRINGS WAREHOUSE, 37855 GREENWELL SPRINGS ROAD, GREENWELL SPRINGS, LA 70739, SELLER WILL ASSIST WITH RIGGING FOR A FEE. PLEASE CALL JAMES SMITH AT 225-603-3919 FOR PRICING)</b>



Multi Location 7-18-18  
Master Catalog

ITEM	QTY	DESCRIPTION
151	1	<b>IRONWORKER, CLAUSING METAL MUNCHER (KALAMAZOO) MDL. MM100A, punch 1-3/16" thru 1", flat bar shear 1" x 7", 3/4" x 12", 3/8" x 20", 1/4" x 24", angle 4" x 4" x 3/8", copper notcher 3" x 3" x 3/8", S/N 013650503, (LOCATION 22: GREENWELL SPRINGS WAREHOUSE, 37855 GREENWELL SPRINGS ROAD, GREENWELL SPRINGS, LA 70739, SELLER WILL ASSIST WITH RIGGING FOR A FEE. PLEASE CALL JAMES SMITH AT 225-603-3919 FOR PRICING)</b>
152	1	<b>ANGLE LINE, W.A. WHITNEY 45 T. CAP., Model 845D Anglematic, Controlled Automation Black-O-Matic control retrofit in 2003, 6" x 6" x 1/2" capacity, Max. hole diameter 1-5/16" thru 5/16", 1-3/16" thru 3/8", 15/16" thru 1/2", 30HP hydraulic power unit, S/N 845-56, (LOCATION 22: GREENWELL SPRINGS WAREHOUSE, 37855 GREENWELL SPRINGS ROAD, GREENWELL SPRINGS, LA 70739, SELLER WILL ASSIST WITH RIGGING FOR A FEE. PLEASE CALL JAMES SMITH AT 225-603-3919 FOR PRICING)</b>
153	1	<b>BEAM LINE AND CONVEYOR SYSTEM, W.A. WHITNEY, 107' total length of conveyor with (4) beam chain stands per side, Whitney model 790-377 Horizontal dual 100 ton punch press, Whitney model 805-498 vert. punch 100 ton, 5 ton beam handling hoist, (LOCATION 22: GREENWELL SPRINGS WAREHOUSE, 37855 GREENWELL SPRINGS ROAD, GREENWELL SPRINGS, LA 70739, SELLER WILL ASSIST WITH RIGGING FOR A FEE. PLEASE CALL JAMES SMITH AT 225-603-3919 FOR PRICING)</b>
154	1	<b>CIRCULAR SAW, KALTENBACH MDL. HDM1300, up to 55" max. blade diameter, 20HP, up to 19" round solid and 17" square, s/n 15911., (LOCATION 22: GREENWELL SPRINGS WAREHOUSE, 37855 GREENWELL SPRINGS ROAD, GREENWELL SPRINGS, LA 70739, SELLER WILL ASSIST WITH RIGGING FOR A FEE. PLEASE CALL JAMES SMITH AT 225-603-3919 FOR PRICING)</b>
155	1	<b>RADIAL ARM DRILL, CARLTON 7' X 19", new 1969, 2-sided box table 33" x 26" x 20" vertical, 40 HP motor, #6 MT spd, 10-1,000 RPM, S/N 4A5543, (LOCATION 22: GREENWELL SPRINGS WAREHOUSE, 37855 GREENWELL SPRINGS ROAD, GREENWELL SPRINGS, LA 70739, SELLER WILL ASSIST WITH RIGGING FOR A FEE. PLEASE CALL JAMES SMITH AT 225-603-3919 FOR PRICING)</b>
155A	LOT	<b>WELDING MANIPULATOR &amp; POSITIONER WELDING CELL, PRESTON-EASTIN MANIPULATOR MA66LD, 6' X 6' VERT. &amp; HORIZ. TRAVEL, PRESTON-EASTIN PE-30 3,000 lbs. Positioner, Miller Dimension 1000 power source, Mighty Mac MM-1500X Vacuum &amp; Dust collector. (LOCATION 14: WEATHERFORD KATY, 1040 SCHLIPF ROAD, KATY, TX 77493)</b>
155C	LOT	<b>STRUCTURAL CARTS, LOT OF 9 CARTS, K-TEC CARTS 4 ea @ 6,600 lbs. cap. &amp; 2 ea @ 15,000 lbs. cap., AHAUS 2 ea @ 3 Ton cap. (LOCATION 14: WEATHERFORD KATY, 1040 SCHLIPF ROAD, KATY, TX 77493)</b>
156	1	<b>PLATE ROLL, LOWN, MDL. B400, 3-roll x 4" dia. X 5' long, 3 HP (LOCATION 19: HIPPO HOPPER, 27807 Red Fox Road, Tomball, TX 77377)</b>
158	1	<b>WIRE FEEDER, MILLER S-74S, S/N LH280032W, (LOCATION 19: HIPPO HOPPER, 27807 Red Fox Road, Tomball, TX 77377)</b>
159	1	<b>MIG WELDER, MILLER Auto-Axxcess 450, S/N MB471203U, (LOCATION 19: HIPPO HOPPER, 27807 Red Fox Road, Tomball, TX 77377)</b>
163	1	<b>TIG WELDER, LINCOLN Precision TIG 375, S/N U1070303403, (LOCATION 19: HIPPO HOPPER, 27807 Red Fox Road, Tomball, TX 77377)</b>
164	1	<b>MIG WELDER, MILLER DELTAWELD 452, S/N KG042975, (LOCATION 19: HIPPO HOPPER, 27807 Red Fox Road, Tomball, TX 77377)</b>
165	1	<b>MIG WELDER, LINCOLN POWER MIG 350MP, S/N U1060603641, (LOCATION 19: HIPPO HOPPER, 27807 Red Fox Road, Tomball, TX 77377)</b>
166	1	<b>POWER INVERTER FOR ROBOTIC WELDER, MILLER Auto Invision II, S/N LC088813, (LOCATION 19: HIPPO HOPPER, 27807 Red Fox Road, Tomball, TX 77377)</b>
167	1	<b>MULTI SPINDLE DRILL PRESS, CLAUSING (4) spindle drill press, (2) Clausing mdl 2230 heads 1-1/2 HP, (2) Clausing mdl 1685 heads, 80" long work table. (LOCATION 18: FAB CORP, 6951 West Little York, Houston, TX 77040.)</b>
168	1	<b>VERTICAL BANDSAW, DOALL, MDL 3612-3, 36" throat, 12" height, 3 HP, S/N 153-69-1023. (LOCATION 18: FAB CORP, 6951 West Little York, Houston, TX 77040.)</b>
168A	1	<b>CENTERLESS GRINDER, CINCINNATI MILACRON NO. 2 MDL. EA, 1/16" TO 3" dia. cap., 16" min. grinding wheel dia., 20" max. grinding wheel dia., 15 HP grinding wheel motor, spds. From 12-300 RPM., (LOCATION 18: FAB CORP, 6951 West Little York, Houston, TX 77040.)</b>
169	1	<b>UPRIGHT DRILL PRESS, S/N 149211, (LOCATION 20: Acra Machine, 17420 West Little York, Houston, TX)</b>
170	1	<b>VERTICAL AIR COMPRESSOR, CAMPBELL HAUSFELD, 7-1/2 HP motor, 80 gal. tank (LOCATION 20: Acra Machine, 17420 West Little York, Houston, TX)</b>
171	1	<b>PALLET JACK, (LOCATION 20: Acra Machine, 17420 West Little York, Houston, TX)</b>
172	1	<b>SAFETY STORAGE CABINET, JAMCO (LOCATION 20: Acra Machine, 17420 West Little York, Houston, TX)</b>

Multi Location 7-18-18  
Master Catalog

ITEM	QTY	DESCRIPTION
172A	LOT	STORAGE CAGES, (4) TOOL & SUPPLY (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
174	1	WELDER, MILLER DELTAWELD 452, S/N KF871006 (LOCATION 24: W.B. Wilkins Mfg., 4915-A 94th Street, Lubbock, TX 78424)
175	1	WELDER, MILLER DELTAWELD 452, S/N KF825486 (LOCATION 24: W.B. Wilkins Mfg., 4915-A 94th Street, Lubbock, TX 78424)
176	1	WELDER, MILLER MP 300 E, S/N HK314970 (LOCATION 24: W.B. Wilkins Mfg., 4915-A 94th Street, Lubbock, TX 78424)
177	1	SHAPE CUTTER, HEATH, 6 head, Esab camera, (LOCATION 24: W.B. Wilkins Mfg., 4915-A 94th Street, Lubbock, TX 78424)
178	1	C-FRAME PRESS, NIAGARA U56 (LOCATION 24: W.B. Wilkins Mfg., 4915-A 94th Street, Lubbock, TX 78424)
178A	1	PRESS RITE PRESS, HAVIR, 85 T, 2" stroke, (LOCATION 24: W.B. Wilkins Mfg., 4915-A 94th Street, Lubbock, TX 78424)
179	1	PUNCH AND SHEAR, CLEVELAND, 5/8" X 60" cap., 20" stroke, (LOCATION 24: W.B. Wilkins Mfg., 4915-A 94th Street, Lubbock, TX 78424)
180	1	OBI PUNCH PRESS, TOLEDO, MDL. 5A, 50 T (LOCATION 24: W.B. Wilkins Mfg., 4915-A 94th Street, Lubbock, TX 78424)
181	LOT	OBI PUNCH PRESS, WELSH PRESS & DIE, 38 T (LOCATION 24: W.B. Wilkins Mfg., 4915-A 94th Street, Lubbock, TX 78424)
182	1	IRONWORKER, PEDDINGHAUS, type 210116, (LOCATION 24: W.B. Wilkins Mfg., 4915-A 94th Street, Lubbock, TX 78424)
183	1	HORIZONTAL BANDSAW, JUPITER FMB, MDL. 50621, 7" x 10" cap., 1" blade (LOCATION 24: W.B. Wilkins Mfg., 4915-A 94th Street, Lubbock, TX 78424)
184	1	STICK WELDER, MILLER MDL. 503, S/N LC076335 (LOCATION 24: W.B. Wilkins Mfg., 4915-A 94th Street, Lubbock, TX 78424)
187	1	MECHANICAL PRESS BRAKE, (LOCATION 24: W.B. Wilkins Mfg., 4915-A 94th Street, Lubbock, TX 78424)
188	1	RECIPROCATING AIR COMPRESSOR, INGERSOLL RAND TWIN T30 2-STAGE, on common horizontal air receiver (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
190	1	AIR DRYER, VAN AIR, MDL RD500A/C refrigerated air dryer, 520 SCFM, S/N 09E-D08394 (LOCATION 18: FAB CORP, 6951 West Little York, Houston, TX 77040.)
191	1	CRATE CONTAINING (2) DUAL STAGE LIQUID RING VACUUM PUMPS, SIHI, UNUSED, Mdl. LAR55320, 2x2 (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
192	1	INDUSTRIAL EXHAUST FAN, COENCO, (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
193	1	INDUSTRIAL EXHAUST FAN, COENCO, (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
194	1	INDUSTRIAL EXHAUST FAN, COENCO, (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
195	1	INDUSTRIAL EXHAUST FAN, COENCO, (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
196	1	INDUSTRIAL EXHAUST FAN, COENCO, (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
197	1	INDUSTRIAL EXHAUST FAN, COENCO, (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
197A	1	INDUSTRIAL EXHAUST FAN, COENCO, (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
198	1	TRANSFORMER, MGM 150 KVA (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
199	1	TRANSFORMER, Squiare D 225 KVA (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
200	1	TRANSFORMER, Acme 75 KVA (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
201	LOT	TRANSFORMER, GE 15 KVA AND ASSORTED SWITCHGEAR (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
202	LOT	(3) PALLETS CONTAINING ASSORTED DIAPHRAGM PUMPS (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
203	LOT	PALLET CONTAINING SMALL TRANSFORMER AND VWR LABORATORY OVEN. (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
207	LOT	ELECTRIC CHAIN HOIST, HARRINGTON 5 TON CAP., (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
208	LOT	ELECTRIC CHAIN HOIST, HARRINGTON 5 TON CAP., (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
209	LOT	ELECTRIC CHAIN HOIST, HARRINGTON 5 TON CAP., (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
210	LOT	ELECTRIC CHAIN HOIST, HARRINGTON 5 TON CAP., (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
211	LOT	ELECTRIC CHAIN HOISTS, CM LODESTAR, 3 TON CAP., (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
212	LOT	ELECTRIC CHAIN HOIST, CM LODESTAR, 3 TON CAP., (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)

Multi Location 7-18-18  
Master Catalog

ITEM	QTY	DESCRIPTION
213	LOT	ELECTRIC CHAIN HOIST, CM LODESTAR, 3 TON CAP., (damage to housing) (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
213A	1	ELECTRIC CHAIN HOIST, DAYTON 1 TON CAP., MDL. 3YB80H, 1 HP, (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
213B	LOT	ELECTRIC CHAIN HOIST, (2) DAYTON 1 TON CAP., (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
213C	LOT	ELECTRIC CHAIN HOIST, (2) DAYTON 1 TON CAP., (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
213D	LOT	ELECTRIC CHAIN HOIST, DAYTON 1 TON CAP., DAYTON 1/2 TON CAP., (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
214	LOT	ELECTRIC CHAIN HOISTS, (2) DAYTON 1/2 TON CAP., (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
215	LOT	ELECTRIC CHAIN HOISTS, (2) DAYTON 1/2 TON CAP., (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
216	LOT	ELECTRIC CHAIN HOISTS, (2) DAYTON 1/2 TON CAP., (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
217	LOT	ELECTRIC CHAIN HOISTS, (2) DAYTON 1/2 TON CAP., (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
217A	1	ELECTRIC CHAIN HOISTS, DAYTON 1/2 TON CAP., MDL. 3YB73H, 1/2 HP (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
217A	1	ELECTRIC CHAIN HOISTS, DAYTON 1/2 TON CAP., MDL. 3YB73H, 1/2 HP (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
217C	LOT	ELECTRIC CHAIN HOIST, (2) DAYTON 1/2 TON CAP., (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
217D	LOT	ELECTRIC CHAIN HOIST, (2) DAYTON 1/2 TON CAP., (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
218	1	ELECTRIC MOTOR, rebuilt 50 HP, (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
218A	1	ELECTRIC MOTOR, TECO 30 HP, rebuilt (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
218B	LOT	PALLET OF ELECTRIC MOTORS, (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
218C	1	PALLET OF ELECTRIC MOTORS, (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
218D	1	PALLET OF ELECTRIC MOTORS, (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
218E	1	PALLET OF ELECTRIC MOTORS, (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
218F	1	PALLET OF ELECTRIC MOTORS, (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
219	LOT	PALLET OF ELECTRICAL SWITCHGEAR (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
219A	LOT	PALLET OF ELECTRICAL SWITCHGEAR (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
219B	LOT	PALLET OF ELECTRICAL SWITCHGEAR (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
219C	LOT	PALLET OF ELECTRICAL SWITCHGEAR (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
219D	LOT	PALLET OF ELECTRICAL SOCKETS (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
219E	LOT	(2) PALLETS OF RETRACTABLE EXTENTION CORDS (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
219F	LOT	PALLET OF ELECTRICAL SWITCHGEAR (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
220A	LOT	VACUUM PUMPS (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
220B	LOT	VACUUM PUMPS (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
220C	LOT	VACUUM PUMPS (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
220D	LOT	VACUUM PUMPS (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
221	1	SHOP CRANE, DURAHOIST (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
222	1	DRUM DOLLY, GRAB-O-MATIC (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
223	LOT	CRANE SCALES (5) TRANS-WEIGH, Mdl. 6260, Capacity 10,000 x 2 lb.; 5,000 x 1 kg.(LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
224	LOT	ACCORTED VALVES, ACTUATORS AND MOTORS (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)

Multi Location 7-18-18  
Master Catalog

ITEM	QTY	DESCRIPTION
226	LOT	VERTEX GATE VALVES (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
227	1	GEAR REDUCER, HOUSTON BEARING & SUPPLY, 759:1, 2.30 syn 460. (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
228	1	PALLET OF (2) ADVANTAGE TEMPERATURE CONTROLLERS (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
229	LOT	FIRE EXTINGUISHERS (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
230	1	JIB CRANE, GORBEL, FREE STANDING TOOL BALANCER, 250 lb. cap., 10' reach x 10' height, (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
231	1	JIB CRANE, GORBEL, FREE STANDING TOOL BALANCER, 250 lb. cap., 10' reach x 10' height, (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
232	LOT	BASKET STRAINERS, EATON No. 72, 2" cap., 200 PSI, approx. (5) in wooden box, (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
233	LOT	MISC. ELECTRICAL COMPONENTS, PALLET OF ELECTRICAL DISCONNECTS, radar level measuring equip., monitor, elec. Motor, bolts. (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
234	LOT	FLEXABLE HOSES, pallet of misc. hoses of various sizes., (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
235	LOT	RACKET SHELVES, for pallet rack system, (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
236	LOT	MISC. ELECTRICAL COMPONENTS, wooden box of electrical disconnects, Enress Hauser Promass 83 Flow Meter, Ridgid electric drain opener., (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
237	LOT	HIGH PRESSURE HOSES, pallet of hoses up to 6" dia., some stainless & braided, (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
238	LOT	
239	LOT	FLUORESCENT LIGHT BALLESTS, approx. (5) on a pallet, (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
240	LOT	MAINTENANCE SUPPLIES, including box of disposable hooded coveralls, scotch brite, misc. pipe fittings, fasteners, on 2 pallets. (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
241	LOT	MAINTENANCE SUPPLIES, including pumps, bearings, pipe fittings, on (2) pallets. (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)
242	LOT	ELECTRICAL SUPPLIES & MISC., including fuses of various sizes, electrical disconnects, contactors, eye wash station, v-belts, on (2) pallets, (LOCATION 2: Trelleborg Offshore US Inc., 19902 Rankin Road, Houston, TX 77073)