PMI AUCTION

LARGE CAPACITY FABRICATION & MACHINING EQUIPMENT

Featuring: 10' X 3/4" BERTSCH Initial Pinch Plate Roll, 12' X 1/4" ROUNDO Double Pinch Plate Roll, ROUNDO and FACCIN Angle Rolls, 165 T. X 14' PACIFIC Press Brake, FOUR CORP. Elevating Seam Welder, 6" GIDDINGS & LEWIS CNC Horizontal Boring Mill, WOTAN 5" Opposed Spindle-Type Boring Mill, Lathes, Plate Shear, Radial Drill, Manipulators, Positioner, Forklifts up to 40,000-Lb. Cap., More!



BERTSCH 10' X 3/4" 3-ROLL HYDRAULIC PLATE BENDING ROLL


CNC GIDDINGS & LEWIS 6" CNC HORIZONTAL BORING MILL

Plant Downsizing – At the Premises of

RC TECHNICAL WELDING

12814 Mula Lane

STAFFORD, TEXAS 77477

(See Directions on Back Page)

AUCTION: THURS., DEC. 7 • 10:00 A.M.

On-Site Bidding in Stafford, TX or Bid Via Webcast at BidSpotter.com	**INSPECTION:** Wednesday December 6, 9:00 A.M. to 4:00 P.M. & Morning of Sale	**BUYER'S PREMIUM: 15% ON-SITE 18% WEBCAST**


PACIFIC 165 T. X 14' HYDRAULIC PRESSBRAKE


PULLMAX FACCIN 4" X 4" X 1/2" ANGLE BENDING ROLL


FOUR CORP. POWER ELEVATING SEAM WELDER

Read Partial Terms and Conditions on Back Page of Brochure

Sale Conducted By:

PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

Ron Moore, Texas Lic. #7314

HOUSTON • DALLAS • ST. LOUIS

Headquarters:
1304 Langham Creek Drive, Suite 454
Houston, Texas 77084

PHONE: (713) 691-4401 **FAX: (713) 672-7905**

E-MAIL: pmi@pmi-auction.com
WEBSITE: www.pmi-auction.com



BERTSCH 10' X 3/4" 3-ROLL HYDRAULIC PLATE BENDING ROLL



ROUNDO 12' X 1/4" 3-ROLL HYDRAULIC PLATE BENDING ROLL



CINCINNATI 12' X 3/8" MECHANICAL SHEAR

Plant Downsizing – At the Premises of

RC TECHNICAL WELDING

12814 Mula Lane

STAFFORD, TX 77477

(See Directions on Back Page)

AUCTION:
THURSDAY, DECEMBER 7 • 10:00 A.M.

HYDRAULIC PLATE BENDING ROLLS

BERTSCH 10' X 3/4" MDL. 75-10 3-ROLL INITIAL PINCH, new 1997, 3/4" pre-bend cap., 15" dia. top roll, 3/4" x 23.5" dia. full width rolling cap., 30 HP main motor, front sheet suppt. rollers, overhead suppt., hyd. drop end, S/N M-10881.

ROUNDO 12' X 1/4" MDL. PS310 3-ROLL DOUBLE INITIAL PINCH, 1/4" prebend cap., 1/2" rolling cap. @ 3x at 36" dia., 12" dia. top roll, 15 HP main motor, S/N 894435.

ANGLE BENDING ROLLS

ROUNDO MDL. R-7-S, 6" x 6" x 1" angle cap., 5" bar cap., 8" Schedule 40 pipe, 6" x 3/8" sq. tubing, C15 x 50 channel, 21/7" standard roll dia., operator's platform, pendant control, S/N OW 1357.

PULLMAX FACCIN MDL. RCMI TYPE 100, new 1995, 4" x 4" x 1/2" angle cap., 3" bar cap., 4" x 1/4" wall pipe cap., 20 HP main drive, 13.8" dia. roll, roll around operator's control station w/digital position readouts, S/N 94121231-1224.

HYDRAULIC PRESSBRAKE

PACIFIC 165 T. X 14' MDL. J164-14, 3/16" x 12' rated cap., 14' overall, 12'-6" dist. btwn. housings, 10" stroke, 15" open ht., 7" throat depth, 8" plate width, 30 HP main motor, S/N 8033. Large qty. of punches and dies offered separately.

MECHANICAL SHEAR

CINCINNATI 12' X 3/8", front operated pwr. backgauge, foot control, hyd. hold-downs, front sheet suppts., S/N 37649.

POWER ELEVATING SEAM WELDER

FOUR CORP. MDL. RH100-120, 120" horiz. travel, 48" vert. travel, Lincoln Mdl. DC-1000 sub-arc system w/NA-5 head, variable spd. traverse control, finger-type backup bars, pendant control, operator's catwalk, air actuated suppt. roll release, currently on riser set-up for 72" to 144" dia., S/N 00M068.

WELDING MANIPULATORS

RANSOME, 14' vert. travel, 12' horiz. travel, variable spd. boom extension, manual swivel, Lincoln Mdl. DC-1000 sub-arc system w/NA-3 head, wire feed and flux hopper, on H.D. roll-around base, adj. ht. base up to 12' ht. adj.

RANSOME, 12' vert. travel, 12' horiz. travel, variable spd. boom extension, manual swivel, Lincoln Mdl. DC-1000 sub-arc system w/NA-3 head, wire feed and flux hopper, mounted on adj. base to obtain 25' max. ht. under boom in the up position, S/N 622816.

WELDING POSITIONER

RANSOME 6,000-LB. CAP. MDL. 60, S/N 6120.



PULLMAX FACCIN 4" X 4" X 1/2" ANGLE BENDING ROLL



PACIFIC 165 T. X 14' HYDRAULIC PRESSBRAKE



ROUNDO 6" X 6"' X 1" MDL. R-7-S ANGLE BENDING ROLL



FOUR CORP. POWER ELEVATING SEAM WELDER



20 T. PRESTON-EASTIN AND 10 T. PANDJIRIS TURNING ROLL SETS



AMERICAN 4' X 13" RADIAL ARM DRILL

WELDING MACHINES

LINCOLN MDL. SA-800 TORPEDO WELDER, on roller stand.

MILLER MDL. DELTAWELD 652 CV/DC WELDER, Miller R-115 wire feeder, S/N LG150217C.

MILLER MDL. DIMENSION 652 CC/V WELDER.

LINCOLN MDL. IDEALARC R3R-500 STICK WELDER, S/N 603067.

MILLER MDL. SYNCROWAVE 500 AC/DC WELDER, S/N KE654470.

MILLER MDL. INVISION 464MP DC INVERTER ARC WELDER, Miller 24A wire feeder, S/N LB294258.

MILLER MDL. DELTAWELD 451 DC ARC WELDER, Miller 24A wire feeder, S/N KF762015.

POWCON MDL. 300 STICK/TIG WELDER.

WELDING ACCESSORIES

(2) MILLER MDL. COOLMATE 4 WATER COOLANT SYSTEMS; (2) MK PRODUCTS COBRATIC PUSH/PULL WIRE FEEDERS on pallet; **WELDING SCREENS.**

TURNING ROLL SETS

(1) SET 20 T. PRESTON-EASTIN BOLT ADJ. TURNING ROLLS.

(1) SET 10 T. PANDJIRIS MISSOURI MULE w/(2) additional idlers.

PLASMA CUTTING SYSTEMS

(2) THERMAL ARC MDL. PAK44, 400 amp cap.

MILLER MDL. SPECTRUM 1250 w/cables, S/N KK087041.

HORIZONTAL BANDSAW

WELLSAW MDL. 1000, S/N 4801.

BLAST & RECLAMATION SYSTEM

SCHMIDT MDL. BRS.

RADIAL ARM DRILL


AMERICAN 4' X 13", spds.: 20–1,600 RPM, pwr. clamping, 0.003–0.25 feed per revolution, tap leads, No. 5 MT, 72" dia. pwrd. rotation work tbl., S/N 70050-47.



SCHMIDT BRS BLAST AND RECLAMATION SYSTEM



RANSOME 12' WELDING MANIPULATOR



> RANSOME 6,000-LB. CAP. WELDING POSITIONER



RANSOME 14' WELDING MANIPULATOR



GIDDINGS & LEWIS 6" CNC HORIZONTAL BORING MILL



LION 20" X 118" GAP BED ENGINE LATHE

CNC HORIZONTAL BORING MILL

GIDDINGS & LEWIS 6" MDL. 70-H6-T, Fanuc 16i-M 5-axis CNC control, 72" x 156" tbl., H.D. 80,000-lb. tbl. load cap., approx. 144" cross travel, 72" long. travel, 120" vert. travel, No. 50 taper, telescopic way convers on saddle, remote MPG, Hansen oil chiller, S/N 420-199-68.

ROTARY TABLE

84" X 84" GIDDINGS & LEWIS CNC HYDROSTATIC ROTARY TBL. w/Fanuc axis motor and cables, S/N 040-114-68.



GIDDINGS & LEWIS 84" X 84" CNC HYDROSTATIC ROTARY TABLE

DOUBLE SPINDLE TABLE-TYPE HORIZ. BORING MILL

WOTAN 5", opposed spndl.-type 60" x 172" tbl., 120" cross travel, 60" vert. travel, 24" column in/column out travel, 36" spndl. travel, spds.: 14–1,000 RPM, 25 HP spndl., independent pendant controls, No. 50 taper w/pwr. drawbar, steel telescopic ways covers, feedback scales to all axes, adj. stops to all axes, S/N 03401, S/N 03402.

VERTICAL MILL

CHEVALIER MDL. FM-3VKH, 10" x 50" tbl., servo crossfeed, R-8 spndl., 3 HP variable spd. head, box ways, Sony X and Y D.R.O.'s, 8" vise, S/N HM86B312.

VERTICAL BORING MILL

COLBURN, 61" tbl., 67" max. swing, 48" under rail, right turret, spds.: 1–42 RPM, 0.006–1 feed per rev., 4, 8 and 16 threads, mtd. to heavy fabricated skid.

GAP BED ENGINE LATHE

LION 20" X 118" MDL. C11MS103, 20" sw. over bed, 12" sw. over crosslide, 118" dist. btwn. centers, 4.25" hole, D-11 spndl. nose, Bison 12" dia. 3-jaw chuck, taper attach., 2-spd. tailstock, spds.: 8–1,400 RPM, inch/metric thdng., rapids, coolant, S/N 20420A.

ENGINE LATHES

LEBLOND REGAL 19" X 78", 19" sw. over bed, 12" sw. over crosslide, 78" dist. btwn. centers, 3" hole, L-2 spndl. nose, Bison 12" dia. 3-jaw chuck, taper attach., spds.: 25–1,000 RPM, inch/metric thdng., Aloris toolpost, S/N 11E-303.

MONARCH, 15" sw. over bed, 8" sw. over crosslide, 30" dist. btwn. tailstock, 1.5" hole, 12" dia. 3-jaw chuck, taper attach., spds.: 24–1,000 RPM, Aloris toolpost, S/N 39411.



COLBURN 67" SWING VERTICAL BORING MILL



WOTAN 5" TABLE-TYPE BORING MILL

AUCTION

AUCTION: THURSDAY, DECEMBER 7 • 10:00 A.M.

Plant Downsizing – At the Premises of

RC TECHNICAL WELDING

12814 Mula Lane

STAFFORD, TEXAS 77477

(See Directions on Back Page)



CLARK 40,000 LB. CAP. MDL. CY400 DIESEL FORKLIFT



(1 OF 2) HYSTER 12,000-LB. CAP. FORKLIFTS



CATERPILLAR 5,000-LB. CAP. FORKLIFT

MISCELLANEOUS SHOP & WAREHOUSE EQUIPMENT

SET OF (4) INGERSOLL H.D. BORING MILL SAWS; LARGE QTY. OF TOOLING, ACCESSORIES, SET-UP, DRILLS, MILLS AND OTHER MACHINE SHOP RELATED EQUIPMENT; TEARDROP STYLE PALLET RACKS; JACK AND ROLLER STANDS; STEEL TBLS.; STEEL SHELVES.

LARGE CAPACITY FORKLIFT

CLARK 40,000-LB. CAP. MDL. CY400, diesel engine, 40,000 lb. lift cap. @ 36", 10.5" W. fork, 10' L. fork, 26" to 120" fork spread, 231" turning radius, 10'-6" overall width, 241" overall length to face of forks, 14.00-24 pneu. tires, 52,600 lb. weight, S/N 8QE-282.

FORKLIFTS

TOYOTA 15,000-LB. CAP. MDL. 7FGCU70, 2006, LPG, 144" standard mast, 179" lift ht., side shift, fork positioner, S/N 60717.

(2) HYSTER 12,000-LB. CAP. MDL. S120FT, 2011 and 2009, LPG, triple stage mast, 208" lift ht., cushion tires, 48" forks, S/N G004V06033J, S/N G004V04412G.

YALE 10,000-LB. CAP. MDL. GDP100MJNPBV110, 2006, diesel, 110" standard mast, 157" lift ht., 48" forks, S/N E813V05023D.

COMBILIFT 8,000-LB. CAP. MDL. C8000, LPG, less than 1,700 hours on meter, S/N 9400.

CATERPILLAR 5,000-LB. CAP., MDL. V500, diesel engine, 173" max. lift ht., S/N SEC05095.

(2) HYSTER 3,000-LB. CAP. MDL. H30FT, 2007, LPG, 62" standard mast, 90" lift ht., forks, S/N F001V02287E, S/N F001V02424E.




LEBLOND REGAL 19" X 78" ENGINE LATHE



SAMPLE VIEW OF MILLER WELDER



HYSTER 3,000-LB. CAP. FORKLIFT



(4) INGERSOLL TABLE JAWS



MILLER SPECTRUM 1250 PLASMA POWER SOURCE



CLOSE-UP VIEW OF LINCOLN DC1000



CHEVALIER MDL. FM-3VKH VERTICAL MILL

PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

P.O. Box 218568
Houston, TX 77218-8568

DATED MATERIAL – PLEASE DELIVER

LARGE CAPACITY FABRICATION & MACHINING EQUIPMENT

Featuring: 10' X 3/4" BERTSCH Initial Pinch Plate Roll, 12' X 1/4" ROUNDO Double Pinch Plate Roll, ROUNDO and FACCIN Angle Rolls, 165 T. X 14' PACIFIC Press Brake, FOUR CORP. Elevating Seam Welder, 6" GIDDINGS & LEWIS CNC Horizontal Boring Mill, WOTAN 5" Opposed Spindle-Type Boring Mill, Lathes, Plate Shear, Radial Drill, Manipulators, Positioner, Forklifts up to 40,000-Lb. Cap., More!



< ROUNDO 6" X 6'" X 1" MDL. R-7-S ANGLE BENDING ROLL

PMI AUCTION

STAFFORD (HOUSTON AREA), TX

PUBLIC INVITED

AUCTION: THURS., DEC. 7 • 10:00 A.M.

NAA Auctioneer · ASA Association of Machinery and Equipment Appraisers · MDNA Machinery Dealers National Association · Texas Auctioneer Association · IAA

ATTENTION: PLANT MANAGER OR EQUIPMENT BUYER

Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

DIRECTIONS & LODGING

FROM THE GEORGE BUSH INTERCONTINENTAL AIRPORT: Follow the signs out of the airport to Beltway 8/Sam Houston Toll Road. Turn right (west) onto Beltway 8 and enter the freeway. Stay west on Beltway 8 and it will become the Sam Houston Toll Road. Proceed counterclockwise around Houston on the toll road and you will pass over FM 249, Hwy. 290, I-10 and eventually passing over I-69 on the southwest side of town. Shortly thereafter, take the exit for W. Airport Blvd./South Gessner Road. Turn right onto W. Airport Blvd. Turn left onto Jebbia Lane. Although the building faces Mula Lane, you will turn into the back entrance off of Jebbia. Watch for auction signs.

SPRINGHILL SUITES .....(713) 234-7997
13434 Southwest Fwy.

HOLIDAY INN EXPRESS ..... (281) 565-6655
14444 Southwest Fwy.

DRURY INN & SUITES .....(281) 277-9700
13770 Southwest Fwy.

UNABLE TO ATTEND?

Bid on-line in real time at BidSpotter.com
TO PARTICIPATE YOU MUST:

1. **Register at www.BidSpotter.com. Use the link to BidSpotter on PMI's website calendar. DO IT NOW.**
2. **Either send wire transfer, or, overnight delivery service a cashier's check deposit in the amount of $3,000 (U.S. Bidders) or $10,000 (Foreign Bidders) to:**
   Plant & Machinery Inc.
   1304 Langham Creek Drive, Suite 454, Houston, TX 77084
   Wire transfer instructions can be found at pmi-auction.com

You must be registered and have your deposit in the hands of Plant & Machinery, Inc. at least 24 hours prior to the start of the auction. Failure to register and/or failure to send your deposit to Plant & Machinery, Inc. may disqualify you from bidding. DON'T WAIT.

If you need assistance, don't hesitate to call (713) 691-4401.

ALL WEBCAST BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.

FINANCE YOUR AUCTION PURCHASE

Conserve Your Cash &
Increase Your Bidding Power

AuctionLea$e Provides M&E Financing

With Approvals from $5,000 to $999,000

(800) 438-1470

Apply Online:
www.AuctionLease.com

PARTIAL TERMS & CONDITIONS

A 15% Buyer's Premium Will Apply On-site.
An 18% Buyer's Premium Will Apply to Webcast Bids. See Above Rules for Participation.

Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.

ALL PAYMENTS MUST BE MADE BY CASH, CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.

Here is an example of what your letter should be: *Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of $_____. This letter is good until January 8, 2018.*

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased "AS IS," WITH "ALL FAULTS" AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE." THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.

QS-0040566