



ONLINE AUCTION

HUGE ONLINE AUCTION - (20) LOCATIONS IN TEXAS & KENTUCKY

FEATURING: 2013 KINETIC CNC PLASMA MACHINING CENTER; (3) FRONIUS ID PIPE CLADDING MACHINES; (4) PLASMA PLATE BURNING MACHINES; 50,000-LB. ARONSON WELDING POSITIONER; CNC VERT. MACHINING CENTERS; CNC & MANUAL HOLLOW SPINDLE LATHES; CNC LATHES; HORIZ. MACHINING CENTERS; GAP BED LATHES; ENGINE LATHES; HORIZ. BORING MILLS; ROTARY SURFACE GRINDER; WELDING POSITIONERS; WELDING MANIPULATOR; MILLER & LINCOLN IDEAL-ARC WELDERS; ALL TYPES OF GRINDERS; VERT. & HORIZ. BANDSAWS; PIPE BEVELING MACHINES; THREADING MACHINE; C.M.M.; 125 HP QUINCY AIR COMPRESSOR; RIGGER XTREME 200 FORKLIFT; (2) RAYMOND SIDE LOADER FORKLIFTS; PORTABLE BOX CRANE; JIB CRANES; BRIDGE CRANES; WORK TRUCK; MUCH, MUCH MORE!

2013



CNC

KINETIC K5000XMC CNC PLASMA MACHINING CENTER

**BIDS START
CLOSING ON
TUESDAY,
MARCH 27
AT 10:00 A.M.**

120,000-LB.
CAPACITY



RIGGER EXTREME X-120 FORKLIFT W/HYD. BOOM LIFT

ONLINE BIDDING: YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING AT THIS AUCTION.

Go to www.pmi-auction.com and click on BidSpotter.com on our calendar page for this auction sale.

INSPECTION: Monday, March 26,
9:00 A.M. to 4:00 P.M. or By Appointment.
See Each Location for Details.

**18% BUYER'S
PREMIUM
WILL APPLY**



< ARONSON
MDL. GE-500EXP
WELDING
POSITIONER

> FRONIUS ID
PIPE CLADDING
MACHINE

2
AVAILABLE



ESAB MDL. AVENGER S-6V15PC
PLASMA PLATE BURNING MACHINE

2006



CNC

DAINICHI MDL. MG65X385 CNC
FLATBED LATHE



2009

< HAAS TM2 TOOL
ROOM MILL
VERTICAL
MACHINING
CENTER

> AIR TECHNICAL
INDUSTRIES
TELE-MAST
STRADDLE
CRANE



Read Partial Terms and Conditions on Back Page of Brochure

Sale Conducted By:

PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

Ron Moore, TX Lic.#7314

HOUSTON • DALLAS • ST. LOUIS

Headquarters:

1304 Langham Creek Drive, Suite 454
Houston, Texas 77084

PHONE: (713) 691-4401

FAX: (713) 672-7905

E-MAIL: pmi@pmi-auction.com
WEBSITE: www.pmi-auction.com



LOCATION 1 STORAGE FACILITY 6100 Romona Blvd., Houston, Texas 77086

ESCORTED INSPECTION:

Monday, March 26, By Appointment.
Contact Robert Brundage (713) 691-4401.

KINETIC CNC PLASMA MACHINING CENTER

KINETIC K5000XMC CNC PLASMA MACHINING CENTER, new 7/2013, Kinetic CNC control system, 144" max. cutting width, 152" x 40' tbl. size, 5-axis plasma bevel cutting head, Hypertherm "Power-Pierce HPR400XD", hi-definition plasma pwr. supply, oxy. fuel cutting torch, CAT #50 spndl. w/thru spndl. coolant, 48 HP spndl. drive, 24-pos., ATC, down-draft tbl. w/12 cell cartridge style dust collector, S/N K5000XMC-7540-378.

LOCATION 2 JOE FULLER LLC

5029 Milwee Street #4, Houston, Texas 77092

INSPECTION: Monday, March 26,
From 9:00 A.M. to 4:00 P.M.

WELDING POSITIONER

ARONSON MDL. GE-500EXP, 50,000-lb. cap., 84" square tbl., 1,050,000-lb. tilt torque, 600,000-lb. rotation torque, (4) geared elevation positioners w/30" stroke, variable spd. on tilt and rotation (0-6 RPM) w/digital read out, AEG Gettys A300 drives, explosion proof motors, pendant control, mounted on a skid w/air lift system for cross movement, (4) worm geared jack stands, Note: Never used for welding, removed from aerospace facility. new cost \$420,000.00, S/N 9180.



**DON'T MISS
THIS SALE!**

LOCATION 3 NAEGELI TRANSPORTATION

7201 Easthaven Blvd., Houston, Texas 77017

INSPECTION: Monday, March 26, From 9:00 A.M. to 4:00 P.M.



FORKLIFT

RIGGER XTREME MDL. X-120 FORKLIFT w/BM80 hyd. boom lift, 269" boom usable ht., 752 hours, 120,000-lb. cap at 24" load center, 120" max. lift ht., 118.5" overall lowered ht., 189" overall extended ht., 102" overall width, (6) 7" removable counterweight slabs, 5" x 12" x 96" forks, cushion tires, S/N XE120-03-10A.



LOCATION 4
NEAR DOWNTOWN
HOUSTON WAREHOUSE
3609 Clinton Drive,
Houston, Texas 77020

INSPECTION: Monday, March 26,
 From 9:00 A.M. to 4:00 P.M.

FRONIUS ID PIPE CLADDING MACHINES

(2) **FRONIUS ID PIPE CLADDING MACHINES**, pipe length 5'-42', max. pipe wt. 37,500-lb., pipe OD dims.: 6.6"-36", pipe ID dims.: 6"-35.4", max. pipe rot. spd.: 2.6 RPM, max. spd. of step axis: 78.7 IPM, max. spd. of step axis: 236 IPM (manual mode, rapid), base material: mild steel, filler material: Inconel 625, HMI-T10 operator panel and software, TranSTIG 5000 power source and TranSTIG 2200 power source, gas control unit, chilly 15/25 cooling units, KD 1500 D-11 wire feeders, camera system (arc view ht.), data logger/data viewer (for lights out operation).

NOTE: THE FRONIUS OVERLAY WELDING (FOW) SYSTEM IS EQUIPPED TO PERFORM INTERNAL CLADDING WELDS OF PIPES USING TIG-HOTWIRE TWIN WELDING PROCESS



FRONIUS ID PIPE CLADDING MACHINE CONTROL



FRONIUS ID PIPE CLADDING MACHINE



FRONIUS ID PIPE CLADDING MACHINE



QUINCY 125 HP AIR COMPRESSOR



QUINCY 125 HP AIR COMPRESSOR CONTROL

FRONIUS ID PIPE CLADDING MACHINE POWER SOURCE



FRONIUS ID PIPE CLADDING MACHINE

AIR COMPRESSOR SYSTEM

QUINCY 125 HP AIR COMPRESSOR: Rated cap. (inlet/outlet): 750/650 SCFM at 100 PSIG and 100 deg. F min./max. working pressure: 60/150 PSIG at 100 deg. F min./max. operating temperature: 35 deg. F/140 deg. F, desiccant type: activated alumina, input power: 85- 264 vac/1 P/47-63 HZ, H.O.M.: 21,770.76



DELTECH AIR DRYER



AIR RECEIVING TANK

DON'T MISS THIS SALE!

LOCATION 5
TRCW, LLC

16425 Jacintoport Blvd.,
Houston, Texas 77015

INSPECTION: Monday, March 26,
 From 9:00 A.M. to 4:00 P.M.

COMPACT CLADDING CELL

FRONIUS COMPACT CLADDING CELL, Mdl. FPA 2003/CCC/1250 TIG HW, new 2015, robust base and frame w/railing, 39" horiz. rotation tbl., programmable logic control FPA 2300/CCC TIG HW, remote control unit FPA-RC w/display, 10M cable, column and boom FCB 1100-1300/ML60/CC w/base, 39" horiz. rotation tbl., TranSTIG 5000 Job G/F TIG-DC inverter power source, TranSTIG 2200 Job G/F TIG-DC hot wire power source, KD 1500 D-11 wire feeder.



2007



< **ESAB
MDL. AVENGER
S-6V15PC
PLASMA
PLATE BURNING
MACHINE**

> **ESAB
MDL. AVENGER
S-6V15PC
PLASMA
PLATE BURNING
MACHINE,
IN OPERATION**

2006



PLASMA & OXYFUEL PLATE BURNING MACHINES

ESAB MDL. AVENGER 2-6V15PC, new 2006, plasma, 25' x 75' cutting cap., 60'L. water tbl., (2) plasma heads, (2) Esab Mdl. Precision Plasma 400 power sources, (2) WT-7C coolant circulators, Esab CNC Control, S/N 0560940067.

MESSER MDL. TMC4531, new 7/2007, plasma, 100'L. x 32'W. cap., 20' x 40' water tbl., (4) plasma head capability but only two heads installed, S/N TMC4531Lp-07-4985 (out of service, some components missing).

MG INDUSTRIES MDL. MG4516, new 1993, plasma and oxyfuel, Hypertherm EdgePro CNC control, 16'W. x 45'L. cutting cap., (6) oxy torches, (2) plasma heads, (2) Hypertherm Mdl. HT200 plasma power sources, S/N TM-C4516LP-93-2550.

MG INDUSTRIES MDL. MG4520, new 1993, plasma and oxyfuel, Hypertherm EdgePro CNC control, (2) Hypertherm Mdl. HT2000 plasma power sources, S/N N.A. (parts machine).

Surplus to the Ongoing Needs of WM Pipe, Inc.

LOCATION 6

DELTA STEEL

5311 Clinton Drive, Houston, Texas 77020

INSPECTION: Monday, March 26, By Appointment.

Contact Michael Ogashi (281) 454-6705.



**MESSER MDL. TMC4531 PLASMA
PLATE BURNING MACHINE**



**MG INDUSTRIES MDL. MG4516 PLASMA
AND OXYFUEL PLATE BURNING MACHINE**

LOCATION 7 WM PIPE INC.

8317 Miller Road 3,
Houston, Texas 77049

INSPECTION: Monday, March 26,
By Appointment.

Contact Michael Ogashi
(281) 454-6705.

**DON'T MISS
THIS SALE!**


HORIZONTAL BANDSAWS

MARVEL SPARTAN, twin column design, approx. 20" round bar cap., power feed, power clamping, S/N N.A. (removed from service, on skid).

DOALL JOB SELECTOR, Mdl. C-4100A, new 1994, 14" x 16" cap, power clamping, power feed, S/N 504-94116. (removed from service, on skid).

DOALL MDL. C1212A, 12" x 12" cap., S/N N.A. (removed from service, on skid).

DOALL MDL. C-1000/650S, new 8/2000, 26" round cut cap., wide flange large cap., dual column design, mitering, 12.5 HP motor, 480V, S/N 511-00105 (removed from service).



DOALL MDL. C-1000/650S HORIZ. BANDSAW

2000

LOCATION 8

STAFFORD WAREHOUSE

10101 Mula Road, Stafford, Texas 77477

INSPECTION: Monday, March 26,
By Appointment Only.
Contact Robert Brundage
(713) 691-4401.

DON'T MISS THIS SALE!



CNC

CNC FLATBED LATHES

DAINICHI MDL. MX75X385, Fanuc 15T CNC teach control, 29.52" sw. over bed, 18.11" sw. over carriage, 151.5" dist. btwn. centers, 3,520-lb. weight btwn. centers, 5.7" spndl. thru hole, 4–1,400 RPM, 25 HP, electronic pulse coder handles and joystick operation to carriage, 8-pos. rear turning turret, 4-pos. front boring turret, (2) steady rests, 15" dia. 3-jaw hyd. chuck, chip conveyor, S/N 25735.

DAINICHI MDL. MG65X385, Fanuc 15T CNC teach control, 25.59" sw. over bed, 14.17" sw. over carriage, 151.5" dist. btwn. centers, 3,520-lb. weight btwn. centers, 3.35" spndl. thru hole, 3–1,800 RPM, 25 HP, electronic pulse coder handles and joystick operation to carriage, 8-pos. rear turning turret, 4-pos. front boring turret, (2) steady rests, 15" dia. 3-jaw hyd. chuck, chip conveyor, 15" chuck, S/N 25194.



CNC



CNC



CNC

LOCATION 9

BLADE ENERGY PARTNERS

5504 Clara Road,
Houston, Texas 77041

INSPECTION: Monday, March 26,
By Appointment Only.
Contact Jack Soape (903) 692-3975

2000

CNC VERTICAL MACHINING CENTERS

HWACHEON MDL. SIRIUS-2, new 12/2000, Fanuc 18-M CNC control, 15" x 23-1/2" tbl., 22" X-axis travel, 16.1" Y-axis travel, 18.1" Z-axis travel, CAT-40 taper, 30-pos. carousel style ATC, 8,000 RPM, 10 HP motor, pallet changer, thru spndl. coolant, S/N M257348KAYA.

SUPERMAX MDL. MAX1 REBEL, new 1996, Fanuc O-M CNC control, 16" x 33" tbl., 25.5" X-axis travel, 16.1" Y-axis travel, 18.1" Z-axis travel, #40 taper, 16-pos. ATC, 8,000 RPM, 15/10 HP motor, box ways, S/N 610523.

CNC LATHE

HITACHI SEIKI MDL. TS-15, new 1999, Seicos E21L, collet chuck, 12-pos. turret, 6,000 RPM, 1.72" bar cap., 6.5" max. turning dia., 11.82" max. length, chucker, Mayfran chip conveyor, S/N TS15273.

N.D.A. AND ADDITIONAL BILL OF SALE DOCUMENTS REQUIRED.



CNC

HWACHEON MDL. SIRIUS-2 CNC VERTICAL MACHINING CENTER



CNC

HITACHI SEIKI MDL. TS-15 CNC LATHE



CNC

SUPERMAX MDL. MAX1 REBEL CNC VERTICAL MACHINING CENTER

CNC LATHES

NISSIN MACHINE CO. MDL. 3010 UNIVERSAL 2-AXIS, Fanuc System 6T CNC control, 17" x 46.2", 15" dia. 3-jaw hyd. chuck, chip conveyor, transformer, S/N N3037.

MORI SEIKI MDL. SL4, Yasnac 2000G CNC control, 12" hyd. chuck, S/N 917.

TRACTOR

JOHN DEERE TRACTOR MDL. 420 T, w/plow and disk, S/N 84919.



CNC

NISSIN MACHINE CO. 2-AXIS CNC LATHE



CNC

MORI SEIKI MDL. SL4 CNC LATHE



JOHN DEERE MDL. 420 T TRACTOR

LOCATION 10

HEB INTERNATIONAL

6820 Chippewa Blvd., Houston, Texas 77068

INSPECTION: Thursday, March 26,
From 9:00 A.M. to 4:00 P.M.



CNC

LOCATION 11 THE TOOLING EMPORIUM 4850 Crittenden Drive, Suite 3D, Louisville, Kentucky 40209

INSPECTION: Monday, March 26, From 9:00 A.M. to 4:00 P.M.
Contact Mark Coxon (502) 802-4008

CNC VERTICAL MACHINING CENTER

VICTOR MDL. V-CENTER-130 4-AXIS CNC VERTICAL MACHINING CENTER, 21" x 55" tbl., 53" X-axis, 31" Y-axis, 28" Z-axis travel, 12" 4th axis rotary tbl. w/tailstock, #50 taper, spndl. spds. to approx 12,000 RPM, 24-pos. ATC, chip conveyor, Fanuc Oi-MC CNC control, S/N M2-1237, installed new 11/2007.

LOCATION 12 RMC RELIABLE MACHINIST CORP. 7102 Belgold, Houston, Texas 77066

INSPECTION: Monday, March 26,
From 9:00 A.M. to 4:00 P.M.



CNC

**MAZAK POWERMASTER N CNC
HOLLOW SPINDLE LATHE**

CNC HOLLOW SPINDLE LATHE

MAZAK POWERMASTER N, Mdl. PM-U, new 1997, 9" spndl. bore, Mazatrol T-Plus control, 34" swing over bed, 124" btwn. centers, front and rear turret, 60/40 HP (30m min./cont.), 28" Nobel 4-Jaw chuck w/10" bore, S/N 131391.

HORIZONTAL MACHINING CENTER

MAZAK MICROCENTER H, CAT 40, 17-3/4" duel pallets, Fanuc 18M retrofit in mid 90's., S/N M41227.

TOOL PRESETTER

ROYAL TOOL PRESETTER, CAT 50, Mdl. 2P 620/270, mounted on granite tbl.

MISCELLANEOUS FAB

T-SLOTTED SUB TABLE, 24.75" x 24.75" x 3.75"; **CINCINNATI MILACRON T-30 PALLET**, 31.5" x 31.5"; 24"; **PRATT & WHITNEY PLAIN ROTARY TABLE**; (2) **ANGLE PLATES**, 36" x 6"; **CROWN ELECTRIC MDL. 40GPW-4-14 PALLET JACK**, needs repair; **TOOL POST AND TOOL HOLDER**.



**BROWN & SHARPE
GLOBAL PERFORMANCE
C.M.M.**



**AUTO CRIB MDL.
STUDIO 3 INDUSTRIAL
VENDING MACHINE**



ROYAL TOOL PRESETTER

INDUSTRIAL VENDING MACHINE

AUTO CRIB MDL. STUDIO 3, up to (80) selections, 72" tall, S/N SL305006084.

COORDINATE MEASURING MACHINE

BROWN & SHARPE GLOBAL PERFORMANCE MDL. 12-22-10, 47-X, 86-Y, 39-Z work envelope, Pendant control, Renishaw PH10MQ, S/N 1206-6521

ITS SPINDLE BONNET & ADAPTERS FOR CONTOURING HEADS

ITS (INNOVATIVE TOOLING SOLUTIONS) 5" SPINDLE BONNET ADAPTER, w/cover plate, Camlock adaptation style (semi automatic). Came off from a Lucas 30T CNC HBM.

(3) ITS (INNOVATIVE TOOLING SOLUTIONS) CH-8 CONTOURING HEAD ADAPTER PLATE, Camlock adaptation style (semi automatic).

(3) ITS (INNOVATIVE TOOLING SOLUTIONS) CBS-S SERIES BORING BAR ADAPTER PLATE, Camlock adaptation style (semi automatic).

ITS (INNOVATIVE TOOLING SOLUTIONS) CBS-S SERIES BORING BAR ADAPTER PLATE, autolock adaptation style (fully automatic).

WORK TRUCK

ISUZU MDL. FRR 16" FLAT BED TRUCK, 401,000 miles, manual trans., VIN JALF5C13217701104.

LOCATION 13 TNN MANUFACTURING 8330 West Little York, Houston, Texas 77040

INSPECTION: Monday, March 26,
From 9:00 A.M. to 4:00 P.M.

CNC FLATBED LATHE

CNC HOLLOW SPINDLE FLATBED LATHE, Hwacheon Mdl. MEGA 95, new 12/1999, Fanuc 21-T CNC control, 38.6" sv. over bed, 26.2" sv. over crossslide, 196" dist. btwn. centers, 6.1" spndl. bore, spds.: 40-1,000 RPM, 30 HP motor, 28" dia. 4-jaw chuck, (2) roller jaw steady rests, tailstock, H.D. boring attach., manual pulse code handles, chip conveyor, S/N 300029.



LOCATION 14

HOOKS INDUSTRIAL
101 Industrial Court,
Conroe, Texas 77301

INSPECTION: Monday, March 26,
From 9:00 A.M. to 4:00 P.M.



2014

<
**CRESS
ELECTRIC
FURNACE**



<
**KINGSTON
MDL. HI-29120
HOLLOW
SPINDLE
LATHE**

>
**SHARP
MDL. 1880L
GAP BED
ENGINE LATHE**



2005

HOLLOW SPINDLE LATHE

KINGSTON MDL. HI-29120, spds.: 4–500 RPM, inch/metric thdng., 9-1/4" spndl. bore, 18" steady rest, gap bed taper attach., rapid traverse, Aloris toolpost w/tooling, (2) SCA 24" dia. front and rear chucks, S/N 202990224.

GAP BED ENGINE LATHE

SHARP MDL. 1880L, new 2005, spds.: 40–1,350 RPM, taper attach., follow rest, steady rest, Acu-Rite D.R.O., 3" bore, Aloris toolpost w/tooling, 12" dia. 4-jaw chuck, S/N 4006201.

ELECTRIC FURNACE

CRESS MDL. C336F4Z SCR1111, new 2014, 1,750 deg. max. continuous temp. 36" chamber width.

LOCATION 14-A

HOOKS INDUSTRIAL

5325 Leopard Street,
Corpus Christi, Texas 78408

INSPECTION: Monday, March 26,
From 9:00 A.M. to 4:00 P.M.

HORIZONTAL BORING MILL

5-1/8" WOTAN TABLE TYPE HORIZONTAL BORING MILL, Mdl. B130S, new in 1970, #50 spndl. taper, 60" x 67" rotary tbl., 17,600-lb. tbl. load cap., 78" cross travel, 63" vert. travel, power draw bar, tailstock, spndl. support, out riggers, S/N 54291.

OVERHEAD BRIDGE CRANE

GORBEL OVERHEAD BRIDGE CRANE, new 2015, 30' x 100' span, 1,000 lb. Harrington hoist, disassembled.



**WOTAN TABLE TYPE 5 1/8" HORIZ.
BORING MILL**

DON'T MISS THIS SALE!

2009



CNC

<
**HAAS TM2
TOOL ROOM
MILL
VERTICAL
MACHINING
CENTER**

>
**TREE MASTER
JOURNEYMAN
425 CNC
VERTICAL MILL**



CNC

CNC VERTICAL MACHINING CENTER

HAAS TM2 TOOL ROOM MILL, new in 2009, Haas CNC control, CAT 40 spndl. taper, 57.5" x 10.5" tbl., 40" X-, 16" Y-, 16" Z-axis travels, 4,000 RPM, 7.5 HP, 1,000-lb. tbl. load, splash guards, Low Hours! S/N 1073403.

CNC VERTICAL MILL

TREE MASTER JOURNEYMAN 425, New in 1996, TPC-2100 CNC control w/Pendant control, 12" x 51" tbl., 30" X-, 15" Y-, 6" Z-axis travel, 17.7" knee travel (manual), 5 HP, CAT 40, 50–6,000 RPM, 800-lb. tbl. load, splash guards, Runs Great!

LOCATION 15

DEL MACHINE SHOP
10145 Tanner Road,
Houston, Texas 77041

INSPECTION: Monday, March 26,
From 9:00 A.M. to 4:00 P.M.

LOCATION 16

VISION MACHINE INC

25045 Spring Ridge Drive, Spring, Texas 77386

INSPECTION: Monday, March 26, From 9:00 A.M. to 4:00 P.M.

ROTARY SURFACE GRINDER

MATTISON ROTARY SURFACE GRINDER, Mdl. 48, Serial #48-547, 48" electromagnetic chuck, 60" max. swing, 24" grinding wheel, vert. spndl., 24" ht. under wheel, 7–28 RPM, 75 HP, Kleenall separator.

HORIZONTAL BORING MILL

GIDDINGS & LEWIS 340-T, 36" x 74" tbl., 4" spndl., #5MT, 54" cross travel, 60" longitudinal travel, 40" vert. travel, 7.5–1,500 RPM, Newall C80 3-axis digital read out, S/N 6351.

ENGINE LATHE

24" X 160" LEHMANN HYDRATROL MDL. 24, 20 HP, 10–410 RPM, taper attachment, steady rest, L-type spndl. mount, thread dial. S/N N.A.



**MATTISON MDL. 48 ROTARY
SURFACE GRINDER**



**GIDDINGS & LEWIS 340-T
HORIZ. BORING MILL**

**ONLINE BIDDING: YOU MUST REGISTER IN ADVANCE FOR ONLINE
BIDDING AT THIS AUCTION. Go to www.pmi-auction.com and click on
BidSpotter.com on our calendar page for this auction sale.**

LOCATION 17

FABCORP, INC.

6951 W. Little York Road, Houston, Texas 77040

INSPECTION: Monday, March 26, From 9:00 A.M. to 4:00 P.M.

CNC WATER JET CUTTING MACHINE

ROMEO "GOLD", new 2007, Burny 10LCD Plus CNC control, 160" max. cutting width, 109" max. cutting length, approx. 60"W. cutting head rail width, KMT Streamline Mdl. SL-V50 Plus intensifier, Schmidt 6.5 cu. ft. abrasive hopper, Flowcool chiller system, (2) water jet cutting heads.

2007



CNC

ROMEO GOLD CNC WATER JET CUTTING MACHINE

CNC VERTICAL MACHINING CENTER

MAZAK MDL. VQC-20/50B, Mazatrol Cam M2 CNC control, 22" x 48-3/4" tbl., 39.37" X-, 20" Y-, 18.11" Z-axis travels, CAT 50, 20-3, 150 RPM, 10 HP, tool presetter, 24-pos. ATC, S/N 55625.

STORAGE SYSTEM

TRUMPF TKL/STOPA DUAL TOWER MATERIAL STORAGE SYSTEM, 3 T., 5 x 10, for 18' ceiling ht., 44 pallets w/3.5" stacking ht., raw material cart to L3030, material input scissors cart, material weighing scale, safety fencing and light barriers, cell server software.



CNC

MAZAK MDL. VQC-20/50-B VERTICAL MACHINING CENTER



TRUMPF TKL/STOPA DUAL TOWER MATERIAL STORAGE SYSTEM



ANOTHER VIEW OF THE TRUMPF TKL/STOPA DUAL TOWER MATERIAL STORAGE SYSTEM



CONTROL FOR THE TRUMPF TKL/STOPA DUAL TOWER MATERIAL STORAGE SYSTEM



LOCATION 18

CLAY ROAD WAREHOUSE

**Business Park at Clay Road and Beltway 8,
Houston, Texas**

INSPECTION: Monday, March 26 By Appointment Only.

Contact Mark Thomas (713) 594-1576.

FORKLIFTS

(2) RAYMOND SIDELOAD 10,000-LB. CAP. FORKLIFTS, Mdl. 076-SL100TN, both come w/exterior chargers, S/N 076-90-00453, S/N 076-01-00823.

UNITS ARE IN THE BUSINESS PARK AT CLAY ROAD AND BELTWAY 8.



LOCATION 19

EVERS & SONS, INC.
12905 Hwy. 36 S, Caldwell, Texas 77836
INSPECTION: Monday, March 26, From 9:00 A.M. to 4:00 P.M.

**DON'T
MISS THIS
SALE!**



JOHNSON ARMADA H450-HD BANDSAW



**ARONSON
MDL. SG8VRA8CL-PK
WELDING MANIPULATOR**



**AIR TECHNICAL INDUSTRIES TELE-MAST
STRADDLE CRANE**



**SAMPLE VIEW OF
JIB CRANES**



**LINCOLN IDEALARC
DC-1000**



**LINCOLN IDEALARC
POWER PULSE 500**



**MILLER DIMENSION 452
W/WIRE FEEDER**



**PANDJIRIS WELDING
POSITIONER**



WELDING POSITIONER

HORIZONTAL BANDSAW

MARVEL MDL. 15A4/M1, new in 1975, 15" x 20" cap., 1" blade, shuttle tbl. w/2 vises, S/N E15864.

JOHNSON AMADA H450-HD BANDSAW, 1-1/2" blade, 16" cap. round, 18" x 16" cap. rectangle, S/N 460089.

WELDING MANIPULATOR

ARONSON MDL. SG8VRA8CL-PK, 96" reach, 124" ht., 300-lb. cap.

MISC. FAB & SHOP EQUIPMENT

MILLER AND LINCOLN WELDERS, WELDING POSITIONERS, GRACO HYPER STRIP, ANGLE GRINDERS, HORIZONTAL GRINDERS, MILWAUKEE STRAIGHT GRINDERS, AIR DRIVEN ROLLING MOTORS, PIPE BEVELING MACHINES, ANTI-FATIGUE MATS AND MORE.

ELECTRIC PALLET JACK

CROWN 4,000-LB. ELECTRIC PALLET JACK, Mdl. 40-GWP-4-14, S/N W-74140.

PORTABLE GANTRY CRANE

AIR TECHNICAL INDUSTRIES TELE-MAST STRADDLE CRANE MDL. TMSC-60101016E, 60,000-lb. cap., 10' span, 12'L., 6' vert. travel, 7'W., 10' under beam, (2) Scott DC Power 48VDC motors powering the hydraulic pump, 6' vert. travel, trailer frame for pulling w/a tractor or forklift.

PEDESTAL JIB CRANES - NO HOISTS

ABELL HOWE, 1.2 T., 9' boom, Series 700 base.

ABELL HOWE, 1 T., 15' boom, mounted on a 6' square portable plate w/lifting points.

WALL MOUNTED JIB CRANES - NO HOISTS

(3) **ABELL HOWE**, 2 T., 18'L. arm.

CONTRAX CRANES, 1/4 T., 17'L. arm.

2 T., 13'L. ARM.

A-FRAME GANTRY CRANE - NO HOISTS

SPANCO, 1 T., (2) A-frames w/adjustable ht. settings, on (4) sets of wheels for easy movement.

ROLLER CONVEYOR SYSTEM

3-ROLLER POWERED ROLLER CONVEYOR, (4) 18'L. x 3'W. belt driven conveyor tpls., (1) discharge tbl. w/hydraulic tilting.



PIPE BEVELING MACHINE



**POWERMATIC BELT
SANDER**



ELECTRIC PALLET JACK



**SAMPLE VIEW OF JIB
CRANES**



**PNEUMATIC
GRINDERS**



ONLINE AUCTION

HUGE ONLINE AUCTION - (20) LOCATIONS IN TEXAS & KENTUCKY

FEATURING: 2013 KINETIC CNC PLASMA MACHINING CENTER; (3) FRONIUS ID PIPE CLADDING MACHINES; (4) PLASMA PLATE BURNING MACHINES; 50,000-LB. ARONSON WELDING POSITIONER; CNC VERT. MACHINING CENTERS; CNC & MANUAL HOLLOW SPINDLE LATHES; CNC LATHES; HORIZ. MACHINING CENTERS; GAP BED LATHES; ENGINE LATHES; HORIZ. BORING MILLS; ROTARY SURFACE GRINDER; WELDING POSITIONERS; WELDING MANIPULATOR; MILLER & LINCOLN IDEAL-ARC WELDERS; ALL TYPES OF GRINDERS; VERT. & HORIZ. BANDSAWS; PIPE BEVELING MACHINES; THREADING MACHINE; C.M.M.; 125 HP QUINCY AIR COMPRESSOR; RIGGER XTREME 200 FORKLIFT; (2) RAYMOND SIDE LOADER FORKLIFTS; PORTABLE BOX CRANE; JIB CRANES; BRIDGE CRANES; WORK TRUCK; MUCH, MUCH MORE!

BIDS START CLOSING ON TUESDAY, MARCH 27 AT 10:00 A.M.

GO TO OUR WEBSITE CALENDAR AT WWW.PMI-AUCTION.COM FOR THE LINK TO THE BIDSPOTTER CATALOG.

TERMS & CONDITIONS OF ON-LINE AUCTION SALE

An 18% Buyer's Premium will apply.

A 100% refundable \$3,000 (US bidders) or \$10,000 (foreign bidders) deposit is required for all webcast bidding unless prior approval has been obtained from the auction company.

ALL BIDS ARE MADE AND RECEIVED UNDER THE TERMS HEREINAFTER SET FORTH TO WHICH TERMS BIDDERS AGREE BY MAKING THEIR BID AT THE SALE. THESE TERMS CANNOT BE ALTERED EXCEPT BY THE AUCTIONEER. NO EMPLOYEE HAS AUTHORITY TO MODIFY SAME. THE OWNER AND/OR AUCTIONEER RESERVE THE RIGHT TO ADD TO OR MODIFY THE TERMS OF THE SALES.

All payments must be made by Cash, Cashier's Check, Wire Transfer or Company Check with Bank Letter of Guarantee to Plant & Machinery, Inc. (PMI). Here is an example of what your letter should be: [Mr. "Customer Name" representing "Company Name" is a customer of this bank. This bank will guarantee unqualified payment to Plant & Machinery, Inc. on the account listed herein up to the amount of \$ _____. This letter is good until April 27, 2018.]

All bidders are required to give full name, company name, address, phone, fax, email address, and bank information when registering. All bidders must register before bidding.

All bids must be paid in full within two business days after the bids have closed. The Auctioneer shall determine the bidding increments. Some items may be auctioned with reserve.

All purchases must be removed within two weeks after the bids have closed, or, within the timeframe posted on the sale web page. No lot can, on any account, be removed prior to PMI having been paid in full. Removal shall be at the expense, risk and liability of the Purchaser. Purchases will be delivered only on presentation of paid bill. Auctioneer shall not be responsible for goods not removed within the aforesaid time.

Riggers, movers, electricians or buyer performing work at the Auction Sites must provide Auctioneer with evidence of insurance. The insurance coverage must be at a level acceptable to Auctioneer and to the Seller.

All checks for deposits and balances due shall be payable to the order of PLANT & MACHINERY, INC. unless instructed otherwise. All bills must be paid to the Houston headquarters offices of the Auctioneer at 1304 Langham Creek Drive, Suite 454, Houston, TX, 77084 or by wire transfer directly to the bank specified in the wire transfer instructions provided for this on-line auction. The full purchase price on all lots sold to the same buyer must be paid within the time fixed and before removal of any of the goods.

THE AUCTIONEER SHALL NOT BE RESPONSIBLE FOR THE CORRECT DESCRIPTION, GENUINENESS, AUTHENTICITY OF, OR DEFECT IN ANY LOT, AND MAKES NO WARRANTY IN CONNECTION THEREWITH. NO SALE SHALL BE SET ASIDE NOR ALLOWANCE MADE ON ACCOUNT OF ANY INCORRECTNESS, ERROR IN CATALOGING, OR ANY IMPERFECTION NOT NOTED. NO DEDUCTION ALLOWED ON DAMAGED ARTICLES, ALL ARTICLES BEING EXPOSED FOR PUBLIC EXHIBITION, AND SOLD "AS IS" AND WITHOUT RECOURSE. ARTICLES ARE NOT WARRANTED AS MERCHANTABLE OR FIT FOR ANY PARTICULAR PURPOSE, AND NO CLAIM MAY BE MADE BY PURCHASER RELATING TO THE CONDITION OR USE OF ARTICLES PURCHASED, OR FOR PROXIMATE OR CONSEQUENTIAL DAMAGES ARISING THEREFROM.

Articles purchased may not incorporate approved activating mechanisms, operating safety devices or safety guards, as required by OSHA or otherwise. It is Purchaser's responsibility that articles purchased be so equipped and safeguarded to meet OSHA and any other requirements before placing such articles into operation.

Purchaser agrees to indemnify and hold Auctioneer harmless from and against all claims and liabilities relating to the condition or use of the articles purchased or failure of user to follow instructions, warnings or recommendations of the manufacturer, or to comply with federal, state and local laws applicable to such articles, including OSHA requirements, or for proximate or consequential damages, costs or legal expenses arising therefrom.

No claims will be allowed after removal of goods from premises.

Auctioneer shall not, in any event, be liable for non-delivery or any other matter or thing, to any Purchaser of any lot other than for the return to the Purchaser of the deposit or sum paid on said lot, should the Purchaser be entitled thereto.

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. Lots not paid for and removed within the time allowed herein may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charges of re-sale, will be charged to the defaulting Purchaser.

Persons attending during exhibition, sale or removal of goods assume all risks of damage of or loss to person and property and specifically release the Auctioneer from liability therefor. Neither the Auctioneer nor his principal shall be liable by reason of defect in or condition of the premises on which the sale is held.

The Auctioneer reserves the right to withdraw from sale any of the property listed or to sell at this sale property not listed, and also

reserves the right to group one or more lots into one or more selling lots or to subdivide into two or more selling lots. Whenever the best interest of a Seller will be served, the Auctioneer reserves the right to sell all the property listed, in bulk.

Where items are sold by estimated weight, count or measure, the Purchaser will be billed for and required to pay for the estimated weight, count or measure. If, upon delivery, any shortage exists, the Purchaser will receive a refund at the rate of purchase. If there be an excess, the Purchaser will be required to pay for such excess, at the rate of purchase.

Reserve: There are RESERVE amounts attached to selected items in this auction. When bidding, you will be notified by the online bidding system as to whether or not you have met the RESERVE amount. No bid will be considered a winning bid unless the RESERVE amount has been met. A bid in the amount of the RESERVE, or higher, will be considered a winning bid. Please check your bid and bid status before the Lot closes.

The Auctioneer reserves the right to reject any and all bids, alter the order of sale, and accept bids made on behalf of the Seller.

The record of sale kept by the Auctioneer will be taken as final in the event of any dispute.

The Auctioneer is acting as agent only and is not responsible for the acts of its principals. Purchaser acknowledges, as an inducement to Seller to commit Purchaser to bid, that Purchaser has independently inspected the goods bid upon by the Purchaser, and acknowledges to the Seller that Purchaser is acquiring all goods "AS IS, WITH ALL FAULTS" and "WITH REMOVAL AT PURCHASERS' RISK AND EXPENSE" and agrees to protect, indemnify and hold harmless the Seller from any and all claims, demands, causes of actions, liabilities and judgments relating to the conditions or use of the goods.

Seller, if not the same as the Auctioneer, shall have the rights, protections and benefits afforded to the Auctioneer as set forth herein.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

ANY ADDITIONAL PROVISIONS OR AMENDMENTS TO THE ABOVE LISTED TERMS WILL BE POSTED TO THE ON-LINE SALE WEB PAGE BY THE AUCTIONEER PRIOR TO THE START OF BIDDING.