

Website Catalog									
LOT	QTY								
1	1	CRANE WAY SYSTEM capable of handling up to 10 tons. Up to 250' long. Runways up to 60' span. "A" Frames spaced @ 25' to center with 24' x 84' crane girders double span @ 50' length. Parts available: (11) Columns 14" x 87" x 24' height, crane girder seat @ 20' height with 2" thick plates. (21) A-Frames 14" x 87" x 24' tall, crane girder seats @20' tall. 8 x 24 outrigger legs with 4" x 4" x 30" angle tie and 2" base plates. (8) Crane girders 24" x 84" 50' long. Seller will load for an additional charge. Contact Scott Lambert at 832-221-8626 for loading quote. (LOCATION A: NORTH SHORE STEEL, 12907 MARKET STREET, HOUSTON, TX 77015)							
2	1	ROUND MDL. R-6-S ANGLE ROLL new 2001, Section Bending Machine, 6" x 6" x 5/8" Capacity, 3 roll drive to avoid slipping, Heavy Duty machine, S/N 017314. Seller will load for an additional charge. Contact Scott Lambert at 832-221-8626 for loading quote. (LOCATION A: NORTH SHORE STEEL, 12907 MARKET STREET, HOUSTON, TX 77015)							
3	1	DOALL MDL. TF-2540 TILT-FRAME VERTICAL BANDSAW , conveyor system, 25" width x 40" height capacity, 239" band length, dual hyd. vises, (2) roller conveyors, (#1) 36" wide X 30' long, (#2) 40" wide X 30'-5" long, S/N 356-81215. Seller will load for an additional charge. Contact Scott Lambert at 832-221-8626 for loading quote. (LOCATION A: NORTH SHORE STEEL, 12907 MARKET STREET, HOUSTON, TX 77015)							
4	1	GENIE MDL. S60 MANLIFT , new 2000, 60' ht. platform, 51'-3" max. platform reach, 500 lbs. rated work load, max. 2 persons S/N S60-6157. Seller will load for an additional charge. Contact Scott Lambert at 832-221-8626 for loading quote. (LOCATION A: NORTH SHORE STEEL, 12907 MARKET STREET, HOUSTON, TX 77015)							
5	1	SNORKELIFT MDL. ATB-60CU MANLIFT , 60' max. ht. platform, 43.1' platform reach, 500 lbs. cap., 30" x 60" platform. Seller will load for an additional charge. Contact Scott Lambert at 832-221-8626 for loading quote. (LOCATION A: NORTH SHORE STEEL, 12907 MARKET STREET, HOUSTON, TX 77015)							
6	1	SULLIVAN PALATEK 40UD ROTARY SCREW AIR COMPRESSOR , 40 HP motor. Seller will load for an additional charge. Contact Scott Lambert at 832-221-8626 for loading quote. (LOCATION A: NORTH SHORE STEEL, 12907 MARKET STREET, HOUSTON, TX 77015)							

<u>LOT</u>	<u>QTY</u>	Website Catalog							
7	1	GARDNER DENVER AIR COMPRESSOR , new 2007, 7.5 HP motor, Pump #CAPRSA36, 80 gal. tank. Seller will load for an additional charge. Contact Scott Lambert at 832-221-8626 for loading quote. (LOCATION A: NORTH SHORE STEEL, 12907 MARKET STREET, HOUSTON, TX 77015)							
8	1	ULTRAFILTER/ULTRATROC AIR DRYER MDL. SD0375-60 , Type 446, w/condenser unit, S/N 003/13144/19. Seller will load for an additional charge. Contact Scott Lambert at 832-221-8626 for loading quote. (LOCATION A: NORTH SHORE STEEL, 12907 MARKET STREET, HOUSTON, TX 77015)							
9	1	ZEKS MDL. HTA030A100 AIR COMPRESSOR , R22 refrigerant. Seller will load for an additional charge. Contact Scott Lambert at 832-221-8626 for loading quote. (LOCATION A: NORTH SHORE STEEL, 12907 MARKET STREET, HOUSTON, TX 77015)							
10	1	LEFEBURE 6-DRAWER COMBINATION LOCK TOOL CABINET , heavy duty locking cabinet with Sargent & Greenleaf combination lock. Seller will load for an additional charge. Contact Scott Lambert at 832-221-8626 for loading quote. (LOCATION A: NORTH SHORE STEEL, 12907 MARKET STREET, HOUSTON, TX 77015)							
11	1	40' CONTAINER with shelves of ½" to 8" PVC fittings. Seller will load for an additional charge. Contact Scott Lambert at 832-221-8626 for loading quote. (LOCATION A: NORTH SHORE STEEL, 12907 MARKET STREET, HOUSTON, TX 77015)							
12	1	40' CONTAINER with shelves of ½" to 8" PVC fittings. Seller will load for an additional charge. Contact Scott Lambert at 832-221-8626 for loading quote. (LOCATION A: NORTH SHORE STEEL, 12907 MARKET STREET, HOUSTON, TX 77015)							
13	1	HOULETTE COMPACT MDL. 2747E ELECTRIC SCISSOR LIFT , new 2012, 26'-8" max. platform ht., 3' platform reach, 1,000 lb. max. load, S/N CE148774. Seller will load for an additional charge. Contact Scott Lambert at 832-221-8626 for loading quote. (LOCATION A: NORTH SHORE STEEL, 12907 MARKET STREET, HOUSTON, TX 77015)							

<u>LOT</u>		<u>QTY</u>	Website Catalog						
14	1	C CHANNEL 1,2, AND 3: (128 pieces) of 10" channel, 25-lb., 32' long, 52 tons. Seller will load for an additional charge. Contact Scott Lambert at 832-221-8626 for loading quote. (LOCATION A: NORTH SHORE STEEL, 12907 MARKET STREET, HOUSTON, TX 77015)							
15	1	ROMI MDL. C680 COMBINATION LATHE , new 2013, Siemens 802Dsl Pro CNC control, 6.77" spdl. bore w/A2-11 mount, 26.77" sw. over bed, 16.93" sw. over crossslide, 80" dist. btn. centers, 40 HP 30 min. rating, R.I.P. Schmidt 1"-14" steadyrest, 15" dia. 3-jaw steel body chuck, 20" dia. 4-jaw chuck, chip conveyor, Dorian toolpost w/toolholders & boring bar, 13,890 lbs. machine weight. Machine is just inside roll up door for easy removal, S/N 016-431-471 (LOCATION B: LNS MACHINE GARY DEDER/C-MACHINE, 5811 BENDER ROAD, HOUSTON, TX 77397)							
16	1	HEM 36" X 32" MDL. H3236-DC DOUBLE COLUMN HORIZONTAL BANDSAW , 2" blade, 20 HP main motor. 24" discharge table, pwr'd. roller load table, bundling attach. Steel toe shoes, ear plugs and safety glasses are required for inspection at this location. (LOCATION C: ELLWOOD TEXAS FORGE, 12500 AMELIA DRIVE, HOUSTON, TX 77045)							
17	1	YALE 8,000 LB. CAP. MDL. GDP080VXNCSV098 FORKLIFT , 2-stage mast, 143" max. lift ht., side shift, solid tires, S/N G813V02084G. Steel toe shoes, ear plugs and safety glasses are required for inspection at this location. (LOCATION C: ELLWOOD TEXAS FORGE, 12500 AMELIA DRIVE, HOUSTON, TX 77045)							
18	1	YALE 8,000 LB. CAP. MDL. GDP080VXNCSV098 FORKLIFT , 2-stage mast, 143" max. lift ht., side shift, solid tires, S/N G813V02085G. Steel toe shoes, ear plugs and safety glasses are required for inspection at this location. (LOCATION C: ELLWOOD TEXAS FORGE, 12500 AMELIA DRIVE, HOUSTON, TX 77045)							
19	1	YALE 8,000 LB. CAP. MDL. GDP080LJNPB097 FORKLIFT , 2-stage mast, 145" max. lift ht., side shift, squeeze function, S/N N.A. Steel toe shoes, ear plugs and safety glasses are required for inspection at this location.(LOCATION C: ELLWOOD TEXAS FORGE, 12500 AMELIA DRIVE, HOUSTON, TX 77045)							

<u>LOT</u>		<u>QTY</u>	Website Catalog						
20	1	HYSTER 6,000 LB. CAP. MDL. S60XM FORKLIFT , 2-stage mast, 151” max. lift ht., side shift, solid tires, S/N N.A. Steel toe shoes, ear plugs and safety glasses are required for inspection at this location. (LOCATION C: ELLWOOD TEXAS FORGE, 12500 AMELIA DRIVE, HOUSTON, TX 77045)							
21	1	SMTCL VANGUARD MDL. GTC20090 VERTICAL CNC LATHE , new 2008, Fanuc 18i-TB CNC control, 63” dia. table, 78” swing, 63” height under rail, 60 HP cont. & 74 HP 30 min. 12 pos. ATC, chip conveyor, hyd. counterweight. Steel toe shoes, ear plugs and safety glasses are required for inspection at this location. (LOCATION C: ELLWOOD TEXAS FORGE, 12500 AMELIA DRIVE, HOUSTON, TX 77045)							
22	1	HWACHEON MDL. HI-ECO35 CNC LATHE , Fanuc 18T CNC control, 4.13” spdl. bore, 23.62” sw. over bed, 16.35” max. turning dia., 47.3” max. turning length, 22 KW spdl. motor, Kitagawa B-15 pwr. chuck, chip conveyor. Steel toe shoes, ear plugs and safety glasses are required for inspection at this location. (LOCATION C: ELLWOOD TEXAS FORGE, 12500 AMELIA DRIVE, HOUSTON, TX 77045)							
23	1	GROVE MDL. MZ46C MANLIFT , new 1997, 40’ max. travel height, 500 lbs. max load. Steel toe shoes, ear plugs and safety glasses are required for inspection at this location. (LOCATION C: ELLWOOD TEXAS FORGE, 12500 AMELIA DRIVE, HOUSTON, TX 77045)							
24	1	DANGO 3,000 LB. CAP. FORGING MANIPULATOR , lift & rotate controls. Steel toe shoes, ear plugs and safety glasses are required for inspection at this location. (LOCATION C: ELLWOOD TEXAS FORGE, 12500 AMELIA DRIVE, HOUSTON, TX 77045)							
25	1	HAAS MDL. VF-4 CNC VERTICAL MACHINING CENTER , new 1997, Haas CNC control, 18” x 52” table, 50” X-axis travel, 20” Y-axis travel, 25” Z-axis travel, spds: 0-7500 RPM, 20 HP motor, CAT-40 spdl. taper, 710 IPM rapid traverse, 20 pos. ATC, programmable coolant, brushless servo motors on axes, 4 th axis ready w/servo & wiring, S/N 12813. (LOCATION D: NEAR DOWNTOWN HOUSTON WAREHOUSE, 3609 CLINTON DRIVE, HOUSTON, TX 77020)							

<u>LOT</u>		<u>QTY</u>	Website Catalog						
26	1	MANUFACTURING CELL CONSISTING OF: (2) MAZAK MDL. H-630 CNC HORIZONTAL MACHINING CENTERS , new 1994, Mazak M-32 CNC control, FMS System specifications, 39.4" X-axis travel, 31.5" Y-axis travel, 29.5" Z-axis travel, CAT-50 spdl. taper, spdl. spds: 22-4500 RPM, 30 HP spdl. motor, 781 IPM rapid traverse, pallet system w/(8) 24.7" x 24.7" pallets & 1 deg. pallet indexing, 120 pos. ATC, coolant thru spdl., chip conveyor, full enclosure, S/N 107982, S/N 108045. (LOCATION D: NEAR DOWNTOWN HOUSTON WAREHOUSE, 3609 CLINTON DRIVE, HOUSTON, TX 77020)							
28	1	MAZAK MDL. DUAL TURN 20 CNC LATHE , new 1997, Mazatrol T Plus CNC control, 12.6" sw. over bed, 10" max. machine dia., 5.91" max. machine length, 9.06" X-axis travel, 19.69" Z-axis travel, 2" max. bar cap., 5,000 RPM main & second spdl. spds., 15 HP motor, R.H. & L.H. 12 pos. tool turrets, chip conveyor, parts catcher w/conveyor, no chucks, S/N 131470 (LOCATION D: NEAR DOWNTOWN HOUSTON WAREHOUSE, 3609 CLINTON DRIVE, HOUSTON, TX 77020)							
29	1	ROMI MDL. M-27 27" X 80" COMBINATION CNC LATHE , new 2007, G.E. Fanuc 21i-T CNC control, 21" dia. 4-jaw chuck w/7" hole, 26.97" sw. over bed, 16.93" sw. over crossslide, 80" center, 21.26" sw. over carriage, 18.7" X-axis travel, 15" bed, 6.7" thru hole, spdl. spds: 2-1000 RPM, 2.36" quill dia., S/N 002-093292-405. (LOCATION D: NEAR DOWNTOWN HOUSTON WAREHOUSE, 3609 CLINTON DRIVE, HOUSTON, TX 77020)							
30	1	BULLARD DYN-AU-TAPE 56" CNC VERTICAL BORING MILL , retrofitted 9/2008 by Essex Machine Tool Services, Fanuc 0iTC CNC control, 68" sw., 44" under rail, Siemens 55 kW spdl. drive motor, 4-jaw built-in chuck w/hard jaws, 12 pos. ATC w/approx. (8) H.D. turning tools, S/N 32120 (LOCATION D: NEAR DOWNTOWN HOUSTON WAREHOUSE, 3609 CLINTON DRIVE, HOUSTON, TX 77020)							

<u>LOT</u>		<u>QTY</u>	Website Catalog						
31	1	IRD 1,000 LB. CAP. MDL. B10 HORIZONTAL BALANCING MACHINE , B Series, 36" max. rotor dia., 55"L. bed, 0.5" to 8" journal dia., 6" to 49.5" journal separation, spds: 250-6000 RPM, 2 HP motor, underslung belt drive w/manual belt tensioning, (2) roller work suppts, suspension motor locks, end thrust assemblies, S/N N.A. <i>(Note: no controls)</i> (LOCATION D: NEAR DOWNTOWN HOUSTON WAREHOUSE, 3609 CLINTON DRIVE, HOUSTON, TX 77020)							
32	1	GUTMANN 150 T. CAP. FRICTION SCREW TYPE FORGING PRESS , 23.5" x 25" bed, 10" stroke, 16" daylight, 6" screw dia., 51" flywheel dia., 15 HP motor, pallet of parts (LOCATION D: NEAR DOWNTOWN HOUSTON WAREHOUSE, 3609 CLINTON DRIVE, HOUSTON, TX 77020)							
33	1	GUTMANN 100 T. CAP. FRICTION SCREW TYPE FORGING PRESS , 19.75" x 19.75" bed, 10" stroke, 16" daylight, 6" screw dia., 44.75" flywheel dia., 15 HP motor, pallet of parts (LOCATION D: NEAR DOWNTOWN HOUSTON WAREHOUSE, 3609 CLINTON DRIVE, HOUSTON, TX 77020)							
34	1	PUSH/PULL COMPRESSION/FORCING PRESS , Hogan hyd. tank, (2) Presto 6,000 lb. cap. hyd. lift tables, hold-back arms, tooling, S/N 5407-6502811 (LOCATION D: NEAR DOWNTOWN HOUSTON WAREHOUSE, 3609 CLINTON DRIVE, HOUSTON, TX 77020)							
35	1	PUSH/PULL SPRING COMPRESSION/FORCING PRESS , Vickers hyd. tank, 1,000 lb. hyd. lift table (LOCATION D: NEAR DOWNTOWN HOUSTON WAREHOUSE, 3609 CLINTON DRIVE, HOUSTON, TX 77020)							
36	1	BONELI 3" CENTERLESS GRINDER , 20" dia. x 10"W. grinding wheel, 20 HP grinding wheel motor, 14" x 10" regulating wheel, 15 HP regulating wheel motor, variable regulating wheel spds: 0-1000 RPM (LOCATION D: NEAR DOWNTOWN HOUSTON WAREHOUSE, 3609 CLINTON DRIVE, HOUSTON, TX 77020)							
37	1	WELDWIRE 20 T. CAP. MDL. WWRD20 DRIVER AND ROLL , 8' adj., forward/reverse rotation, speed adj., push button pendant, welding fixture (LOCATION I: MACHINERY WAREHOUSE, 3609 CLINTON DRIVE, HOUSTON, TX 77020)							

<u>LOT</u>		<u>QTY</u>	Website Catalog						
38	1	ROUND0 10’ X 1-5/8” MDL. PS 500/10 DOUBLE PINCH PLATE BENDING ROLL , 19.69” roll dia., 85 HP motor, hyd. pwr. rolls, hyd. roll adjustment, S/N N.A. (LOCATION E: DIXIE CULLEN INTERESTS, INC., 8501 EAST FREEWAY, HOUSTON, TX 77029)							
39	1	KINGSTON OIL COUNTRY MDL. HK-3000 HOLLOW SPINDLE LATHE , new 2007, 12/5” spdl. bore, 30” sw. bed, 20.5” sw. over crossslide, 118” dist. btn. centers, spdl. spds: 5-300 RPM, front & rear 4-jaw chucks, steadyrest, taper attach., 20 HP motor, S/N 03870612G (LOCATION E: DIXIE CULLEN INTERESTS, INC., 8501 EAST FREEWAY, HOUSTON, TX 77029)							
40	1	MORI SEIKI MDL. LL-7 CNC FLAT BED LATHE , Fanuc 6TB CNC control, 42.9” sw. over bed, 20.4” sw. over crossslide, 6.75” hole thru spdl., 31.5” dia. chuck, 50 HP motor, spdl. spds: 6-1150 RPM, (2) 4 pos. turrets, chip conveyor, splash guards & doors, S/N 150 (LOCATION E: DIXIE CULLEN INTERESTS, INC., 8501 EAST FREEWAY, HOUSTON, TX 77029)							
41	1	TAIYO SEIKO MDL. 4-T SADDLE TYPE TURRET LATHE , 38” sw. over bed, 12-5/8” hole thru spdl., 75 HP main motor, spdl. spds: 20-530 RPM, 6 pos. crosssliding turret, (2) boring bars, front & rear taper attaches., 31” dia. 3-jaw chuck w/12-5/8” thru hole, S/N 764010 (LOCATION E: DIXIE CULLEN INTERESTS, INC., 8501 EAST FREEWAY, HOUSTON, TX 77029)							
42	1	CONTOUR ROLLFORMER , (est.) new 1996, 32-stand, 2-1/2” shaft dia., (8) 4-stand shafts, 40” roll space, 8” horiz. & vert. dist. btn. centers, variable spd., gear driven, (4) extra stand rafts, adj. stock guide, 30 HP AC main drive motor, push button controls (LOCATION F: PERFECTION GLOBAL LLC, 2550 ARTHUR AVENUE, ELK GROVE VILLAGE, IL 60007)							
43	1	TAKISAWA MDL. EX-122 CNC LATHE , new 2001, Fanuc Series 21 1-T CNC control, 21” x 1538mm, 12 pos. turret, 6,500 RPM, transformer, S/N CB12E1 (LOCATION G: HEB INTERNATIONAL, 6820 CHIPEWA BLVD., HOUSTON, TX 77068)							

<u>LOT</u>	<u>QTY</u>	Website Catalog						
44	1	NISSAN MACHINE CO. MDL. 3010 UNIVERSAL 2-AXIS CNC LATHE, Fanuc System 6T CNC control, 17" x 46.2", 15" dia. 3-jaw hyd. chuck, chip conveyor, transformer, S/N N3037 (LOCATION G: HEB INTERNATIONAL, 6820 CHIPEWA BLVD., HOUSTON, TX 77068)						
45	1	MORI SEIKI MDL. SL4 CNC LATHE, Yasnac 2000G CNC control, 12" hyd. chuck, S/N 917 (LOCATION G: HEB INTERNATIONAL, 6820 CHIPEWA BLVD., HOUSTON, TX 77068)						
46	1	LION 24" X 80" MDL. C10T LATHE, 4-1/16" spdl. bore, 3-jaw chuck, taper attach., Aloris toolpost, S/N 659 <i>The client will load this machine for an additional \$150.00. (LOCATION H: COMMIATOS MACHINE SHOP, 1141 NE LOOP, CARTHAGE, TX 75633)</i>						
47	1	LEBLOND 16" X 80" LATHE, 3" spdl. bore, taper attach., steadyrest, S/N 12E-776 <i>The client will load this machine for an additional \$150.00. (LOCATION H: COMMIATOS MACHINE SHOP, 1141 NE LOOP, CARTHAGE, TX 75633)</i>						
48	1	AXELSON 16" X 54" LATHE, taper attach., steadyrest, newly rewound motor, S/N 10003 <i>The client will load this machine at no charge. (LOCATION H: COMMIATOS MACHINE SHOP, 1141 NE LOOP, CARTHAGE, TX 75633)</i>						
49	1	SMTW 12" X 60" MDL. MG1432AX1500 GRINDER, S/N 294 <i>The client will load this machine for an additional \$150.00 (LOCATION H: COMMIATOS MACHINE SHOP, 1141 NE LOOP, CARTHAGE, TX 75633)</i>						
50	1	CINCINNATI GILBERT 50" X 72" X 16" HT. AIR LIFT ROTARY TABLE <i>The client will load this machine at no charge (LOCATION H: COMMIATOS MACHINE SHOP, 1141 NE LOOP, CARTHAGE, TX 75633)</i>						
51	1	THERMAL DYNAMICS MDL. PAK 15XL PLASMA POWER SOURCE, S/N T10808A18450 ID (LOCATION H: COMMIATOS MACHINE SHOP, 1141 NE LOOP, CARTHAGE, TX 75633)						
52	1	NISSIN MDL. NST-40/125 CNC LATHE, rewired & retrofitted in 2010, NCT CNC control, 26" sw. over bed, 21" sw. over crossslide, 49" dist. btn. centers, 60 HP motor, spdl. Spds: 10-2000 RPM, 15" hyd. chuck, hyd. tailstock, Rohm hyd. steadyrest, chip control (LOCATION D: NEAR DOWNTOWN HOUSTON WAREHOUSE, 3609 CLINTON DRIVE, HOUSTON, TX 77020)						

<u>LOT</u> <u>QTY</u>		Website Catalog						
53	1	HITACHI SEIKI MDL. HITEC-TURN 20S II CNC LATHE, new 1992, Seiki Multi CNC control, 15" sw. over bed, 9.4" max. machine dia., 15" max. machine length, 7.9" X-axis travel, 15.7" Z-axis travel, 2" max. bar cap., spdl. spds: 30-5000 RPM, 15 HP motor, 10 pos. tool turret, 8" chuck, chip conveyor, transformer, large qty. of tooling, S/N 2255 (LOCATION D: NEAR DOWNTOWN HOUSTON WAREHOUSE, 3609 CLINTON DRIVE, HOUSTON TX 77020)						
54	1	GIDDINGS & LEWIS MDL. P.T.M. HEAVY DUTY PLANER MILL, 48" x 216" table, 58" dist. btn. housings, 216" stroke, 60 HP rail & side head motors, variable spd. table control, pendant control, (2) chip conveyors, S/N 700-16-60 (LOCATION I: MACHINERY WAREHOUSE, 34218 SUNSET LANE, PATTISON, TX 77423)						
55	1	CINCINNATI NO. 3 DIAL TYPE VERTICAL MILL, 10" x 60" table, 34" table long. travel, 12" cross travel, 20" vert. travel, (21) spdl. spds: 18-1300 RPM, 10 HP motor, #50 taper, (32) fds: 0.50-40 IPM, Mitutoyo 2-axis D.R.O., S/N 4A3B5D-3 (LOCATION I: MACHINERY WAREHOUSE, 34218 SUNSET LANE, PATTISON, TX 77423)						
56	1	GIDDINGS & LEWIS MDL. 70H-6T-3X CNC TABLE TYPE HORIZONTAL BORING MILL, Numatix CNC control, 6" spdl. dia., 60" x 120" table, 108" X-axis travel, 84" Y-axis travel, 48" Z-axis travel, spdl. spds: 5.6-1520 RPM, fds: 0.007-0.250 IPR, chip conveyor, S/N 420-255-71 (*Note: needs repair) (LOCATION I: MACHINERY WAREHOUSE, 34218 SUNSET LANE, PATTISON, TX 77423)						
57	1	GIDDINGS & LEWIS MDL. 65H5 CNC TABLE TYPE HORIZONTAL BROING MILL, Numatix CNC control, 5" dia. spdl., 48" x 72" table, 60" headstock vert. travel, chip conveyor, S/N 420-5-60 (*Note: CNC control with new motors & drives) (LOCATION I: MACHINERY WAREHOUSE, 34218 SUNSET LANE, PATTISON, TX 77423)						
58	1	POREBA MDL. WFA-200 RAM TYPE CONVENTIONAL FLOOR TYPE HORIZONTAL BORING MILL, 7.8" dia. spdl., ISO-60 taper, 206" column travel, 96" headstock vert. travel, 57" ram travel, 48" spdl. travel, spds: 0-500 RPM, 100 HP motor, touch screen controls, chip conveyor, operator's platform, pwr. operated pendant controls, infinitely variable feeds & speeds, S/N 1117-003 (*Note: updated motors, controls & drives) (LOCATION I: MACHINERY WAREHOUSE, 34218 SUNSET LANE, PATTISON, TX 77423)						

<u>LOT</u>	<u>QTY</u>	Website Catalog							
59	1	KAUKAUNA MDL. 3040 TABLE TYPE HORIZONTAL BORING MILL, 4" spdl. dia., 60" x 120" T-slotted table, 96" column travel, 50" vert. headstock travel, S/N 211 (LOCATION I: MACHINERY WAREHOUSE, 34218 SUNSET LANE, PATTISON, TX 77423)							
60	1	CUSTOM HYDRAULIC TRAVELING HEAD AND STRAIGHTENING PRESS, 1,500 T. CAP., approx. 3' x 28' bed, 48" ram dia., 60 HP motor, S/N 51-212 (*Note: missing hydraulics, anvils & rotators) (LOCATION I: MACHINERY WAREHOUSE, 34218 SUNSET LANE, PATTISON, TX 77423)							
61	1	GIDDINGS & LEWIS BICKFORD 10' X 34" RADIAL ARM DRILL, drills to center of 240" circle, pendant control, S/N 34-2 (LOCATION I: MACHINERY WAREHOUSE, 34218 SUNSET LANE, PATTISON, TX 77423)							
62	1	GIDDINGS & LEWIS BICKFORD 6' X 17" RADIAL ARM DRILL, drills to center of 144" circle, pwr. elevation & column clamping, rapid traverse to head, standard T-slotted base w/steel table installed for wider work area, S/N 6E-422 (LOCATION I: MACHINERY WAREHOUSE, 34218 SUNSET LANE, PATTISON, TX 77423)							
63	1	ALAMO TRANSFORMER, 500 KVA, 7200 – 2400 v., S/N G111044R (LOCATION I: MACHINERY WAREHOUSE, 34218 SUNSET LANE, PATTISON, TX 77423)							
64	1	ALAMO TRANSFORMER, 250 KVA, 7200/12470 Y high voltage 95 KVA, 2400/4160 low voltage 60 KVA, S/N F041570R (LOCATION I: MACHINERY WAREHOUSE, 34218 SUNSET LANE, PATTISON, TX 77423)							
65	1	65"W. X 15'L. H.D. DIE CART, (LOCATION I: MACHINERY WAREHOUSE, 34218 SUNSET LANE, PATTISON, TX 77423)							
66	1	78" X 258" X 16" HT. T-SLOTTED FLOOR TABLE, (5) T-slots, adj. leveling pads (LOCATION I: MACHINERY WAREHOUSE, 34218 SUNSET LANE, PATTISON, TX 77423)							
67	1	78" X 258" X 16" HT. T-SLOTTED FLOOR TABLE, (5) T-slots, adj. leveling pads (LOCATION I: MACHINERY WAREHOUSE, 34218 SUNSET LANE, PATTISON, TX 77423)							
68	1	SET OF (4) HEAVY DUTY BORING MILL JAWS, 12.5" length, 10" width, 8" jaw length, slotted for use in two t-slots on 8" centers and as a face place, (LOCATION I: MACHINERY WAREHOUSE, 34218 SUNSET LANE, PATTISON, TX 77423)							

LOT	QTY	Website Catalog							
69	1	20" X 25" DEVLIEG T-SLOTTED ANGLE PLATE , 20" width, 25" height, 6 horiz. T-slots on 4" centers on face, 4" horiz T-slots on 4" centers on top, S/N A-1214 (LOCATION I: MACHINERY WAREHOUSE, 34218 SUNSET LANE, PATTISON, TX 77423)							
70	1	42" X 44" T-SLOTTED BOX TABLE , 42" width, 44 length, 7 T-slots on 5" centers on top, 1 T-Slot continuous all four sides (LOCATION I: MACHINERY WAREHOUSE, 34218 SUNSET LANE, PATTISON, TX 77423)							
71	1	42" X 44" T-SLOTTED BOX TABLE , 42" width, 44 length, 7 T-slots on 5" centers on top, 1 T-Slot continuous all four sides (LOCATION I: MACHINERY WAREHOUSE, 34218 SUNSET LANE, PATTISON, TX 77423)							
72	1	120" X 120" X 16" THICK T-SLOTTED FLOOR PLATE , 120" length, 120" width, 16" height, 10 T-slots on 12" centers, coolant catch tray, (LOCATION I: MACHINERY WAREHOUSE, 34218 SUNSET LANE, PATTISON, TX 77423)							
73	1	LOT CONSISTING OF: FMB TRITON MITERING BANDSAW , 3-phase, 1-1/2 HP motor, 2 spd. w/water, 8' to 10':1" blade size, cutting capacities: 9.5" rounds, S/N 81043 <i>(Note: no safety kill switch, cuts accurately)</i> ; CLARK MDL. 36191 PEDESTAL GRINDER , 3 phase, 2 HP motor, 12 max. wheel, 9" rock, 12" brush, S/N 36191; 3 PHASE CONVERTER , 7-1/2 HP motor. Buyer must furnish all lumber and bolts for base of machinery for moving. Due to height, utility style trailers only. All items at this location must be removed within 10 days after sale or a storage fee will be charged. (LOCATION J: HATHCOAT WELDING, 1585 U.S. HWY. 67 W., BRASHEAR, TX 75420)							
74	1	INGERSOLL RAND MDL. 225X5 AIR COMPRESSOR HEAD , Type 30, 3-belt pulley, S/N 30T54547. Buyer must furnish all lumber and bolts for base of machinery for moving. Due to height, utility style trailers only. All items at this location must be removed within 10 days after sale or a storage fee will be charged. Buyer must furnish all lumber and bolts for base of machinery for moving. Due to height, utility style trailers only. All items at this location must be removed within 10 days after sale or a storage fee will be charged. (LOCATION J: HATHCOAT WELDING, 1585 U.S. HWY. 67 W., BRASHEAR, TX 75420)							

<u>LOT</u>	<u>QTY</u>	Website Catalog						
75	1	POLAMCO 24" x 78" MDL. TUR-63 ENGINE LATHE , 3.5" spindle bore, 24.5" swing over bed, 14.5" swing over cross slide, 78" between centers, 1,800 RPM, 15HP, inch metric, 3-jaw chuck, S/N 39503. (LOCATION K: SIENKO PRECISION, 10102 SUSSEX LANE, HOUSTON, TX 77041)						
76	1	HURCO MDL. HAWK 5M CNC VERTICAL MILLING MACHINE , Ultimax dual screen CNC control, 14" x 43" table, 5 HP, CAT 40, S/N 950206, New in 1995. SELLER WILL LOAD OUT THE MACHINE AT NO CHARGE. (LOCATION K: SIENKO PRECISION, 10102 SUSSEX LANE, HOUSTON, TX 77041)						
77	1	MAY-DORRENBURG MDL. SS75B DRILL GRINDER , S/N 4448. SELLER WILL LOAD OUT THIS MACHINE AT NO CHARGE. (LOCATION K: SIENKO PRECISION, 10102 SUSSEX LANE, HOUSTON, TX 77041)						
78	1	SUNNEN MDL. MBB1650-MS HORIZONTAL HONING MACHINE , 16" length range, 0.6" minimum mandrel dia. & 6.5" maximum mandrel dia., tooling cabinet, S/N 50586. SELLER WILL LOAD OUT THIS MACHINE AT NO CHARGE. (LOCATION K: SIENKO PRECISION, 10102 SUSSEX LANE, HOUSTON, TX 77041)						
79	1	ELOX ELECTRON DRILL, HOLE EDM, MDL. M-702-A SELLER WILL LOAD OUT THIS MACHINE AT NO CHARGE. (LOCATION K: SIENKO PRECISION, 10102 SUSSEX LANE, HOUSTON, TX 77041).						
80	1	KING 42" VERTICAL TURRET LATHE , 4-jaw chuck with built in master jaws, ram, turret, and side head, 25HP main motor, 3-90 RPM. SELLER WILL LOAD AT NO CHARGE. (LOCATION L: LIBERTY PLANT MAINTENANCE, 1825 COUNTY ROAD 614,						
81	1	MONARCH 22" x 48" MDL. 20CM ENGINE LATHE , 4-jaw chuck, taper attachment, Aloris tool post, S/N 39083. SELLER WILL LOAD AT NO CHARGE. (LOCATION L: LIBERTY PLANT MAINTENANCE, 1825 COUNTY ROAD 614, DAYTON, TX 77535)						
82	1	CUSTOM LONGITUDINAL BUTT/SEAM WELDER , 13' work area, control panel. SELLER WILL LOAD AT NO CHARGE. (LOCATION L: LIBERTY PLANT MAINTENANCE, 1825 COUNTY ROAD 614, DAYTON, TX 77535)						

<u>LOT</u>	<u>QTY</u>	Website Catalog							
83	1	BUFFALO UNIVERSAL IRONWORKER MDL. 1-1/2, 65 ton on punch end, 20" throat depth, 3 HP. SELLER WILL LOAD AT NO CHARGE. (LOCATION L: LIBERTY PLANT MAINTENANCE, 1825 COUNTY ROAD 614, DAYTON, TX 77535)							
84	1	CINCINNATI MDL. 4 VERTICAL MILLING MACHINE, 19" x 74" table size, 15 HP main motor, Sony DRO, S/N 8A4VIJ-48. SELLER WILL LOAD AT NO CHARGE. (LOCATION L: LIBERTY PLANT MAINTENANCE, 1825 COUNTY ROAD 614, DAYTON, TX 77535)							
85	1	LANCE INTERNAL TUBULAR POWDER COATING MACHINE, 72"-96" stroke, Nordson Powder Gun Generator. SELLER WILL LOAD AT NO CHARGE. (LOCATION L: LIBERTY PLANT MAINTENANCE, 1825 COUNTY ROAD 614, DAYTON, TX 77535)							
86	1	THE MORLEY COMPANY PLATFORM MOUNTED SHOP FAN, 48" fan diameter, 2A110 belt size, 6' x 5' fan size, 7' x 3' x 3' platform size, 3 phase 460V. SELLER WILL LOAD AT NO CHARGE. (LOCATION L: LIBERTY PLANT MAINTENANCE, 1825 COUNTY ROAD 614, DAYTON, TX 77535)							
87	1	MAZAK MDL. VQC-20/50B VERTICAL MACHINING CENTER, Mazatrol CAM M2 CNC control, 22" x 48 3/4" tbl, 39.37" X, 20"Y, 18.11" Z-axis travels, CAT-50, 20-3,150 RPM, 10 HP, tool presetter, 24-pos ATC, S/N 55625. (LOCATION M: FABCORP, INC., 6951 W. LITTLE YORK RD., HOUSTON, TX 77040.)							
88	1	ROMEO ENGINEERING "GOLD SERIES" CNC WATER JET CUTTING MACHINE, new 2007, Burny 10LCD Plus CNC control (upgrade in 2012), 160" max. cutting width, 109" max. cutting length, approx. 60" W. cutting head rail width, KMT Streamline Mdl. SL-V50Plus intensifier, Schmidt 6.5 cu. Ft. abrasive hopper,(2) water jet cutting heads. Note: Cutting table and flowcool chiller system does not go with the water jet. SELLER REQUIRES TWO WEEKS AFTER PURCHASE TO RELEASE MACHINE. SELLER WILL ASSIST WITH DISASSEMBLY AND LOAD AT NO CHARGE UNDER SUPERVISION OF BUYER. (LOCATION M: FABCORP, INC., 6951 W. LITTLE YORK RD., HOUSTON, TX 77040)							

<u>LOT</u>		<u>QTY</u>	Website Catalog						
89	1	VIRTEK MDL. QC LPS-1DS LASER INSPECTION MACHINE , new 2006, 48" X 48" X 8" part capacity, S/N 06104761. SELLER WILL ASSIST WITH DISASSEMBLY AND LOAD AT NO CHARGE UNDER SUPERVISION OF BUYER. (LOCATION M: FABCORP, INC., 6951 W. LITTLE YORK ROAD, HOUSTON, TX 77040)							
90	1	CIRCULAR VERTICAL BANDSAW, METLSAW MDL. CC-510 , 20" throat depth, variable spd., 10" to 72" dia. circle, pneu. hold-down, blade welder & grinder S/N N.A. THIS MACHINE MUST BE PICKED UP BY FRIDAY, SEPTEMBER 22ND. (LOCATION N: TRIDENT METALS, 405 N. PLANO ROAD, BUILDING #3, RICHARDSON, TX 75081)							
91	1	WIRE STRAIGHTENER, ANDCO COMPANY TWO PLANE , vert. & horiz. straightening rolls, input/output pinch rolls w/pneu. chain drive. THIS MACHINE MUST BE PICKED UP BY FRIDAY, SEPTEMBER 22ND. (LOCATION N: TRIDENT METALS, 405 N. PLANO ROAD, BUILDING #3, RICHARDSON, TX 75081)							
92	1	PNEUMATIC CUT-OFF PRESS, CUSTOM , approx. 9" max. width, under driven up stroking air cylinder. THIS MACHINE MUST BE PICKED UP BY FRIDAY, SEPTEMBER 22ND. (LOCATION N: TRIDENT METALS, 405 N. PLANO ROAD, BUILDING #3, RICHARDSON, TX 75081)							
93	1	HYDRAULIC STRAIGHTENING PRESS, SAVAGE 42 T. CAP. , fixed frame, 12" dist. btn. uprights, approx. 10" max. dist. bed to spdl. face, (2) pop-up pneu. roller rests, 20' H.D. infeed/outfeed roller conveyor, 6"W., independent hyd. system, S/N 1532. THIS MACHINE MUST BE PICKED UP BY FRIDAY, SEPTEMBER 22ND. (LOCATION O: MEI RIGGING & CRATING, 910 10TH ST., PLANO, TX 75074)							
94	1	SURFACE GRINDER, BROWN & SHARPE, 818 MICROMASTER II , 460 v., 3-phase, 60 hz., S/N 523-8186-9321, THIS MACHINE MUST BE PICKED UP BY FRIDAY, SEPTEMBER 22ND. (LOCATION N: TRIDENT METALS, 405 N. PLANO ROAD, BUILDING #3, RICHARDSON, TX 75081)							