



AUCTION

WELL MAINTAINED LATE MODEL FABRICATING FACILITY CLOSING

2012 Koike Aronson CNC Plasma Cutting System; 2015 Doall Mitring Bandsaw; (2) Piranha Punch Presses; Piranha Ironworker; (2) Profax Welding Manipulators; Welding Positioners; Welding Machines; Rotary Metal Parts Tumbler; 12,000-Lb. Hyster Forklift; Utility Tractor/Front End Loader; (2) H.D. Gooseneck Trailers; Much More!



2012


KOIKE ARONSON MDL. PLPX2500 CNC PLASMA CUTTING SYSTEM



2007

(1 OF 2)
PIRANHA
MDL.
SEPP 88
PUNCH
PRESSES

2
AVAILABLE



AS NEW AS
2017

2
AVAILABLE

(1 OF 2) PROFAX MDL. WM-44
WELDING MANIPULATORS



2015

DOALL MDL. 500SNC MITERING BANDSAW

At the Premises of:

**EDWARDS
FABRICATION, LLC**

1385 HIGHWAY 35 SOUTH
ROCKPORT, TEXAS 78382

(See Directions on Back Page)

INSPECTION: Tuesday, December 3,
9:00 A.M. to 4:00 P.M. & Morning of Sale

BUYER'S PREMIUM: 15% ON-SITE • 18% WEBCAST

**WEDNESDAY,
DECEMBER 4
10:00 A.M.**

**On-Site Bidding in
Rockport, Texas or
Bid Via Webcast at**

BidSpotter.com



DIESEL

HYSTER
MDL. H120XM
12,000-LB. CAP.
FORKLIFT

JOHN DEERE
MDL. 4520
FRONT END
LOADER/
TRACTOR

718
H.O.M.



Read Partial Terms and Conditions on Back Page of Brochure



2006

ERCOLINA
2-3/8" X 2-3/8" X 1/4" TUBE,
PIPE AND PROFILE BENDER

Sale Conducted By:

PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

Ron Moore, Texas Lic. #7314

HOUSTON • DALLAS • ST. LOUIS

Headquarters:

1304 Langham Creek Drive, Suite 454
Houston, Texas 77084

PHONE: (713) 691-4401

FAX: (713) 672-7905

E-MAIL: pmi@pmi-auction.com
WEBSITE: www.pmi-auction.com



KOIKE ARONSON MDL. PLPX2500 CNC PLASMA CUTTING SYSTEM



PIRANHA MDL. P70 IRONWORKER

**DON'T
MISS
THIS SALE!**

CNC PLASMA CUTTING SYSTEM

KOIKE ARONSON MDL. PLPX2500, new 2012, Hypertherm Edge Pro CNC control, 98" cap., HPR260HD Hypertherm HyPerformance plasma cutting system, 1-1/4" virtually dross-free cutting cap., 1-1/2" production pierce cap., 2-1/2" max. cutting capacity (edge start) all mild steel, Hypertherm ArcGlide THC plasma head, oxy. head, 8'W. x 10'L. water cutting tbl., Speedaire air receiving tank and Hankinson air dryer unit, S/N 48092. [SEE VIDEO.](#)

CNC PLASMA CONSUMABLES

HYPERTHERM CONSUMABLES: assorted amp tips and heads, assorted shield caps; **ATTC CONSUMABLES:** assorted sizes and amps.

STRUCTURAL STEEL MITERING BANDSAW

DOALL MDL. 500SNC, new 2015, 14"H. x 20"W. rectangular cap., 14.75" max. round cap., 45 deg. cutting cap. 14"H. x 13"W. and 13" dia. round, 60 deg. cutting cap. 14"H. x 9"W., and 13" dia. round, bundling attach., .25"-40" cap. auto indexing, approx. 24' of gravity conveyor on feed side, approx. 12' of discharge conveyor, 107" band length, 480 v., S/N 592-15425. [SEE VIDEO.](#)

HIGH-TONNAGE PUNCH PRESSES

(2) PIRANHA 88 T. CAP. MDL. SEPP 88 PUNCH, as new as 2007, 1-1/16" dia.-1" thk. material, remote foot switch, limit switch stroke control, S/N 088 (2007), S/N 063 (2001, Remfr. 2014). [SEE VIDEO.](#)

FORMING & STAMPING DIES

(2 SETS) OF CUSTOM FORMING DIES to manufacture coupons; **SET OF STAMPING DIES.**

IRONWORKER

PIRANHA MDL. P70, 70 T. punch cap., 1-3/4" dia. to 3/4" shear, 1" x 6" flatbar, 3/4" x 12" flatbar, 1-1/2" x 18" flatbar, 5" x 5" x 1/2" angle, 2" rd. bar, 1-3/8" sq. bar, 3-1/2" x 5" x 3/8" coper/notcher, assorted punches, dies and tooling, S/N 408. [SEE VIDEO.](#)

TUBE, PIPE & PROFILE BENDER

ERCOLINA CE50H3, new 2006, 3-roll design, 10 HP max., 1.97" roll shaft dia., 2-1/2" sch. 40 max. pipe., 2-3/8" x 2-3/8" x 1/4" max. angle, 3" x .095 wall tube max., NC touchpad, assorted dies, S/N 1060013. [SEE VIDEO.](#)



(1 OF 2) PIRANHA MDL. SEPP 88 PUNCH PRESSES



DOALL MDL. 500SNC MITERING BANDSAW



ERCOLINA 2-3/8" X 2-3/8" X 1/4" TUBE, PIPE AND PROFILE BENDER



(1 OF 2) PROFAX MDL. WM-44 WELDING MANIPULATORS



STEEL STORAGE SYSTEMS CO. MDL. TM0010 ROTARY METAL PARTS TUMBLER

ROTARY METAL PARTS TUMBLER

STEEL STORAGE SYSTEMS CO. MDL. TM0010, installed 2015, Baldor 3 HP motor, 4'L. x 32"D. chamber, 2,000-lb. cap., lined with 3/4" rubber, tumbling process deburrs and finishes parts in 30–60 mins., S/N 10143353, w/Donaldson Torit Mdl. 64 cabinet style dust collector. **SEE VIDEO.**

WELDING POSITIONERS

ARONSON 2,500-LB. X 6" MDL. HD25A-MTBH, 15,000-lb. rotation, pendant control, 25" dia. 3-jaw chuck, 10" x approx. 20"D. spdl. bore, S/N 731166.

PRESTON EASTIN 2,500-LB. X 6" MDL. PA25HD6, 15,000-lb. rotation, 28,750-lb. in tilt max. load torque, 32" faceplate, 16" dia. 3-jaw chuck, S/N PA25HD-99.

(3) PROFAX 250-LB. CAP. MDL. WP250, 13.75" tbl. dia., spds.: 0–5 RPM, 0–90 deg. angle, 115 v., S/N WP114, S/N WP2319, S/N WP3595.

WELDING MANIPULATORS

(2) PROFAX MDL. WM-44, new 2016 and 2017, 4' x 4' travels, Profax Mdl. WO-1 welding oscillator, pendant control, S/N WM44-1016 (2016), S/N WM44-1021 (2017).

WELDING MACHINES

MILLER DIMENSION 650, new 2015, 650 amps, S/N MF030570C.

(2) MILLER DELTAWELD 452 CV/DC, 450 amps @ 100% duty cycle, 38 v., S/N KK108914, S/N KK032880.

MILLER DIMENSION NT450, new 2007, 450 amps @ 100% duty cycle, 38 v., S/N LH460184C.

MILLER DIMENSION 400, 400 amps, S/N KC178495.


MILLER SYNCROWAVE 350LX, new 2017, 400 amps @ 30% duty cycle, 250 amps @ 100% duty cycle, S/N MH360380L.

PORTABLE PLASMA CUTTER

THERMAL DYNAMICS VICTOR MDL. 102 CUTMASTER, S/N MX1816028045.



PRESTON EASTIN 2,500-LB. X 6" WELDING POSITIONER



ARONSON 2,500-LB. X 6" WELDING POSITIONER

WIRE FEEDERS

(3) MILLER 70 SERIES, 24 v., S/N MH050085U (2017), S/N LF278455, S/N LH050708W; **MILLER 70 SERIES MDL. S-74D**, S/N LE033034 (2004); **MILLER MILLERMATIC S54D**, S/N J845503; **PROFAX AEC-200 ALUMINUM WIRE FEEDER**.



MILLER SYNCROWAVE 350LX WELDING MACHINE



MILLER DIMENSION 650 WELDING MACHINE



SAMPLE VIEW OF MILLER WIRE FEEDERS



THERMAL DYNAMICS PORTABLE PLASMA CUTTER



PHOENIX DRYWIRE TYPE 24 ROD OVEN




RIDGID MDL. 535 PIPE THREADER



CHAMPION MAGNETIC BASE DRILLS



**SAMPLE
VIEW OF
SHOP FANS**



SAMPLE VIEW OF BEVELING MACHINES

ROD OVEN

PHOENIX dryWIRE TYPE 24, interior dims: 35 x 21 x 47, 200 v./440 v., 250 watts, 100 deg.-550 deg. F. temp. range, adj. thermostat control w/indicator light, 2" glass fiber insulation, approx. (24) 12" spools or (16) 16" coils, Part No. 1205430.

WELDING SUPPORT EQUIPMENT & SUPPLIES

KOIKE BEETLE MDL. IK-12 TRACK TORCH w/track; **MILLER COOLMATE CHILLER**, 115 v., single. phase, S/N KF760809; **WELDING CURTAINS**; **ASSORTED C-CLAMPS**; **PIPE CLAMPS**; **PLATE CLAMPS** up to 1-9/16"; **VICES**; **PIPE WRENCHES**; **LEVELS**; **CUT-OFF SAWS**; **PNEUMATIC GUNS**; **WILTON HEAVY DUTY VISE**; **WELDING TBLS.**; **WELDING WIRE** (new in boxes); **WELDING TBLS.**; **MIG WELDING WIRE** (new in box): **INCL. PINNACLE ALLOYS, PREMIER S6, SELECTARC 110C-M2, WASHING ALLOY COMPANY MDL. ER80-NI1; MORE!**

ULTRASONIC BATH CLEANER

BRANSON MDL. BRANSONIC M5800H, S/N BCN081428930.

PIPE THREADER

RIDGID MDL. 535, 36 RPM, accessories and additional cutting heads, 115 v., 15 amps, S/N EC02178.

BENCH TOP TOOLROOM LATHE

SELECT MACHINE & TOOL COMPANY 10" X 28" MDL. 1028B, (2) spd. ranges: 50-1,000 RPM, 5" dia. 3-jaw chuck, 6-1/4" dia. 3-jaw chuck, tailstock, S/N 2029.

MISCELLANEOUS SHOP & WAREHOUSE EQUIPMENT

(2) **CHAMPION MDL. AC50 MAGNETIC BASE DRILLS**; **CHAMPION MDL. AC35 MAGNETIC BASE DRILL**; **UPRIGHT DRILL**, S/N 0116030030; **ASSORTED THE REFINERY SUPPLY CO. DEAD WEIGHT TESTERS**; **ROLLER STANDS**; **H&M 8" BEVELING MACHINE**; **H&M 4" BEVELING MACHINE**; **ASSORTED DEWALT ANGLE GRINDERS**; **COME-ALONGS**; **ADJUSTABLE RIDGID MANUAL THREADER**; **MANUAL PIPE BENDER**; **MR. HEATER CONTRACTOR PROPANE HEATER**, 250,000-400,000 BTU's per hour; **CHIPPING HAMMER** w/extra bits; **CENTRAL HYDRAULIC 12 T. CAP. HYDRAULIC PIPE BENDER** w/dies; **MAKITA CUT-OFF SAW**; **SKIL RECIPROCATING JIG SAW**; **CRAFTSMAN LASER LEVEL**; **DIAL INDICATOR**; **ASSORTED DRILL BITS**; **SPRAY ADHESIVES** in cans; **SHUMACHER 75 AMP BATTERY CHARGER**; **SENCO FRAME PRO 600 FHR NAIL GUN** w/nails; **ASSORTED PNEUMATIC GRINDERS**; **KLUTCH AND AIRCAT AIR GRINDERS**; **HAMMERS**; **WRENCHES**; **MACHINE LEVELS**; **ASSORTED HEAVY DUTY STORAGE CABINETS**; **APPROX. 2-1/2 GAL. PAINT POT**; **SHOP FANS**; **U-LINE ZIP TIES**; **TAPE**; **STRETCH WRAP**; **MORE!**



TENSILE TESTER

CUSTOM 10 T. CAP. GSE MDL. 465 SCALE, S/N 143062, PowerTeam hyd. pwr. source, 10,000 PSI, Mdl. B., S/N 1304AR090769.



**On-Site Bidding in
Rockport, Texas
or Bid**

Via Webcast at

BidSpotter.com



HYSTER MDL. H120XM 12,000-LB. CAP. FORKLIFT




JOHN DEERE MDL. 4520 FRONT END LOADER/TRACTOR

At the Premises of:
**EDWARDS
 FABRICATION, LLC**
ROCKPORT, TEXAS

**On-Site Bidding in
 Rockport, Texas or
 Bid Via Webcast at
BidSpotter.com**



FORD F-350 FLATBED WORK TRUCK



VIEW OF H.D GOOSENECK TRAILERS

FORKLIFT

HYSTER MDL. H120XM 12,000-LB. CAP., diesel pwr'd., 3-stage mast, 72"L. x 6"W. forks, dual front pneu. tires, side shift, S/N K005V04126X (2000).

FRONT END LOADER/TRACTOR

JOHN DEERE MDL. 4520, Mdl. 400X front end loader, 718 H.O.M., S/N 4024TLV07 or engine, S/N PE4024T155256.

FLATBED WORK TRUCK

2003 FORD MDL. F-350, Power Stroke V8 diesel engine, additional diesel tank, manual trans., leather seats; 8'W. x 10'L. diamond plate bed, side mtd. toolbox, trailer hitch receiver, dual rear tires, trailer brake, spare tire mount, ODO: 53,326 miles, TX License No. AX22730, VIN 1FDWF36F63EA9429F.

GOOSENECK TRAILERS

2018 BIG TEX MDL. 25GN-25BK+5MR, 25,900-lb. G.V.W.R., 98"W. x 25'L., high tensile strength, dual wheel axles, wooden deck, diamond plate over axles, 48" axles spread width extra H.D., manual mega ramp, toolbox, VIN 16VGX2521K6068134.

2002 SHOP MADE, 16,360-lb. carrying cap., 96"W. x 32'L. bed, triple axles w/single tire, wooden deck, VIN TR190594.

MISCELLANEOUS MATERIAL HANDLING EQUIPMENT


SOUTH TEXAS OVERHEAD CRANES AND HOISTS LLC 6 T. CAP. SPREADER BAR, 230" dist. btwn. eyes; **5 T. CAP. SPREADER BAR**, 10' dist. btwn. eyes; **FORKLIFT MAN CAGE**; **HEAVY DUTY WORK HORSES**; SET OF 9'L. X 8"W. FORKLIFT EXTENSIONS; **BANDING CARTS**; **BOTTLE CARTS**; **RIGID JACK STANDS**; APPROX. (46) 5/8" X 4'L. WIRE SLINGS 6-1/2 T. CAP. (new in box); **CM AND CAMPBELL 1/2" COUPLING LIFTING LINKS AND HAMMER LOCK ASSEMBLIES**; **CUSTOM FORKLIFT BOOM LIFT**; APPROX. 6' X 20' **CUSTOM WORKTABLE**; **CUSTOM FABRICATED REEL JIG**; (7) 6-1/2' DIA. REELS; (4) 9' DIA. REELS; **CUSTOM FABRICATED CATWALKS**; **SLINGS**; **CHAIN**; **WIRE COME-ALONGS**; **SHACKLES**; **STRAPS**; **LIFTING EYES**; **LIFTING SLINGS**; **HAND TRUCKS**; (3) **HEAVY DUTY PALLET CARTS**, 41" x 49"L, 25'L. rails on rail system; **LIFTING WIRE W/FERRULES**; MORE!

RACKS

CANTILEVER RACK; **MATERIAL STORAGE RACK**.



(46) 5/8" X 4'L. WIRE ROPE SLINGS



SAMPLE VIEW OF RIGGING EQUIPMENT

INSPECTION: Tuesday, December 3,
 9:00 A.M. to 4:00 P.M. & Morning of Sale

OFFICE FURNITURE & EQUIPMENT

DESKS; **CHAIRS**; **MICROWAVE**; **LATHEM ATOMIC TIME SYSTEM TIMECLOCK**; **MINI KENMORE FRIDGE/FREEZER**; **BROTHER BUSINESS SMART PRO SERIES MFC-JF30DW PRINTER**; **EPSON XP-446 PRINTER/COPIER**; MORE!

WEDNESDAY, DECEMBER 4 • 10:00 A.M.

PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

P.O. Box 218568
Houston, TX 77218-8568

DATED MATERIAL – PLEASE DELIVER



PUBLIC INVITED

WED., DECEMBER 4 • 10:00 A.M.



**ATTENTION: PLANT MANAGER
OR EQUIPMENT BUYER**

Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

WELL MAINTAINED LATE MODEL FABRICATING FACILITY CLOSING

2012 Koike Aronson CNC Plasma Cutting
System; 2015 Doall Mitring Bandsaw;
(2) Piranha Punch Presses; Piranha
Ironworker; (2) Profax Welding Manipulators;
Welding Positioners; Welding Machines;
Rotary Metal Parts Tumbler;
12,000-Lb. Hyster Forklift;
Utility Tractor/Front End Loader;
(2) H.D. Gooseneck Trailers; Much More!

PMI AUCTION
ROCKPORT, TEXAS

DIRECTIONS

FROM HOUSTON: Take I-59 South towards Victoria. Once past Victoria take the ramp onto US 77 South for 14 miles. Take TX 239 exit and turn left onto 239 E for 11 miles. Turn Right on TX 35 for 27.5 miles and turn right onto TX 35 S/Broadway Street. Continue 1.4 miles and turn left to stay on TX 35 S. After 4.8 miles look for auction signs on your right.

LODGING

Holiday Inn Express Rockport.....(361) 729-4444
925 Lady Claire Street, Rockport, Texas 78382

Fairfield Inn & Suites by Marriott Rockport.... (361) 727-9007
2950 Hwy. 35 North Business, Rockport, Texas 78382

UNABLE TO ATTEND?

Bid on-line in real time at **BidSpotter.com**
TO PARTICIPATE YOU MUST:

1. Register at www.BidSpotter.com. Use the link to BidSpotter on PMI's website calendar. **DO IT NOW.**
2. Either send wire transfer, or, overnight delivery service a cashier's check deposit in the amount of \$3,000 (U.S. Bidders) or \$10,000 (Foreign Bidders) to:

Plant & Machinery Inc.
1304 Langham Creek Drive, Suite 454, Houston, TX 77084

Wire transfer instructions can be found at pmi-auction.com
You must be registered and have your deposit in the hands of Plant & Machinery, Inc. at least 24 hours prior to the start of the auction.

Failure to register and/or failure to send your deposit to Plant & Machinery, Inc. may disqualify you from bidding. **DON'T WAIT.**

If you need assistance, don't hesitate to call (713) 691-4401.

ALL WEBCAST BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.

FINANCE YOUR AUCTION PURCHASE

Conserve Your Cash &
Increase Your Bidding Power

**AuctionLea\$e Provides
M&E Financing**

**With Approvals from
\$5,000 to \$999,000**

(800) 438-1470

Apply Online:
www.AuctionLease.com

PARTIAL TERMS & CONDITIONS

A 15% Buyer's Premium Will Apply On-site.

An 18% Buyer's Premium Will Apply to Webcast Bids. See Above Rules for Participation.

Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.

ALL PAYMENTS MUST BE MADE BY CASH, CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.

Here is an example of what your letter should be: *Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$_____. This letter is good until January 3, 2020.*

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased **"AS IS," WITH "ALL FAULTS" AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE."** THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR

USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.