GLOBAL WEBCAST AUCTION

Complete Contents of: BRIDGEVIEW MACHINING CORPORATION

CNC MACHINING CENTERS, LARGE TURNING AND BORING

Over 500 Lots!

Online Only Webcast | No On-Site Bidding

BRIDGEVIEW MACHINING CORPORATION

TUESDAY, AUGUST 3RD @ 10:00AM CT

PREVIEW & INSPECTION: Monday, August 2nd, 9:00am to 4:00pm or By Appointment
PREVIEW LOCATION: 9009 South Thomas Avenue, Bridgeview, IL 60455
SOME ITEMS LOCATED AT: 9005 South Oketo Avenue, Bridgeview, IL 60455



MAZAK Quick Turn Smart 300M CNC Turning Center



MAZAK Smart 530C CNC Vertical Machining Center



POREBA TRP110x4M Engine Lathe



DEVLIEG 5K-144 Spiramatic Jigmil

FOR FURTHER INFORMATION CONTACT: Nyk Westbrook at 818.738.0800 or email nwestbrook@maynards.com

Maynards SINCE 1902
AUCTIONS | LIQUIDATIONS | APPRAISALS

21700 Northwestern Hwy., Suite 1180
Southfield, MI 48075
248.569.9781 | www.maynards.com

Place your bid now!
REGISTER AT
BidSpotter.com

CNC TURNING CENTERS

- **2012 Mazak Quick Turn Smart 300M CNC Turning Center**, Mazatrol Smart Control, Live Tooling, Kitagawa B-210 3-Jaw Chuck, 4000 RPM Max Spindle Speed, 28.35" Max Swing, 16.5" Max Machining Dia., 12-Position Turret, Programmable Tailstock, Jorgensen Chip Conveyor
- **2011 Doosan Puma TT1800SY CNC Turning Center**, Twin Spindle Twin Turret, Fanuc Series 31i-Model A Control, Live Tooling, 8" Chuck, 5000 RPM Max Spindle Speed, 9.1" Max Turning Dia., 9.1" Max Turning Length, 2.6" Bar Cap., (2) 24-Position Turrets, LNS Chip Conveyor
- **2008 Leadwell LTC-50BXL CNC Turning Center**, Fanuc Oi-TC Control, Samchully HCH-18 3-Jaw Chuck, 1500 RPM Max Spindle Speed, 31.5" Max Turning Dia., 118.3" Max Turning Length, 4.6" Bar Cap., 12-Position Turret, Tailstock, Keyarrow Chip Conveyor
- **2000 Mori Seiki ZL-200SMC CNC Turning Center**, Twin Spindle Twin Turret, MSC-501 Control, Live Tooling, 4000 RPM Max Spindle Speed, 16.6" Max Turning Dia., 20.87" Max Turning Length, 2" Bar Cap., (2) 8-Position Turrets, Tsubaki Chip Conveyor
- **Nakamura-Tome SC-300L CNC Turning Center**, Fanuc Series 21-T Control, Samchully HCH-12 3-Jaw Chuck, 3500 RPM Max Spindle Speed, 13.77" Max Turning Dia., 43.31" Max Turning Length, 2.75" Bar Cap., 12-Position Turret, Tailstock, Chip Conveyor
- **Nakamura-Tome SC-300 CNC Turning Center**, Nakamura-Tome Fanuc Control, Samchully HCH-12 3-Jaw Chuck, 3500 RPM Max Spindle Speed, 13.77" Max Turning Dia., 23.62" Max Turning Length, 2.75" Bar Cap., 12-Position Turret, Tailstock, Chip Conveyor
- **(2) Miyano JNC-60 CNC Turning Centers**, Fanuc OT Control, 3000 RPM Max Spindle Speed, 18.5" Max Turning Dia., 18.5" Max Turning Length, 8-Position Turret, Tailstock



MAZAK Quick Turn Smart 300M CNC Turning Center



DOOSAN Puma TT1800SY CNC Turning Center



LEADWELL LTC-50BXL CNC Turning Center

LATHES

- **43” x 156” Poreba TRP110x4M Engine Lathe (2006)**, 32” Swing Over Cross Slide, 3.75” Through Spindle, Sony LH52 DRO, 8 to 800 RPM, Bison 31.5” 4-Jaw Chuck, Tool Post, Steady Rest, Tailstock
- **36” x 156” Poreba TPK-90A/4M Engine Lathe**, 24” Swing Over Cross Slide, 3.75” Through Spindle, 2-Axis DRO, 8 to 800 RPM, 24.5” 4-Jaw Chuck, Tool Post, Steady Rest, Tailstock
- **53” x 156” Poreba TR-135B1/4M Engine Lathe**, 41” Swing Over Cross Slide, 4.7” Through Spindle, Sony LH52 DRO, 5 to 500 RPM, 49” 4-Jaw Chuck, Tool Post, Tailstock
- **20” x 80” Yamazaki Mazak Mark II Engine Lathe**, 3-1/4” Through Spindle, Sony LH51 DRO, 18 to 1800 RPM, 12” 3-Jaw Chuck, Tailstock
- **20” x 80” Longem Engine Lathe**, Mdl. LG-2080DS, 3-1/4” Through Spindle, Enco Platinum DRO, 14 to 1600 RPM, 12” 3-Jaw Chuck, Steady Rest, Tailstock
- **20” x 54” H.E.S. Engine Lathe**, Mdl. C600, 2” Through Spindle, Sony LU10A DRO, 12” 3-Jaw Chuck, Tailstock
- **Gisholt 3-L Turret Lathe**, 28-1/2” Swing Over Ways, 62” End of Spindle to Turret Face, 6-5/8” Through Spindle, 70 to 540 RPM



POREBA TRP110x4M Engine Lathe

CNC VERTICAL MACHINING CENTERS

- **2013 Mazak Smart 530C CNC VMC**, 4-Axis, Mazatrol Smart Control, 12000 RPM Max Spindle Speed, 40 Taper Spindle, X=41.34”, Y=20.87”, Z=20.08”, 30 ATC, 21.66” x 51.18” Table, Jorgensen Chip Conveyor 4th Axis Rotary Table, w/Kitagawa JN09T102 3-Jaw Chuck
- **2008 Mazak Nexus 510C/50-II CNC VMC**, 4-Axis, Mazatrol Matrix Nexus Control, 6000 RPM Max Spindle Speed, 50 Taper Spindle, X=41.34”, Y=20.08”, Z=23.03”, 24 ATC, 21.66” x 51.18” Table, Jorgensen Chip Conveyor Mazak 4th Axis Rotary Table, w/Kitagawa JN09T 3-Jaw Chuck
- **Mori Seiki MV-40B CNC VMC**, MF-M4 Control, 8000 RPM Max Spindle Speed, 40 Taper Spindle, X=31.5”, Y=16.14”, Z=20.8”, 20 ATC, 17.7” x 43.3” Table
- **Mori Seiki MV-Junior CNC VMC**, Fanuc 10M Control, 20 ATC
- **Supermax MAX-4 CNC VMC**, Fanuc Series O-M Control, 8000 RPM Max Spindle Speed, 40 Taper Spindle, X=43.31”, Y=23.62”, Z=24.8”, 30 ATC, 20.87” x 47.24” Table
- **Mitsubishi M-V60C CNC VMC**, Mitsubishi CNC Control, X=39.3”, Y=19.6”, Z=21.7”, 24 ATC, 23.5” x 55” Table



MAZAK Smart 530C CNC Vertical Machining Center



MAZAK Nexus 510C/50-II CNC VMC

HORIZONTAL BORING MILLS


- **DeVlieg 5K-144 Spiramatic Jigmil**, 5” Spindle, 14 to 1450 RPM, X=144”, Y=72”, Z=24”, Sony LH51 DRO, 50” x 144” T-Slotted Table, S/N 9624
- **(3) DeVlieg 4H-72 Spiramatic Jigmils**, 4” Spindle, X=72”, Y=60”, Z=18”, 40” x 72” T-Slotted Table
- **DeVlieg 4H-60 Spiramatic Jigmil**, 4” Spindle, 21 to 1000 RPM, X=60”, Y=48”, Z=20”, Fagor Innova DRO, 40” x 60” T-Slotted Table, S/N 8202
- **DeVlieg 3-B Jigmil**, 3” Spindle, 23 to 1000 RPM, X=48”, Y=36”, Z=16”, Sony LH51 DRO, 26” x 40” T-Slotted Table
- **DeVlieg Spiramatic Jigmil**, 3” Spindle, 25 to 1200 RPM, X=48”, Y=36”, Z=16”, Anilam Commando Microprocessor Control System, 35” x 48” T-Slotted Table, S/N 8869
  – DeVlieg 50” Rotary Table, w/50” x 60” T-Slotted Table
  – DeVlieg 40” Rotary Table, w/40” x 40” T-Slotted Table
  – DeVlieg 30” Rotary Table, w/30” x 30” T-Slotted Table



DEVLIEG 5K-144 Spiramatic Jigmil



DEVLIEG 4H-72 Spiramatic Jigmil



DEVLIEG 50” Rotary Table, w/50” x 60” T-Slotted Table

VERTICAL MILLING MACHINES

- **Bridgeport Series II Vertical Mill**, 4 HP Motor, Sokki DRO, 11” x 58” Table, S/N 5067
- **Bridgeport Series I Vertical Mill**, 2 HP Motor, Sony LU10A DRO, 9” x 42” Table, Servo Table Power Feed, S/N 221681
- **Bridgeport Vertical Mill**, Lagun Republic Head, 2.2 kW Motor, Sony LU10A DRO, 9” x 42” Table, Table Power Feed, S/N 150244
- **Boko Hydro-Mill Vertical Mill**, Sony LH51 DRO, 24-3/4” x 42-1/4” Table, High Quality Tools Model 2000 Right Angle Milling Head



BRIDGEPORT Series II Vertical Mill



BOKO Hydro-Mill Vertical Mill

GRINDING

- **Blanchard No. 18 36” Rotary Surface Grinder**
- **Gardner 8” x 24” Surface Grinder**, Mdl. 824, Chucktron Magnetic Chuck Control
- **Harig 6” x 12” Surface Grinder**, Mdl. 612
- **Brierly Drill Grinder**, Mdl. ZB32
- **Brierly Drill Grinder**, Mdl. ZB25
- **Oliver Adrian Drill Grinder**, Mdl. 600
- **Sellers Drill Grinder**, Mdl. 6G

BAND SAWS, SHEAR AND WELDING EQUIPMENT

- **Marvel Series 81 Tilt Frame 18” x 20” Vertical Band Saw**, Mdl. 81-8/M3M/M5, Hyd. Vise, Infeed/Outfeed Conveyor
- **10” x 18” Horizontal Band Saw**
- **DoAll 16” Vertical Band Saw**, Mdl. M-L, Blade Welder
- **Wysong 8’ Power Shear**, Rear Operated Manual Back Gauge, 5 HP Motor
- **Miller Synchrowave 250DX Welder**
- **Miller Millermatic 250 Welder**
- **Lincoln Electric CV-400**, w/LN-7 Wire Feeder
- **SPO Welding Positioner on Casters**, Mdl. 30, 30” Diameter Table

Place your bid now! BidSpotter.com®



BLANCHARD No. 18 36” Rotary Surface Grinder



BRIERLY ZB25 Drill Grinder



MARVEL Series 81 Tilt Frame



WYSONG 8’ Power Shear



View of Tooling



MORRISON 1-1/4” Keyseater

SUPPORT EQUIPMENT

- **Morrison 1-1/4” Keyseater**
- **80-Ton Down Acting Press**, 30” Between Uprights
- **Oilgear 50-Ton Press**
- **Lucas 15-Ton Power Forcing Press**, 24” Between Uprights
- **Lista / Vidmar Cabinets • CAT 40 & 50 Tooling • Tool Holders • Carbide Tooling Inserts • End Mills/Milling Cutters/Drill Bits • Chucks • Soft Jaws • Kurt Vises • Angle Plates • Chain Slings • Straps • C-Clamps • Pedestal Grinders • Tool Grinders • Arbor Presses • Haberle 10” Cold Saw, Mdl. H250 • Ridgid 1822-1 Pipe Threader • Friedrich Zimmermann 1” Vert. Belt Sander • Enco 20” Disc Sander, Mdl. DS-20 • Power & Hand Tools • Parts Room • Worktables • Pallet Racking • Carts • Floor Fans & Much More**



View of Tool Holders



View of Kurt Vises



View of Angle Plats & Chain Slings

FOR FURTHER INFORMATION CONTACT: Nyk Westbrook at 818.738.0800 or email nwestbrook@maynards.com

MEASURING/INSPECTION EQUIPMENT

- **RAM Optical Instruments (ROI) OMIS II 6x9 Optical Measuring Inspection System**
- **Gage Master 12" Optical Comparator**, Quadra-Chek III DRO
- **Micrometers • Calipers • Bore Gages • Height Gages • Pin Gages • Depth Gages • Gage Blocks • Setup Blocks • V-Blocks • Accessories • Granite Surface Plates**



View of Inspection Equipment

ROLLING STOCK

- **Hoist 20,000 Lb. Cap. Electric Forklift (1999)**, Mdl. FKE10S, Side Shift
- **Hyster 5,000 Lb. Cap. Propane Forklift**, Mdl. S50XM, 3-Stage Mast, Side Shift
- **Kalmar 4,500 Lb. Cap. Propane Forklift**, Mdl. C50, 3-Stage Mast, Side Shift
- **EZ-GO Electric 3-Wheel Maintenance Cart**, Mdl. XI-835S
- **Scissor Lift**



HOIST Electric Forklift

FACILITIES

- **Ingersoll Rand 10 HP Rotary Screw Air Compressor**, Mdl. R7.5i-A135
- **(2) Abell-Howe 3-Ton Top Riding Single Girder Overhead Bridge Cranes**, Approximately 36' Span, Approximately 210' of Runway, Pendant Controlled, (1) CM Meteor 5-Ton Hoist, (1) Yale 3-Ton Hoist
- **(3) Abell-Howe 1/2-Ton Wall-Mounted Job Cranes**
- **1-Ton Jib Crane**, P&H 1-Ton Hoist, Pendant Controlled
- **1-Ton Mobile Gantry Crane**, Approx. Span of 40', Approx. 13' Floor to Top, CM Series 627 1-Ton Hoist, Pendant Controlled
- **(5) Air King Industrial Air Cleaners**



AIR KING Industrial Air Cleaner



INGERSOLL RAND 10 HP Rotary Screw Air Compressor



ABELL-HOWE 3-Ton Top Riding Single Girder Overhead Bridge Crane

ITEMS LOCATED AT: 9005 South Oketo Ave., Bridgeview, IL 60455

- **2015 DMG Mori NZX1500/800SY2 Twin Spindle Twin Turret CNC Turning Center**, DMG Mori ERGOline Control, Live Tooling, 6000 RPM Max Spindle Speed, 12.5" Max Turning Diameter, 31.5" Max Turning Length, 2" Bar Cap., (2) 16-Position Turrets, LNS Chip Conveyor
- **2008 Mori Seiki NZ2000T2Y2 Twin Spindle Twin Turret CNC Turning Center**, Mori Seiki Control, Live Tooling, 5000 RPM Max Spindle Speed, 12.5" Max Turning Diameter, 31.9" Max Turning Length, 2.5" Bar Cap., (2) 16-Position Turrets, Enomoto Chip Conveyor
- **Turret Motor**, for Mori Seiki NZ2000
- **Marposs TT30 Probe Arms / Renishaw RP3 Probe Arms**
- **SUPPORT EQUIPMENT:** Tool Holders & Tooling • Lista 9-Drawer Cabinet, w/Contents • Astro 12" Floor Drill Press, Mdl. 921F • Sears Craftsman 13" Floor Drill Press • Kalamazoo 2" Vertical Belt Sander, ½ HP Motor • Rockwell 7" Pedestal Grinder
- **INSPECTION EQUIPMENT:** Mitutoyo PH350 14" Optical Comparator, Code No. 172-952A, Quadra-Chek 200 DRO • Nikon SMZ6452 Microscope, (2) Nikon C-W10xA/22 Eyepieces, Fostec Light Source • Mitutoyo Absolute Digital Indicator, w/Comparator Gage Stand, Code No. 543-558-1 • Mahr Federal Pocket Surf III Surface Roughness Tester • 3' x 4' x 6" Thick Microflat Granite Surface Plate, w/Stand
- **Campbell Hausfeld 5 HP Air Compressor**, 80 Gallon Vertical Tank

2015



DMG MORI NZX1500/800SY2 Twin Spindle Twin Turret CNC Turning Center

2008



MORI SEIKI NZ2000T2Y2 Twin Spindle Twin Turret CNC Turning Center



MITUTOYO PH350 14" Optical Comparator

GLOBAL WEBCAST AUCTION

Complete Contents of: **BRIDGEVIEW MACHINING CORPORATION**

CNC MACHINING CENTERS, LARGE TURNING AND BORING

Over 500 Lots!

Online Only Webcast | No On-Site Bidding

BRIDGEVIEW MACHINING CORPORATION

TUESDAY, AUGUST 3RD @ 10:00AM CT

PREVIEW & INSPECTION:
Monday, August 2, 9am to 4pm or By Appt.

PREVIEW LOCATION:
9009 South Thomas Ave., Bridgeview, IL

SOME ITEMS LOCATED AT:
9005 South Oketo Avenue, Bridgeview, IL

Maynards SINCE 1902
21700 Northwestern Hwy.
Suite 1180
Southfield, MI 48075



DOOSAN Puma TT1800SY CNC Turning Center



MAZAK Nexus 510C/50-II CNC VMC



DEVLIEG 4H-72 Spiramatic Jigmil

TERMS & CONDITIONS | PAYMENT: Full payment within 24 hours. Payment is Cash, Cashier's check, Certified Check, or Wire Transfer. No other forms of payments will be accepted. Full Payment Must be Made before removal of Purchase. Everything is Sold "As-Is, Where-Is". All Sales Final. Cost and Responsibility for Removal of Purchase Remains with the Purchaser. Every Effort will be Made to Facilitate Removal. While Quantities and Descriptions are Believed to be Accurate, the Auctioneer, Owners or Counsel Make no Warranties or Guarantees Either Expressed or Implied as to Authenticity, Genuineness of, or Defects in Any Lot and will not be Held Responsible for any Advertising Discrepancies or Inaccuracies. No Warranties Whatsoever are Made as to Condition Merchantability or Fitness for Use of Any Item. May we Suggest you Take Full Advantage of the Preview and Inspection Period. **Sale Subject to Additions, Deletions and Prior Sales. Please Check Availability of Equipment.**

AN ONLINE BUYER'S PREMIUM OF 18% WILL BE CHARGED ON ALL SUCCESSFUL BIDS.

LAST DAY OF REMOVAL: Friday, August 20, 2021

UPCOMING AUCTION CALENDAR



WEBCAST AUCTION – SURPLUS TRANSMISSION-GEAR MANUFACTURING ASSETS (TOLEDO)
Tuesday, July 20th at 11:00am ET • Toledo, OH

JD Norman INDUSTRIES

ONLINE AUCTION – JD NORMAN INDUSTRIES – CLOSURE OF AUTOMOTIVE SUPPLIER FACTORY
Wednesday, July 21st at 10:00am CET • Wtzenhausen, Hessen, 37213 Germany

TELEDYNE TECHNOLOGIES

WEBCAST AUCTION – TELEDYNE TECH. – ASSETS SURPLUS TO THE ONGOING OPERATIONS OF TELEDYNE ISCO
Thursday, July 22nd at 10:00am CT • 4700 Superior Street Lincoln, NE 68504

Maynards SINCE 1902
AUCTIONS | LIQUIDATIONS | APPRAISALS

21700 Northwestern Hwy., Suite 1180
Southfield, MI 48075
248.569.9781 | www.maynards.com

Place your bid now!
REGISTER AT
BidSpotter.com