EAVY FABRICATION & WELDING MACHINERY SURPLUS TO THE **CONTINUING OPERATIONS OF A MAJOR OFFSHORE SERVICE COMPANY**

FEATURING: VERNON 5-AXIS CNC PIPE PROFILER, (3) BERTSCH PLATE ROLLS, PLATE GIRDER FABRICATION SYSTEMS, PLATE & STRUCTURAL BLAST, HEAVY FABRICATING MACHINES, WELDING EQUIPMENT & MUCH MORE



VERNON 5-AXIS CNC PIPE CUTTING SYSTEM (PHOTO PRIOR TO DISASSEMBLY)



BLASTEC 12' PLATE AND STRUCTURAL BLAST MACHINE



RANSOME UNITIZED TURNING ROLL SET



BERTSCH 160" X 2-1/4" MDL. #30 INITIAL PINCH PLATE ROLL

Read Partial Terms and Conditions on Back Page of Brochure

Surplus to the Operations of

DANOS, LLC

2546 STATE ROAD 662 **MORGAN CITY, LOUISIANA 70380**

(See Directions on Back Page)

INSPECTION:

Monday, June 17, 9:00 A.M. to 4:00 P.M.

TUESDAY, **JUNE 18 BIDS START CLOSING** AT 10:00 A.M.

18% BUYER'S **PREMIUM WILL APPLY**

ARONSON 50,000-LB. WELDING



ONLINE BIDDING: YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING AT THIS AUCTION. Go to www.pmi-auction.com and click on BidSpoter.com on our calendar page for this auction sale.

${f P}$ LANT & ${f M}$ ACHINERY Conducted

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE 1304 Langham Creek Drive, Suite 454, Houston, Texas 77084

PHONE: (713) 691-4401

FAX: (713) 672-7905

E-MAIL: pmi@pmi-auction.com • WEBSITE: www.pmi-auction.com Ronald G. Moore, LA Lic. #851 • PMI LA Lic. #AB-396

www.pplauction.com HOUSTON • DALLAS • ST. LOUIS

In Conjunction With:



105 Revere Drive, Suite C Northbrook, IL 60062 Phone: 224-927-5320 Fax: 224-927-5311



5-AXIS CNC PIPE CUTTING SYSTEM

VERNON MDL. MPM2K-5 0348 RETRO, 3"-48" capacity, 1,000-lb./ft. capacity, oxy-fuel torch w/igniter, Vernon CNC control, infeed/outfeed conveyors, conveyor control pulpit, out-of-round detector, temp. controlled electronics and control panel house on skid, S/N 6106R (PHOTO PRIOR TO DISASSEMBLY).



PLATE & STRUCTURAL BLAST SYSTEM

BLASTEC MDL. #GS-20, new 2001, 1,473 hours on meter, 12'-8"W. x 12"H. plate opening, 4'W. x 20"H. structural "keyway" opening, (4) 25 HP direct drive shot wheels, recirculating shot system w/36" separator, 40'L. x 13'W. power infeed/outfeed roller conveyors, rotary brush w/power adj., for plate and structural, blow-off unit, Farr "gold series" cartridge dust collector w/40 HP N.Y. blower, S/N 0102 ECP.



BERTSCH 160" X 2-1/4" MDL. #30 INITIAL PINCH PLATE ROLL



BERTSCH 10' X 1-5/8" MDL. #20 INITIAL PINCH PLATE ROLL

INITIAL PINCH PLATE ROLLS

BERTSCH 160" x 2-1/4", #30, new 1975, 30" lower rolls on 32" CC, 8" max. opening, 150 HP main drive, 60 HP/2-spd. rear adj., hyd. drop end, Mdl. B-150 hyd. power plate feed, 19", 24", and 29" dia. chrome-nickel-moly interchangeable top rolls, roll position indicators, S/N M-10274.

BERTSCH 10' x 1-5/8", #20, new 1974, 28-1/2" lower rolls on 23-1/2" CC, 6-1/2" max. opening, 75 HP main drive, 40 HP/2-spd. rear adj., hyd. drop end, 12", 15", and 19-1/2" dia. chrome-nickel-moly interchangeable top rolls, roll position indicators, S/N M-10263.

BERTSCH 4' x 3/4" MDL. #11, new 1970, 9" dia. top roll, 12" dia. lower rolls, 20 HP main drive, air drop end, skid mounted, S/N M-9999.

NOTE: Original build sheets and capacity charts for these rolls are available on our website.



PLATE GIRDER FABRICATION SYSTEMS

PANDJIRIS 8' X 8', (2) 8' x 8' manipulators on V/S car base, 40' linear gear rack track system w/mounting pads, "cat-track" traveling wire-way w/trough, Lincoln "Tandem MIG 450" power supplies w/Synergic 7F wire feeds, operator's console and seat, S/N 13284X01-1 & 2.

PANDJIRIS 6' X 6', (2) 6' x 6' manipulators on V/S car base, 40' linear gear rack track system w/mounting pads, "cat-track" traveling wire-way w/trough, Lincoln "Tandem MIG 450" and PowerWave 450 power supplies w/Synergic 7F wire feeds, operator's console, S/N 12412600-1 & 2.



PANDJIRIS 6' X 6' PLATE GIRDER **FABRICATION SYSTEM**





SIDE BEAM WELDING SYSTEM

HEAVY WALL PIPE WELDING SYSTEM

MCDERMOTT CUSTOM BUILT, consisting of the following components, to be offered separately.

AIRCO PLATE EDGE BEVELING MACHINE, 24' max. burning width, (3) oxy-fuel beveling heads, approx. 50' max. cutting length, pointed steel burning bed, rail and controls.

(3) SIDE BEAM WELDING SYSTEMS, 17' dist. btwn. uprights, approx. 18' ht. under rail, variable spd. Lincoln sub-arc welding carriage w/Mdl. NA4 and Mdl. NA3N weld controllers, Lincoln Mdl. DC1000 welding power supply, Lincoln Mdl. AC1200 welding power supply, invincible flux vacuum, adj. ht. scaffold w/fabricated frame, Hobart fabricator MIG welding unit w/extended gun, flux heater box, pneu. transport system.

PANDJIRIS MDL. PR30 POWER TURNING ROLL SET, 30 T. cap., (2) idler units on common frame, 84" total length, pneu. kickoff arms, S/N 60-4573-1.

(3) RANSOME POWER TURNING ROLL SETS, 30 T. cap., pneu. kickoffs, fabricated frame, S/N N.A.

RANSOME MDL. 18 x 12 WELDING MANIPULATOR, 16' horiz. reach, 12' vert. travel, twin wire sub-arc welding system w/Lincoln Mdl. NA4 and Mdl. NA3N controls, Lincoln Mdl. DC1000 and Mdl. AC1200 welding power supplies, rotating column base, flux vacuum, S/N 622231.

HYDRAULIC PIPE SHELL RE-ROUNDER, 24" nominal diametrical cap., 33' overall mandrel length, approx. 48" vert. mandrel adj., 60' V roller conveyor system w/pneu. kickoff arms, integrated hyd. system.

(2) RANSOME POWER AND IDLER TURNING ROLL SET, 30 T. cap., (1) 30 T. cap. power unit w/(3) idlers, pneu. kickoff arms, $20" \times 8"$ rubber tires, approx. 30' system length.

EXTRA HEAVY DUTY SIDE BEAM CIRCUMFERENTIAL WELDING SYSTEM, approx. 40' total width, (3) welding carriages w/Lincoln NA-3N weld controllers, (2) Lincoln AC-1200 welding power supplies, Flux vacuum.

CUSTOM INTERNAL SUBARC SEAMER, , 30' max. seam length, Lincoln Mdl. NA3N subarc weld controller, Lincoln Mdl. DC1000 welding power supply, approx. 36" mandrel adj., moving carriage.



RANSOME 18' X 12' MANIPULATOR



HYDRAULIC PIPE SHELL RE-ROUNDER




INTERNAL SUBARC SEAMER

LOT CONSISTING OF: Large amount of structural steel angles and beams comprising pipe system bed, bar grate deck, assorted ladders and staircases, welder mezzanines (against wall).

INSPECTION: Monday, June 17, 9:00 A.M. to 4:00 P.M.





DURMA 12' X 220 T. CNC HYDRAULIC PRESS BRAKE

WELDING POSITIONERS

ARONSON 50,000-LB. MDL. G550-BDC, 84" sq. platen w/cross arms, 50,000-lbs. @ 12", 39,000-lbs. @ 18", 32,000-lbs. @ 24" capacity, 600,000-lb. in. rotational torque, 1,037,000-lb. in. tilt torque, 12-1/2" center hole, S/N 665.

(3) PANDJIRIS MDL. 3.5-3, 350-lbs. @ 3" load capacity, 132-lbs. @ 12" load capacity, Pandjiris Mdl. 11-20 gripper chuck, manual tilt, fabricated steel stand, 18" dia. round platen, S/N 81-25431-2, S/N 11488X00-1, S/N 81-2501-2.

(2) PANDJIRIS MDL. BETA 12-5, manual adjustment tilt, variable power rotation, 24" square platen, Pandjiris Mdl. 11-20 gripper chuck, S/N 400-9403, S/N 400-9444.

UNITIZED POWER TURNING ROLL SET

RANSOME MDL. FPR/STATION 1, new 1998, 60 T. turning cap., 1.08-43.5 IPM roller surface spd., 460 v., 17' fabricated steel base per section, (2) sections total, 21'' dia. \times 7" dual rubber tire driver unit w/(3) 20" \times 7" idler wheel sets, hyd. kickoff arms, independent hyd. power supply, S/N 970184.

SHAPE CUTTING MACHINES

SHAPESTAR CNC PLASMA/OXY-FUEL SHAPE CUTTING MACHINE, Burny 10 CNC control, approx. 18' cutting width, (3) oxy-fuel cutting heads, (2) bare slave carriages, (1) plasma cutting head, (2) Hypertherm Mdl. H601 plasma power supplies, (1) Hypertherm chiller unit.

LINDE MDL. CM56 OXY-FUEL BURNING MACHINE, 10' max. burning width, (7) motorized oxy-fuel torch holders, gas controls, large gty. of linear rail and stands.

HYDRAULIC PRESS BRAKES

PACIFIC 500 T. X 17' MDL. 500-17, 12'-6" distance btwn. housings, 3' RH horn extension, 4-way die and punch, S/N 1981.

DURMA MDL. HAP37200, 12' X 220 T. cap., new 2005, 10'-2" btwn. housings, 8.26" stroke, 19" open ht., 15" throat depth, Durma LG Series CNC control, S/N 7064055783.

HYDRAULIC PLATE SHEARS

PACIFIC 10' X 1/2" MDL. 600G10, w/front operated power back gauge, S/N S-11058.

DURMA 13' X 1/4" MDL. 4006, new 2002, 12 SPM, Mdl. ENC-100 programmable backgauge, S/N 6077022320.

ABRASIVE CUTOFF SAWS

(3) EVERETT MDL. 20-DM-22, 22" dia. blade, 20 HP drive motor, 1 HP exhaust fan system, fabricated steel base, miter capability, pneu. chain vise, S/N 99-1646, S/N 99-9645, S/N 5-9084.



ARONSON 50,000-LB. WELDING POSITIONER



EVERETT ABRASIVE CUTOFF SAW







SHAPESTAR CNC PLASMA/OXY-FUEL SHAPE CUTTING MACHINE







PACIFIC 500 T. X 17' MDL. #11 HYDRAULIC PRESS BRAKE

WELDING POWER SUPPLIES

(6) LINCOLN POWERWAVE 455/STT, 450 amps @ 38 v., 100% duty cycle, S/N U1990406631, S/N U1071100874, S/N U1990406632, S/N U1071100876, S/N U1071100877, S/N U1990406635.

(2) LINCOLN TIG 300/300 AC/DC, S/N U1950902060, S/N U1951002832.

(4) MILLER MAXTRON 450 CC/CV, 450 amps @ 38 v., 100% duty cycle, S/N KF844491, S/N KF603210, S/N KE551974, S/N KE595847.

(26) WELDING POWER SUPPLIES by Miller and Lincoln up to 650 amp.

SCELLANEOUS WELDING EQUIPMENT

ESAB PLASMARC MDL. ESP150 CUTTING SYSTEM, 140 amps @ 120 v., 100% duty cycle, on portable cart w/plasma cutting torch and accessories, S/N BF-JG45083.

HYPERTHERM MDL. MAX 200 PLASMA CUTTING SYSTEM, 200 amps, 150 v., 100% duty cycle, running gear, assorted cable, S/N 200-127.

GULLCO PLATE BEVELING MACHINE, new 2001, 30 deg. @ 20mm, 45 deg. @ 20mm, mtd. to portable cart, S/N N.A.

KEEF FLUX HEATER BOX, , 230 v., single phase operation, temp. controller. KEEF MDL. K450 ROD OVEN, 120 v., 1,000 watt.

ONLINE BIDDING: YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING AT THIS AUCTION.

Go to www.pmi-auction.com and click on BidSpoter.com on our calendar page for this auction sale.

CUSTOM TRAVELING WELD GANTRY

MCDERMOTT, 15' gantry width, approx. 12' ht. under gantry, 5-axis welding head, approx. 60" welding ram stroke, Lincoln PowerWave welding equipment, S/N N/A.

RADIAL ARM DRILL

CINCINNATI BICKFORD 6' X 17", S/N 69E67.

MISCELLANEOUS ITEMS

BALL ROLLER SUPPORT STANDS (6), 10"D. x 48"W. x 36" pass line ht., (20) embedded ball rollers, heavy fabricated stands.

(2) DEANLINE MDL. 100411DE ELECTRIC PUMPS, 100 PSI max. working pressure, 250 deg. max. pump temp., on fabricated steel stand.

(7) PORTABLE GREEN PLASTIC TOILETS.

GENERAL ELECTRIC LIGHTING SYSTEMS METAL HALIDE LIGHTING FIX-TURES, (approx. 36), 400 watt, 120, 108, 240 and 277 v. operation, suitable for damp locations, w/bezels and shades, Catalog No. UG5G40M0AA11.

MAGNETICS TRANSFORMER, 150 KVA, 480 v., 12208 single phase output.

TOYOTA MDL. 42-5G20 FORKLIFT, approx. 4,400-lb. cap., LPG pwrd., 42" forks, S/N 4000M (inoperable).

GENERAL ELECTRIC WALL MOUNTED HIGH INTENSITY DISCHARGE LIGHTS, (approx. 30), w/electric panel.

LOT OF PORTABLE POWER STATIONS, 480 v. input, various transformers for 110 operation, (6) stands total.

INOPERABLE POLARIS "CREW" ALL TERRAIN VEHICLES.



TUESDAY, JUNE 18 BIDS START CLOSING AT 10:00 A.M.



GULLCO PLATE BEVELLING MACHINE



HID LIGHTING AND PORTABLE TOILETS

PLANT & MACHINERY INC.

P.O. Box 218568 Houston, TX 77218-8568

DATED MATERIAL - PLEASE DELIVER

HEAVY FABRICATION & WELDING MACHINERY SURPLUS TO THE CONTINUING OPERATIONS OF A MAJOR OFFSHORE SERVICE COMPANY

FEATURING: VERNON 5-AXIS CNC PIPE PROFILER,
(3) BERTSCH PLATE ROLLS, PLATE GIRDER
FABRICATION SYSTEMS, PLATE & STRUCTURAL
BLAST, HEAVY FABRICATING MACHINES,
WELDING EQUIPMENT & MUCH MORE







TUESDAY, JUNE 18 BIDS START CLOSING AT 10:00 A.M.











ATTENTION: PLANT MANAGER OR EQUIPMENT BUYER

Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

DIRECTIONS

FROM LOUIS ARMSTRONG NEW ORLEANS INT'L AIRPORT: Exit airport area and turn right onto US Highway 61 N/Airline Drive. Proceed westward for approx. 4 miles. Take the exit for I-310 S/Boutte. Proceed approx. 9 miles south on I-310 S and take US-90 W exit towards Houma. Proceed on US-90 W approx. 48 miles. Take Exit 182 for LA-662/Business 90 and proceed approx. 1/2 mile. At the bottom of the ramp, turn left onto US Business 90 West and proceed approx. 7/10 mile to the stop sign. Then proceed straight ahead across the highway to where it dead ends at the "T". Turn right and proceed 1/2 mile to the next stop sign and turn left. The equipment location headquarters will be on your right, 2546 State Road 662, Morgan City, LA 70380. Proceed past guard gate to the administration building. Look for visitor sign.

UNABLE TO ATTEND?

Bid on-line in real time at TO PARTICIPATE YOU MUST:

BidSpotter.com

- Register at www.BidSpotter.com. Use the link to BidSpotter on PMI's website calendar. DO IT NOW.
- Either send wire transfer, or, overnight delivery service a cashier's check deposit in the amount of \$3,000 (U.S. Bidders) or \$10,000 (Foreign Bidders) to:

1304 Langham Creek Drive, Suite 454, Houston, TX 77084
Wire transfer instructions can be found at

pmi-auction.com
You must be registered and have your deposit in the hands of
Plant & Machinery, Inc. at least 24 hours prior to the start of
the auction. Failure to register and/or failure to send your
deposit to Plant & Machinery, Inc. may disqualify you from

bidding. DON'T WAIT.

If you need assistance, don't hesitate to call (713) 691-4401

ALL WEBCAST BIDS ARE SUBJECT TO AN 18% BUYER'S

PREMIUM.

TERMS & CONDITIONS OF ON-LINE AUCTION SALE

ALL BIDS ARE MADE AND RECEIVED UNDER THE TERMS HEREINAFTER SET FORTH TO WHICH TERMS BIDDERS AGREE BY MAKING THER BID AT THE SALE. THESE TERMS CANNOT BE ALTERED EXCEPT BY THE AUCTIONEER. NO EMPLOYEE HAS AUTHORITY TO MODIFY SAME. THE OWNER AND/OR AUCTIONEER RESERVE THE RIGHT TO ADD TO OR MODIFY THE TERMS OF THE SALES.

An 18% Buyer's Premium will apply.

This auction may require a credit or debit card 100% refundable deposit. Your credit's debit card added through the Bidspotter.com fully secure and PCI compliant registration process will be assessed a 100% refundable \$3000 (US Bidder) or a \$10,000 (Foreign Bidder) deposit in order to be approved to bid online within this auction. If you are unsuccessful in the auction, your card will be refunded of your deposit within 24 hours post auction.

Plant & Machinery, Inc. DOES NOT take credit cards for auction invoice payments. All payments must be made by Cash, Cashier's Check, Wire Transfer or Company Check with Bank Letter of Guarantee to Plant & Machinery, Inc. (PMI). Here is an example of what your letter should be: [Mr. "Customer Name" representing "Company Name" is a customer of this bank. This bank will guarantee unqualified payment to Plant & Machinery, Inc. on the account listed herein up to the amount of \$_____. This letter is ood until July 19. 2019.

By registering, the Bidder hereby expressly authorizes PMI to charge the Credit Card if the Bidder fails to pay any invoice within forty eight (48) hours after each invoice is issued to

All bidders are required to give full name, company name, address, phone, fax, email address, and bank information when registering. All bidders must register before bidding all bidders must be paid in full within two business days after the bids have closed. The Auctioneer shall determine the bidding increments. Some items may be auctioned with reservice.

All purchases must be removed within two weeks after the bids have closed or within the timeframe posted on the sale web page. No lot can, on any account, be removed prior to PMI having been paid in full. Removal shall be at the expense, risk and liability of the Purchaser. Purchases will be delivered only on presentation of paid bill. Auctioneer shall not be responsible for goods not removed within the aforesaid time.

Riggers, movers, electricians or buyer performing work at the Auction Sites must provide Auctioneer with evidence of insurance. The insurance coverage must be at a level accentable to Auctioneer and to the Seller.

All checks for deposits and balances due shall be payable to the order of PLANT & MACHINERY, INC. unless instructed otherwise. All bills must be paid to the Houston headquarters offices of the Auctioneer at 1304 Langham Creek Drive, Suite 454, Houston, TX, 77084 or by wire transfer directly to the bank specified in the wire transfer instructions provided for this on-line auction. The full purchase price on all lots sold to the same buyer must be paid within the time fixed and before removal of any of the goods.

THE AUCTIONEER SHALL NOT BE RESPONSIBLE FOR THE CORRECT DESCRIPTION, GENUIMENESS, AUTHENTICITY OF, OR DEFECT IN ANY LOT, AND MAKES NO WARRANTY IN CONNECTION THEREWITH. NO SALE SHALL BE SET ASIDE NOR ALLOWANCE MADE ON ACCOUNT OF ANY INCORRECTMESS, ERROR IN CATALOGING, OR ANY IMPERFECTION NOT NOTED. NO DEDUCTION ALLOWED ON DAMAGED ARTICLES, ALL ARTICLES BEING EXPOSED FOR PUBLIC EXHIBITION, AND SOLD "AS IS" AND WITHOUT RECOURSE. ARTICLES ARE NOT WARRANTED AS MERCHANTABLE OR FIT FOR ANY PARTICULAR PURPOSE, AND NO CLAIM MAY BE MADE BY PURCHASER RELATING TO THE CONDITION OR USE OF ARTICLES PURCHASED, OR FOR PROXIMATED OR CONSCIPINATION.

Articles purchased may not incorporate approved activating mechanisms, operating safety devices or safety guards, as required by OSHA or otherwise. It is Purchaser's responsibility that articles purchased be so equipped and safeguarded to meet OSHA and any other requirements before placing such articles into operation.

Purchaser agrees to indemnify and hold Auctioneer harmless from and against all claims and liabilities relating to the condition or use of the articles purchased or failure of user to follow instructions, warnings or recommendations of the manufacturer, or to comply with federal, state and local laws applicable to such articles, including OSHA requirements, or for proximate or consequential damages, costs or legal expenses arising therefrom.

No claims will be allowed after removal of goods from premises.

Auctioneer shall not, in any event, be liable for non-delivery or any other matter or thing, to any Purchaser of any lot other than for the return to the Purchaser of the deposit or sum paid on said lot, should the Purchaser be entitled thereto.

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. Lots not paid for and removed within the time allowed herein may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charges of re-sale, will be charged to the defaulting Purchaser.

Persons attending during exhibition, sale or removal of goods assume all risks of damage of or loss to person and property and specifically release the Auctioneer from liability therefor. Neither the Auctioneer nor his principal shall be liable by reason of defect in or condition of the premises on which the sale is held.

The Auctioneer reserves the right to withdraw from sale any of the property listed or to sell at this sale property not listed, and also reserves the right to group one or more lots into one or more selling lots. Whenever the best interest of a Seller will be served, the Auctioneer reserves the right to sell all the property listed, in bulk.

Where items are sold by estimated weight, count or measure, the Purchaser will be billed for and required to pay for the estimated weight, count or measure. If, upon delivery, shortage exists, the Purchaser will receive a refund at the rate of purchase. If there be an excess, the Purchaser will be required to pay for such excess, at the rate of purchase. The Auctioneer reserves the right to reject any and all bids, alter the order of sale, and accept bids made on behalf of the Seller.

The record of sale kept by the Auctioneer will be taken as final in the event of any dispute. The Auctioneer is acting as agent only and is not responsible for the acts of its principals. Purchaser or its representative will independently inspect the goods bid upon by the Purchaser, and acknowledges to the Seller that Purchaser is acquiring all goods "A61S, WITH ALL FAULTS" and "WITH REMOVAL AT PURCHASERS' RISK AND EXPENSE" and agrees to protect, indemnify and hold harmless the Seller from any and all claims, demands, causes of actions, liabilities and judgments relating to the conditions or use of the goods.

Seller, if not the same as the Auctioneer, shall have the rights, protections and benefits afforded to the Auctioneer as set forth herein.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accurs of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

ANY ADDITIONAL PROVISIONS OR AMENDMENTS TO THE ABOVE LISTED TERMS WILL BE POSTED TO THE ON-LINE SALE WEB PAGE BY THE AUCTIONEER PRIOR TO THE START OF BIDDING