



# PMI AUCTION

## HIGH QUALITY, LOW HOUR MACHINE SHOP CLOSING

Featuring: Omax MaxiEM 5' x 10' CNC Waterjet (2012); Hardinge Bridgeport Mdl. GX1000 OSP, 4-Axis Vertical Machining Center (2012); Okuma "Space Turn LB3000EXII" CNC Lathe (2014); Okuma "Heritage ES-L8II" CNC Lathe; Okamoto Mdl. ACC12-24DX Automatic Surface Grinder; (2) Hardinge CNC Chuckers; (3) Acer "E-Mill" Vertical Turret Mills (2012); (4) Engine Lathes; Bandsaws; Presses; Welding Equipment; Toyota LPG Forklift (2014); Air Compressor; Shop Accessories; Precision Instruments; Tooling; Much More! **PLUS Industrial Real Estate For Sale – See Tip-In Page**

2014



CNC

OKUMA SPACE TURN LB3000EXII CNC LATHE

2012



CNC

OMAX MAXIEM 5' X 10' CNC WATERJET CUTTING MACHINE

500 HOURS



INDUSTRIAL REAL ESTATE FOR SALE AT AUCTION

BUYER'S PREMIUM: 15% ON-SITE 18% WEBCAST

At the Premises of  
**LONESS MACHINE SHOP**  
612 INDUSTRIAL DRIVE  
PERRYVILLE, MISSOURI 63775  
*(See Directions on Back Page)*

**INSPECTION:**  
Monday,  
December 3,  
9:00 A.M. to  
4:00 P.M. &  
Morning of Sale

**TUESDAY, DECEMBER 4  
10:00 A.M.**

On-Site Bidding in Perryville, MO  
or Bid Via Webcast at  
**BidSpotter.com**

2012



CNC

HARDINGE BRIDGEPORT  
MDL. GX1000 OSP  
VERTICAL MACHINING CENTER

2007



CNC

OKUMA HERITAGE ES-L8II CNC LATHE

2014



TOYOTA 3,000-LB. LPG FORKLIFT

Read Partial Terms and Conditions on Back Page of Brochure

Sale Conducted By:

**PLANT & MACHINERY INC.**

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

1304 Langham Creek Drive, Suite 454, Houston, Texas 77084

PHONE: (713) 691-4401

FAX: (713) 672-7905

E-MAIL: [pmi@pmi-auction.com](mailto:pmi@pmi-auction.com) • WEBSITE: [www.pmi-auction.com](http://www.pmi-auction.com)

In Conjunction With:

**Zimmerman**  
McDonald Machinery, Inc.

Phone (314) 291-9360

2272 Weldon Pkwy., St. Louis, MO 63146

Fax (314) 291-2981

[www.zimmermanmcdonald.com](http://www.zimmermanmcdonald.com)



2014



<  
OKUMA  
SPACE TURN  
LB3000EXII  
CNC LATHE

CNC

2007



>  
OKUMA HERITAGE  
ES-L8II CNC LATHE

CNC

## CNC LATHES

**OKUMA SPACE TURN MDL. LB3000EXII**, new 11/2014, OSP-P300L CNC control, 22.83" swing over bed, 16.14" max. turning dia., 19.69" max. turning length, 3.58" spdl. bore, spds.: 45–5,000 RPM, 30/20 HP, 12" dia. 3-jaw manual chuck, 12-pos. vert. turret, Marposs tool presetter, hyd. tailstock, chip conveyor, hyd. actuator and draw tube, 3-jaw manual chuck, chip conveyor, S/N 181825.

**OKUMA HERITAGE MDL. ES-L8II**, new 2007, OSPU10L CNC control, 21.65" swing over bed, 8.27" max. turning dia., 19.69" max. turning length, 2.44" spindle bore, spds.: 100–4,200 RPM, 15 HP, hyd. tailstock, 12-pos. vert. turret, chip conveyor, hyd. actuator and draw tube, manual collet chuck, 8" 3-jaw hyd. chuck, chip conveyor, S/N C2212.

## CNC CHUCKERS

**OMNITURN MDL. OT-CNC**, built on Hardinge AHC base, 1-1/16" round cap., 3,000 RPM, S/N AHC772, mist coolant, 6" x 12" gang tool slide, S/N 2323G34.

**HARDINGE CENTROID**, T Series CNC 10 Version 2.70 control, Windows based control w/control pulpit and full function machine control pendant, built on a Hardinge CHNC base, 6-pos. indexing turret, 1-1/16" round bar cap., air operated collet closer, air operated parts chute, S/N CHNC-659-A2.

## VERTICAL MACHINING CENTER

**HARDINGE BRIDGEPORT MDL. GX1000 OSP**, new 7/2012, OPS-P200MA-R CNC control, 21.25" x 44" tbl., 1,760-lb. tbl. load, 40.16" X, 21.25" Y, 21.25" Z-axis travels, CAT-40 "Big Plus" spindle, 10,000 RPM, 20 HP, 30-pos. ATC, chip conveyor, wired for 4th axis, S/N NVCB2G0118.

## CNC VERTICAL MILLING MACHINES

**TREE MASTER JOURNEYMAN MDL. 425**, new 12/2000, Siemens PC-2100 CNC control w/solid state drive upgrade, 12" x 51" tbl., 30" X, 15" Y, 6" Z-axis travels, 17.7" manual knee adj., CAT-40 spdl. taper, spds.: 50–6,000 RPM, 7.5 HP, pwr. drawbar, S/N 9-42-33-6228.

**SERVO IMPACT CNC MINI MILL MDL. 7830-200**, PC based control, 5" x 16-1/2" tbl., 10" X, 5.25" Y, 3.5" Z-axis travels, spds.: 200–20,000 RPM, bench mtd., S/N 70902IBS.

## ENGINE LATHES

**WEBB 17" X 60" MDL. 32X1500 GAP BED**, 2-1/2" spdl. hole, spds.: 32–1,800 RPM, inch/metric thdng., steadyrest, 4-way toolpost, micrometer stop, 3-jaw and 4-jaw chucks, S/N 329160.

**AMERICAN PACEMAKER 16" X 78"**, spds.: 17–1,000 RPM, 1-1/2" spdl. hole, taper attach., 3-jaw chuck, S/N 73983-53.

**REPUBLIC 16" X 40" GAP BED**, new 12/2008, 2" spdl. hole, spds.: 40–2,000 RPM, inch/metric thdng., 2-axis D.R.O., 4-way toolpost, 3-jaw and 4-jaw chucks, S/N 16405081250.

**JET MDL. GH-1440ZX 14" X 40" GAP BED**, spds.: 42–1,800 RPM, 3-1/4" spdl. hole, 4-way toolpost, steadyrest, S/N 047133.

## RAM TYPE EDM MACHINE

**ELOX MDL. 8-2814-DR**, 14" x 28" tbl., 50 amp solid state pwr. supply, 52-1/2" x 21-1/2" x 14" tank, 2-axis D.R.O., S/N 042460.

2012



<  
ACER  
"E-MILL"  
VERTICAL  
TURRET  
MILLING  
MACHINE

3  
AVAILABLE

2008



REPUBLIC 16" X 40" GAP BED LATHE

2012



<  
HARDINGE BRIDGEPORT  
MDL. GX1000 OSP  
VERTICAL  
MACHINING CENTER

CNC

>  
HARDINGE/CENTROID  
CNC CHUCKER



CNC





WEBB 17" X 60" GAP BED LATHE



OKAMOTO MDL. ACC-12-24DX AUTOMATIC SURFACE GRINDER

2011



# AUCTION

**TUESDAY, DECEMBER 4  
10:00 A.M.**

## AUTOMATIC HYDRAULIC SURFACE GRINDER

**OKAMOTO MDL. ACC12-24DX**, new 10/2011, 29.5" long. travel, 13.5" cross travel, 13.6" ht. under wheel (to tbl.), 925-lb. tbl. cap., 12" x 1.5" x 5" wheel size, 5 HP, servo driven down feed, auto. over-the-wheel dresser, Sony sgl. axis D.R.O., 12" x 24" electromagnetic chuck w/neutrofier, paper filter coolant system, S/N 65453.

## VERTICAL TURRET MILLING MACHINES

**(3) ACER E-MILL MDL. EVS-3VKH-54**, new 2012, 10" x 54" tbl., 36.5" long., 17" cross, 19" vert. (knee) travels, variable frequency spdl. spds.: 0-4,500 RPM, R-8 spdl. taper, servo long. pwr. feed, Newall 2-axis D.R.O., Spraymaster mist coolant system, 1 shot lubrication, H & G ways, accordion way covers, S/N N12020047, S/N N12020048, S/N N12020050.

**ENCO**, 9" x 42" tbl., belt driven head, spds.: 80-5,440 RPM, 2-axis D.R.O., long. pwr. feed, S/N 501356.

## VERTICAL HYDRAULIC BROACHING PRESS

**CUSTOM**, I-beam construction, 23-1/2" dist. btwn. uprights, 2-1/2" dia. long stroke vert. cylinder, 1" dia. aux. vert. cylinder, R.H. mtd. hyd. expander cylinder, approx. 30" vert. cylinder stroke, side mtd. independent hyd. pwr. supply.

## HORIZONTAL BANDSAWS

**DOALL MDL. C-916**, new 2006, 9" rd. cap., 9" x 16" rect. cap., 1" blade, variable blade spds., semi-automatic operation w/infeed conveyor, S/N 527-062035.

**JET MDL. HBS916**, 9" rd. cap., 9" x 16 rect. cap., 1" blade, S/N 14373.

**DAKE JOHNSON MDL. J**, new 12/2004, 10" rd. cap., 10" x 18" rect. cap., 1" blade, S/N 41472.

## AUTOMOTIVE MACHINERY

**VAN NORMAN MDL. 869001 VERTICAL FLYWHEEL GRINDER**, 18" dia. T-slotted tbl., 5 HP drive motor, coolant base, designed for bonded cup wheels, S/N 2609.

**RMC MDL. RMM800 HORIZONTAL BELT SANDER**, 12" belt width, 32" max. grinding width, configured for grinding headers, S/N L64510.

## VERTICAL BANDSAW

**DOALL MDL. 2013-V**, 20" throat depth, 13" max. cutting height, 26" x 26" tilting tbl., variable blade spds., S/N 500-93193.

**INSPECTION:** Monday,  
December 3, 9:00 A.M. to  
4:00 P.M. & Morning of Sale



VAN NORMAN  
FLYWHEEL GRINDER

**On-Site Bidding in Perryville,  
Missouri or Bid Via Webcast at**

**BidSpotter.com**



DOALL MDL. C-916 SEMI-AUTOMATIC  
HORIZONTAL BANDSAW

2006



RMC BELT GRINDER



DOALL MDL. 2013-V  
VERTICAL BANDSAW



2012

500 HOURS

CNC

OMAX MAXIEM 5' X 10' CNC WATERJET CUTTING MACHINE

## CNC WATERJET CUTTING MACHINE

**OMAX MAXIEM 5' X 10' WATERJET**, new 11/2012, (less than 500 hrs.), Omax PC based CNC control, cutting cap. 62" x 120", tbl. size 68" x 146", 12" Z-Axis travel, 30 HP Omax/Maxiem VFD pump, 220 gal. water storage tank, Culligan high efficiency twin water softener, 600-lb. Garnet hopper, solids removal system, tool cart, S/N 15305243.

CLEANOUT SYSTEM, GARNET HOPPER AND WATER SOFTENER



CUSTOM HYDRAULIC BROACHING PRESS



SKAT BLAST GLOVEBOX BLAST CABINET



HYDRAULIC HOSE CRIMPING MACHINE

3 AVAILABLE



VIEW OF WELDING MACHINES AND POSITIONER



HYDRAULIC PIPE AND CONDUIT BENDER

## WELDING MACHINES

**MILLER MDL. SYNCROWAVE 250DX TIG WELDER**, 250 amps @ 16 v., 10% duty cycle, integrated cooler, running gear, TIG torch, S/N MA210502L.

**MILLER MDL. DIALARC 250 AC/DC WELDER**, 250 amps @ 30 v. output, 30% duty cycle, stick leads, roller stand, S/N JD722482.

**MILLER MDL. MILLERMATIC 200 MIG WELDER**, 200 amps @ 28 v. output, 60% duty cycle, integrated wire feeder, running gear, S/N JM293532.

## WELDING POSITIONER

**PROFAX 250-LB. CAP. MDL. WP-250**, 13.75" tbl., S/N WP2849.

## GLOVEBOX BLAST CABINET

**SKAT BLAST**, 28" F-B x 46"W. x 28"H., lighting, integrated recirculating media unit.

## HYDRAULIC HOSE CRIMPING MACHINES

**POWER CRIMP MDL. 3000B**, hyd. pwr. supply.


**(2) GATES MEGA CRIMP MDL. PC707**, from 1/4"-1" hose size, hyd. pwr. supply.

## HYDRAULIC PIPE & TUBE BENDER

**GB ENERPAC**, hyd. ram, air operated hyd. system, foot pedal control, large qty. of various size bending dies.

## RAW MATERIAL

**LARGE SELECTION INCLUDING COLD ROLL AND HOLD ROLL BARS; STAINLESS STEEL BAR; BRASS AND ALUMINUM PLATE SHEET AND BARS**, on sorted racks.



LARGE ASSORTMENT OF RAW MATERIALS



**2014**



**TOYOTA 3,000-LB. LPG FORKLIFT**

**2009**



**QUINCY 15 HP AIR COMPRESSOR**



**JET HYDRAULIC  
H-FRAME PRESS**

## **FORKLIFTS**

**TOYOTA 3,000-LB. CAP. MDL. 8FGU15**, new 2014, LPG pwr., 2,500-lb. @ 24" L.C., 3-stage mast, 189" max. lift, 42" forks, side shift, cushion tires, 78 H.O.M., S/N 35629.

**CATERPILLAR 5,000-LB. CAP. MDL. T50D**, LPG pwr., 5,000-lb. @ 24" L.C., 173" max. lift, cushion tires, side shift, S/N 8EB873.

## **AIR COMPRESSOR**

**QUINCY MDL. QT15**, new 2009, 90 gal. horiz. tank, 15 HP, S/N QU09-01220007.

**BI-STATE COMPRESSOR VERTICAL STORAGE AIR RECEIVER**, new 2012, approx. 90 gal. cap.

## **PORTABLE SANDBLAST UNIT**

**BRUT ABRASIVE CLEANER**, approx. 100-lb. cap. hopper, S/N F17913.

## **MISCELLANEOUS SHOP & WAREHOUSE EQUIPMENT**

**PHASE IV HARDNESS TESTER; DAYTON MDL. 2XUV45 HAND TAPPER; BALDOR 12" DIA. H.D. DISC SANDER** w/1 HP motor and tilting tbl., **BALDOR GRINDER/BUFFER** on pedestal stand; **POWERLINE MDL. DPS5612P H.D. PEDESTAL DRILL PRESS** w/adj. ht. tbl. and roller base; **ASSORTED CAT-40 SPINDLE TOOLING; DAREX MDL. SP2500 PRECISION DRILL SHARPENER** w/accessories; **R-8 COLLECTS; KURT 6" H.D. MILLING VISES; 6" and 8" DIVIDING HEADS; UNIVERSAL ALL ANGLE VISE; TILTING TBL.; PRECISION CLAMPING CUBES; 12" HORIZONTAL ROTARY TBL.; FORGED C-CLAMPS; LIVE CENTERS; TURNING TOOLS; BORING TOOLS; CARBIDE INSERTS; CLAMPING KITS; JET 35 T. CAP. MDL. HP35A H-FRAME SHOP PRESS**, adj. height bed, moveable ram, hand pump hyd. system, S/N 104040; **OSTER 3" MDL. 532NV POWER DRIVE** w/wrenchless chuck and stand, for pipe threading; **H.D. ANVIL** on stand; **OXY./AC. TORCH KIT; WELDING TBL.** w/bench vise; **SUNNEN MDL. LBA BENCH TOP HONE** w/assorted mandrels; **SUNNEN PORTABLE HONING HEADS** in cases; **ELECTRIC DRILLS; PNEUMATIC GRINDERS; RIGHT ANGLE PNEUMATIC IMPACT WRENCH; IMPACT WRENCHES; AIR BLOW GUNS; ASSORTED AIR HOSE.**


At the Premises of  
**LONESS MACHINE SHOP**  
612 INDUSTRIAL DRIVE  
PERRYVILLE, MISSOURI 63775

*(See Directions on Back Page)*

## **INDUSTRIAL REAL ESTATE TO BE OFFERED FOR SALE SUBJECT TO THE SELLER'S CONFIRMATION OF THE HIGH BID**

**APPROX. 10,470 SQ. FT. ON 4.39 ACRES OF LAND**, 290' street frontage on industrial drive, built 1964, w/additions in 1994 and 1997, zoned L-1 light industrial, 900 Sq. Ft. finished offices, 12" and 14" eave heights, fully air conditioned and gas forced air heated, heavy 3-phase power, large drive-in doors.

**Real Estate Will Be Offered On Site Only. No Buyer's Premium. To Be Offered at the Beginning of the Sale Prior to the Equipment Auction.**



# PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

P.O. Box 218568  
Houston, TX 77218-8568

**DATED MATERIAL – PLEASE DELIVER**

## HIGH QUALITY, LOW HOUR MACHINE SHOP CLOSING

Featuring: Omax Maxiem 5' x 10' CNC Waterjet (2012); Hardinge Bridgeport Mdl. GX1000 OSP, 4-Axis Vertical Machining Center (2012); Okuma "Space Turn LB3000EXII" CNC Lathe (2014); Okuma "Heritage ES-L8II" CNC Lathe; Okamoto Mdl. ACC12-24DX Automatic Surface Grinder; (2) Hardinge CNC Chuckers; (3) Acer "E-Mill" Vertical Turret Mills (2012); (4) Engine Lathes; Bandsaws; Presses; Welding Equipment; Toyota LPG Forklift (2014); Air Compressor; Shop Accessories; Precision Instruments; Tooling; Much More! **PLUS Industrial Real Estate For Sale**  
– See Tip-In Page



**PUBLIC INVITED**

**TUESDAY, DECEMBER 4 • 10:00 A.M.**



**ATTENTION: PLANT MANAGER  
OR EQUIPMENT BUYER**

Presorted  
First Class Mail  
U.S. Postage  
PAID  
Eugene, Oregon  
Permit No. 17

### DIRECTIONS & LODGING

**FROM LAMBERT INTERNATIONAL AIRPORT:** Exit airport using I-70 W and proceed approx. 4 miles. Merge onto I-270 via Exit 232 toward Memphis and proceed approx. 20 miles. Merge onto I-55 S via Exit 1A toward Memphis and proceed approx. 62 miles. Take Exit 135 toward MO-M/Brewer and immediately turn left onto County Road 816. Turn right onto US 61 S and proceed approx. 5 miles. Turn left onto Industrial Drive and proceed to auction site, 612 Industrial Drive, Perryville, MO 63775. Watch for auction signs.

**HOLIDAY INN PERRYVILLE**.....(573) 605-1385  
2020 Jefferson Street, Perryville, MO 63775

**HOLIDAY INN ST. LOUIS AIRPORT**.....(314) 736-1710  
10000 Natural Bridge Road, St. Louis, MO 63134

**HAMPTON INN ST. LOUIS AIRPORT**.....(314) 429-2000  
10820 Pear Tree Lane, St. Louis, MO 63074

### UNABLE TO ATTEND?

Bid on-line in real time at **BidSpotter.com**  
TO PARTICIPATE YOU MUST:

1. Register at [www.BidSpotter.com](http://www.BidSpotter.com). Use the link to BidSpotter on PMI's website calendar. **DO IT NOW.**
2. Either send wire transfer, or, overnight delivery service a cashier's check deposit in the amount of \$3,000 (U.S. Bidders) or \$10,000 (Foreign Bidders) to:

**Plant & Machinery Inc.**  
1304 Langham Creek Drive, Suite 454, Houston, TX 77084

Wire transfer instructions can be found at [pmi-auction.com](http://pmi-auction.com)  
You must be registered and have your deposit in the hands of Plant & Machinery, Inc. at least 24 hours prior to the start of the auction.

Failure to register and/or failure to send your deposit to Plant & Machinery, Inc. may disqualify you from bidding. **DON'T WAIT.**

If you need assistance, don't hesitate to call (713) 691-4401.

**ALL WEBCAST BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.**

### FINANCE YOUR AUCTION PURCHASE

Conserve Your Cash & Increase  
Your Bidding Power

**AuctionLea\$e Provides  
M&E Financing**

**With Approvals  
from \$5,000  
to \$999,000**

**(800) 438-1470**

**Apply Online:**  
[www.AuctionLease.com](http://www.AuctionLease.com)

### PARTIAL TERMS & CONDITIONS

A 15% Buyer's Premium Will Apply On-site. An 18% Buyer's Premium Will Apply to Webcast Bids. See Above Rules for Participation.

No Buyer's Premium will be charged on Real Estate.

Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.

**ALL PAYMENTS MUST BE MADE BY CASH, CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.**

Here is an example of what your letter should be: *Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$\_\_\_\_\_. This letter is good until January 4, 2019.*

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased **"AS IS," WITH "ALL FAULTS" AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE."** THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART

OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.