

GLOBAL WEBCAST AUCTION

Online Only Webcast | No On-Site Bidding

COMPLETE 250,000 SQ.FT. HEAVY TONNAGE STAMPING PLANT



FEATURING: Transfer & Straight Side Presses to 1600-Ton Cap., Servo Feed Lines to 30,000 x 54" Cap., Secondary Operation Presses, Tool Room Equipment, Inspection, Yaskawa Motoman Mig Welding Robots, Large Quantity Spare Parts & MRO, Heavy Power with 16,000 Amp Capacity; (3) 500 HP Gardner Denver Air Compressors, Rail Access, (8) Bridge Cranes, Mayfran Scrap Conveyor System, Cooling Towers, Plant on 20 Acres – Zoned for Heavy Industrial

Opportunity to purchase real estate complete with equipment

**Formerly of
Lear Heavy
Stamping Facility**

WEDNESDAY, JANUARY 26TH @ 11:00AM EST

PREVIEW & INSPECTION: Monday & Tuesday, January 24th & 25th,
from 9:00am to 4:00pm Each Day or By Appointment Only.

PREVIEW LOCATION: 325 Industrial Avenue, Morristown, TN 79813



1600-Ton **NIAGARA** SE4-1600-208-72 4-Point Straight Side Press



1500-Ton **DANLY** SE4-1500-180-96 4-Point Straight Side Press

FOR FURTHER INFORMATION CONTACT: Mario Mazzuca at 517.204.0033 or email Mario@maynards.com

Sale Conducted By:

Maynards
SINCE 1902

maynards.com

HOLLAND
INDUSTRIAL GROUP

hollandindustrialgroup.com

The Branford
GROUP
Equipment Auctions & Valuations Worldwide

thebranfordgroup.com

Place your bid now!
REGISTER AT
BidSpotter

TRANSFER PRESSES & STRAIGHT SIDE PRESSES

- **1600-Ton Niagara SE4-1600-208-72 4-Point Straight Side Press**, S/N 52570, Stroke 24", Strokes per Minute 7-17, Bed 72" x 208"
- **1500-Ton Danly SE4-1500-180-96 4-Point Straight Side Press**, S/N 894369-01, Stroke 36", Strokes per Minute 7-17, Bed 96" x 180", Rolling Bolster
- **1250-Ton Niagara SE4-1250-186-72 4-Point Straight Side Transfer Press**, S/N P52821, Stroke 24", Strokes per Minute 7-17, Bed 72" x 186", (3) Rolling Bolsters
- **1250-Ton Niagara SE4-1250-156-72 4-Point Straight Side Press**, S/N 52244, Stroke 24", Strokes per Minute 10-20, Bed 72" x 156"
- **1200-Ton Clearing Straight Side Press**, S/N 31-3244, Stroke 33", Strokes per Minute 10-16, Bed 96" x 180"
- **800-Ton USI Clearing S4-800-156-72 4-Point Straight Side Press**, S/N 10-1625, Stroke 12", Strokes per Minute 12, Bed 72" x 156"
- **800-Ton Verson S2-800-96-60 Straight Side Press**, S/N 21686, Stroke 14", Strokes per Minute 14-20, Bed 60" x 96"
- **600-Ton Minster E2-600-120-60 Hevi-Stamper Straight Side Press**, S/N 14423C, Stroke 12", Strokes per Minute 12-28, Bed 60" x 120"
- **(3) 600-Ton Niagara SE2-600-108-72 Straight Side Presses**, S/N P52815, P52708 & P52572, Stroke 18", Strokes per Minute 18-30, Bed 72" x 108"
- **500-Ton Niagara SC2-500-96-54 Straight Side Press**, S/N 50039, Stroke 10", Strokes per Minute 15-25, Bed 54" x 96"
- **400-Ton Niagara SC2-400-84-48 Straight Side Press**, S/N 48911, Stroke 14", Strokes per Minute 20-30, Bed 48" x 84"
- **400-Ton Aida S2-400-108-60 Straight Side Press**, S/N 12600-00034, Stroke 9.75", Strokes per Minute 30, Bed 60" x 108"
- **400-Ton Wilkins & Mitchell S4-400-108-60 4-Point Straight Side Press**, Stroke 16", Bed 60" x 108"
- **300-Ton MecFond SC2-300-108-48 Straight Side Press**, S/N 34002, Stroke 14", Strokes per Minute 30, Bed 48" x 108"
- **300-Ton Bliss SC2-300-72-48 Straight Side Press**, S/N H71257, Stroke 8", Strokes per Minute 20-35, Bed 48" x 72"
- **250-Ton Bliss SC2-250-60-48 Straight Side Press**, S/N H54335, Stroke 6", Strokes per Minute 20-35, Bed 48" x 60"
- **250-Ton Bliss S2-250-84-36 Straight Side Press**, S/N T35533, Stroke 12", Strokes per Minute 30, Bed 36" x 84"
- **(4) 200-Ton Wayne WSG2-200-72-48 Straight Side Presses**, Stroke 10", Strokes per Minute 30, Bed 48" x 72"
- **200-Ton Cleveland HS2-200-54-36 Straight Side Press**, Stroke 3", Strokes per Minute 50-150, Bed 36" x 54"
- **220-Ton Aida NC2-220 Double Crank Gap Frame Press**, S/N 10620-0028PP, Stroke 9.75", Strokes per Minute 33
- **250-Ton Warco Double Crank Gap Press**
- **110-Ton Niagara Open Back Inclinal Press**
- **75-Ton McKay Gap Frame Press**



1600-Ton **NIAGARA** SE4-1600-208-72 4-Point Straight Side Press



1500-Ton **DANLY** SE4-1500-180-96 4-Point Straight Side Press

FOR FURTHER INFORMATION CONTACT: Mario Mazzuca at 517.204.0033 or email Mario@maynards.com

TRANSFER PRESSES & STRAIGHT SIDE PRESSES



1250-Ton **NIAGARA** SE4-1250-186-72 4-Point Straight Side Transfer Press



1250-Ton **NIAGARA** SE4-1250-156-72 4-Point Straight Side Press



1250-Ton **CLEARING** Straight Side Press



800-Ton **USI CLEARING** Straight Side Press



800-Ton **VERNON** Straight Side Press



600-Ton **MINSTER** Straight Side Press



600-Ton **NIAGARA** Straight Side Press



500-Ton **NIAGARA** Straight Side Press

3 Available

TRANSFER PRESSES & STRAIGHT SIDE PRESSES



400-Ton **AIDA** SS Press



300-Ton **BLISS** SS Press



4 Available

200-Ton **WAYNE** SS Presses



220-Ton **AIDA** DC Press

SERVO FEED LINES

- **30,000 Lb Coe Reel with Coil Car**, Hold Down Arm, Coe CPPS-350-54 Straightener, Threading Table, 54" Coe Servo Feed, Servo Master 3 Control
- **2013 Coe 20,000 Lb x 48" x .125" Servo Feed Line**, CPR-PO-20048 Reel with CPPS-406 Straightener, #CPRF-548 Servo Feed, Hold Down Arm, Peel-er, Dual Side Threading Table, Servo Master Control, S/N 60277
- **20,000 Lb Rowe 20040-DSJ Reel & Rowe 40" Straightener**, Threading Table, CHS DRF-442 Servo Feed, Capacity 42" x .110"
- **Cradle Straightener, Cooper Weymouth #54D7SF Servo Feed Straightener**, Capacity 54" x .062"
- **PRE/Air Feeds Inc 30,000 Lb Reel with Coil Car**, Cooper-Weymouth Peterson 54D7SF Servo Feed-Straightener, Capacity 54" x .062", 7-Roll Straightener, S/N 36503-3
- **PRE/AFI Reel, 30" Coe Straightener**, 30" Coe Servo Feed, Servo Master 3 Control
- **30,000 Lb SESCO Reel**, Coe Straightener, Coe Servo Feed
- **PAS Cradle-Straightener**, Cooper Weymouth SMX-54H6 Servo Feed



COE Press 22,500 Lb x 54" x .125 Servo Feed Line



2013

20,000 Lb x 48" COE Servo Feed Line



20,000 Lb **ROWE** 20040-DSJ Reel and **ROWE** 40" Straightener



42" x .110" **CHS** Servo Feed



PRE/AIR FEEDS INC 30,000 Lb x 54" Feed Line

MATERIAL HANDLING & ROBOTIC WELDERS

- Yaskawa Motoman ES200D, ES156D & MA1400 Servo Robots, DX Controllers, Cables, Teach Pendants
- Miller Axxess 300 Welding Power Sources



YASKAWA MOTOMAN ES200D, ES156D & MA1400 Servo Robots

MILLER Welding Power Source

INSPECTION EQUIPMENT

- Brown & Sharpe Xcel 7-10-7 Coordinate Measuring Machine, S/N 0297-2305, Renishaw PH10M Probe
- GE Inspection USLT 2000B Inspection Units
- Faro S1202 Inspection Arm & Base
- Gages & Hardness Testers



BROWN & SHARPE Xcel 7-10-7 CMM



GE INSPECTION USLT 2000B Inspection Units



NIIGATA 3UMD Universal Milling Machine



Partial View Inspection



FARO S1202 Inspection Arm & Base

FOR FURTHER INFORMATION CONTACT: Mario Mazzuca at 517.204.0033 or email Mario@maynards.com

TOOL ROOM EQUIPMENT, SUPPORT EQUIPMENT & MRO

- Niigata 3UMD Universal Milling Machine, S/N 84048
- Shizuoka Vertical Turret Milling Machine
- Bridgeport & Acra Vertical Milling Machines
- Okamoto & Acer Surface Grinders
- Cincinnati Bickford Radial Arm Drill
- LeBlond Regal & MSC Engine Lathes
- DoAll C-916 Horizontal Band Saw
- Ridgid Pipe Threader
- Miller Bobcat 250 Welder-Generators
- Miller Welders / Lincoln Welder
- Arbor Press / Machinery Moving Skates
- Large Inventory MRO & Parts Crib w/Bearings
- Robot Pendants, Allen Bradley Panelview HMI's, Atlas Copco Controllers, Fasteners

PLANT FACILITIES

- Gardner Denver 500 HP Air Compressors
- Air Dryers
- Cooling Towers
- Buss Plug Boxes & Buss Duct
- Pallet Racking
- Scrap Conveyors



BRIDGEPORT Vertical Milling Machine



OKAMOTO Surface Grinder



CINCINNATI Bickford Radial Arm Drill



LEBLOND Regal Engine Lathe



MILLER Bobcat 250 Welder-Generator



GARDNER DENVER 500 HP Air Compressor



BUSS PLUG Boxes & Buss Duct



Scrap Conveyors

TURNKEY OPPORTUNITY

COMPLETE 250,000 SQ FT HEAVY TONNAGE STAMPING PLANT COMPLETE WITH REAL ESTATE AND EQUIPMENT

Formerly of Lear Heavy Stamping Facility

325 Industrial Avenue, Morristown, TN 79813



BUILDING SIZE: 247,767
ACREAGE: 20
OFFICE SPACE: 7,500
CEILING HEIGHT: 20', 22', 30'
TRUCK DOORS: 16 dock high; 4 drive-in
DIMENSIONS: Mfg 480' x 400'; Whse 120' x 380'
BAY SPACING: Mfg 30' x 30'; Whse 60' x 40'
PARKING: 390 Paved
ZONING: HI - Heavy Industrial
DATE AVAILABLE: Immediately
LAST USE: Metal Working - stamping/presses
LEASE RATE: 3.00/SF/Year Net3
AGE: 1968, 1974, 1978, 2005
CONDITION: Good to Excellent
WALLS: Metal
FLOORS: Concrete
ROOF: Membrane
WATER: Morristown Utilities
SEWER: Morristown Utilities
ELECTRIC: Morristown Utilities/TVA Four 4,000 Amp
MAIN: 480/208V 3P4W
GAS: Atmos Energy
HEAT: Gas Forced Air
SPRINKLER: 100% Wet
LIGHTING: LEDs throughout
A/C: Office



For further information contact: Mario Mazzuca at 517.204.0033 or email Mario@maynards.com

GLOBAL WEBCAST AUCTION

Online Only Webcast | No On-Site Bidding

COMPLETE 250,000 SQ.FT. HEAVY TONNAGE STAMPING PLANT



Opportunity to purchase real estate complete with equipment

**Formerly of
Lear Heavy Stamping Facility**

**WEDNESDAY, JANUARY 26TH
@ 11:00AM EST**

PREVIEW & INSPECTION:

Monday & Tuesday, January 24 & 25,
9:00am to 4:00pm Each Day or By Appointment Only.

PREVIEW LOCATION:

325 Industrial Avenue, Morristown, TN

Maynards
SINCE 1902

17177 N. Laurel Park Dr.,
Suite 236
Livonia, MI 48152



1250-Ton NIAGARA SE4-1250-186-72 4-Point Straight Side Transfer Press



1250-Ton NIAGARA SE4-1250-156-72 4-Point Straight Side Press

TERMS & CONDITIONS | PAYMENT: Full payment within 24 hours. Payment is Cash, Cashier's check, Certified Check, or Wire Transfer. No other forms of payments will be accepted. Full Payment Must be Made before removal of Purchase. Everything is Sold "As-Is, Where-Is." All Sales Final. Cost and Responsibility for Removal of Purchase Remains with the Purchaser. Every Effort will be Made to Facilitate Removal. While Quantities and Descriptions are Believed to be Accurate, the Auctioneer, Owners or Counsel Make no Warranties or Guarantees Either Expressed or Implied as to Authenticity, Genuineness of, or Defects in Any Lot and will not be Held Responsible for any Advertising Discrepancies or Inaccuracies. No Warranties Whatsoever are Made as to Condition Merchantability or Fitness for Use of Any Item. May we Suggest you Take Full Advantage of the Preview and Inspection Period. **Sale Subject to Additions, Deletions and Prior Sales. Please Check Availability of Equipment.**

AN ONLINE BUYER'S PREMIUM OF 18% WILL BE CHARGED ON ALL SUCCESSFUL BIDS.

Sale Conducted By:

Maynards
SINCE 1902

maynards.com

HOLLAND
INDUSTRIAL GROUP

hollandindustrialgroup.com

The Branford
GROUP
Equipment Auctions & Valuations Worldwide

thebranfordgroup.com

Place your bid now!
REGISTER AT
BidSpotter