ONLINE TIMED AUGTION

OVER (200) ITEMS • (14) LOCATIONS IN TEXAS, MICHIGAN, INDIANA & CONNETICUT • ITEMS NEW AS 2016

CNC & MANUAL MACHINE TOOLS AS NEW AS 2015 • CNC & MANUAL FABRICATING EQUIP. • HEAT TREATING EQUIP. • SHOP SUPPORT EQUIP. • PLANT SUPPORT EQUIP. • MATERIAL HANDLING EQUIP. • MUCH MORE!



BIDS START CLOSING ON THURSDAY, DECEMBER 6 AT 10:00 A.M. CDT

ONLINE BIDDING:
YOU MUST REGISTER IN
ADVANCE FOR ONLINE BIDDING
AT THIS AUCTION.

Go to www.pmi-auction.com and click on BidSpoter.com on our calendar page for this auction sale.



Wednesday, December 5, 9:00 A.M. to 4:00 P.M. Or by Appointment. See Each Location for Details.

18% BUYER'S PREMIUM WILL APPLY



OKUMA MILLAC MDL. 550H HORIZONTAL MACHINING CENTER



ABAR IPSEN 1,300 DEG. ELECTRIC VACUUM TEMPER FURNACE



PACIFIC 600 T. CAP. X 12' HYDRAULIC SHEAR

Read Partial Terms and Conditions on Back Page of Brochure



ARONSON 50,000-LB. CAP.
WELDING POSITIONER
W/8' X 8' TABLE

Sale Conducted By:

FORKLIFT

PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

Ron Moore, TX Lic.#7314

HOUSTON • DALLAS • ST. LOUIS

Headquarters:

1304 Langham Creek Drive, Suite 454 Houston, Texas 77084

PHONE: (713) 691-4401

FAX: (713) 672-7905

E-MAIL: pmi@pmi-auction.com WEBSITE: www.pmi-auction.com

LOCATION A

GULF MANUFACTURING INC. (GMI Group)
1221 Indiana Street, Humble, Texas 77396



CNC MULTI-TASKING LATHE

MURATEC MDL. MT 200-T2, installed 2015, Muratec Fanuc 31i CNC control, twin spdl., twin turret, live milling on both turrets, Y-axis, 15-pos. upper and 2-pos. lower turrets, 8.08" max. swing, 2.16 bar dia., 5,000 RPM, 15 kW/30 min. spdl. motor, 5.6 kW live spdl. drive motor, 4,500 RPM, (2) Schunk 8" Mdl. 215-66 pwr. chucks, low hours on meter, Mfg. – S/N 15KX296700001, Murata Machinery USA – S/N 4835.

BIDS START CLOSING ON THURSDAY, DECEMBER 6 AT 10:00 A.M. CDT

INSPECTION: Wednesday, December 5, 9:00 A.M. to 4:00 P.M.




HORIZONTAL MACHINING CENTER

OKUMA MILLAC MDL. 550H, new 2011, Fanuc 16i-MB CNC control, 10,000 RPM, full 4th axis, 21.65" twin pallets, 31.5" X, 31.5" Y, 27.56" Z-axis travel, 1,760-lb. tbl. load, 60-pos. ATC, 25/30 kW motor, thru spdl. hi-pressure coolant, (2) tombstones, chip conveyor, S/N 156399.



ARONSON 50,000-LB. CAP. WELDING POSITIONER W/8' X 8' TABLE



ARONSON 500-LB. CAP. WELDING POSITIONER

WELDING POSITIONERS

ARONSON 50,000-LB. CAP. MDL. GE500CS, 96" x 96" tbl., 460 v., S/N 6716. ARONSON 500-LB. CAP. MDL. RDE-15 SD, (2) 36" tbls., S/N 9812.



(4) LINCOLN MDL. DC-655 WELDERS



MILLER MAXTRON 450 AMP WELDER

DON'T MISS THIS SALE!

WELDING MACHINES

(4) LINCOLN MDL. DC-655, CC stick, CV Mig, CV Subarc, S/N U1070110263, S/N U1061206953, S/N U1071-105655, S/N U1070110269. MILLER MAXTRON, 450 amp CC/CV, 230/460 v. input, 1/3-phase, S/N KD-496251.



LOCATION B
MITROWSKI
WELDING
1315 College Avenue,
South Houston,
Texas 77587
INSPECTION:
Wednesday, December 5,
9:00 A.M. to 4:00 P.M.

BURCO/KOCO MDL. SW2000 E-2 STUD WELDER

STUD WELDER

BURCO/KOCO MDL. SW2000 E-2, dual stud guns, 2,000 amp output, 200/230/460 input, S/N 30143.

LOCATION C MOORE FABRICATION

5645 Northdale Street, Houston, Texas 77087 INSPECTION:

Wednesday, December 5, by Appointment Only. Contact Grant Richardson (713) 643-7477







EDUCATIONONLINETIMED AUGION

MACHINES USED FOR CUTTING PLASTICS IN CLIMATE CONTROLLED SHOP, ONE OWNER





HAAS VF-3B VERTICAL MACHINING CENTER

HAAS VF-6SS VERTICAL MACHINING CENTER

VERTICAL MACHINING CENTERS

HAAS VF-6SS, new 2013, 310 cutting hours, wired for 4th and 5th axis, 64" x 28" tbl. size, 64" X, 32" Y, 30" Z-axis travels, CAT-40 taper, 30 HP, 24-pos. ATC, S/N 108797.

HAAS VF-3B, new in 2001, 48" x 18" tbl. size, 40" X, 20" Y, 25" Z-axis travels, CAT-40 taper, 20 HP, 24-pos. ATC, S/N 25275.

CNC TOOL ROOM MILL

HAAS TM-1, new 2006, 47.75" x 10.75" tbl. size, 30" X, 12" Y, 16" Z-axis travels, CAT-40, 7.5 HP, 10-pos. ATC, S/N 1050587.

HAAS TM-2, new 2006, 57.75" x 10.75" tbl. size, 40" X, 16" Y, 16" Z-axis travels, CAT-40, 7.5 HP, 10-pos. ATC, S/N 1050666.

HAAS MINI-MILL, New 2001, 36" x 12" tbl. size, 16" X, 12" Y, 10" Z-axis travels, CAT-40, 7.5 HP, 10-pos. ATC, S/N 25377.

CNC LATHES

HAAS ST-30, new 2011, 31.75" max. swing, 21" max. cutting dia., 26" max. cutting length, 12" Samchully power chuck, 3" bar cap., 12-pos. turret, tailstock, chip conveyor, S/N 3088264.

HAAS ST-30, new 2013, 31.75" max. swing, 21" max. cutting dia., 26" max. cutting length, 10" Samchully power chuck, Machine-in-Motion 12-pos. turret w/vacuum chip reclamation system, chip conveyor, S/N 3097167.

HAAS SL-20T, new in 2006, 23" max. swing, 10.3" max. turning dia., 20" cutting length, 8" Kitagawa power chuck, 20 HP Vector dual drive, tailstock, tool presetter, Haas VOP-C, parts catcher, chip conveyor, Haas Servo Bar 300 bar feeder, S/N 3074199.

5-AXIS TRUNNION ROTARY TABLE

HAAS TR210, tilting 2-axis Trunnion rotary tbl., 8.27" cap.

4TH AXIS ROTARY INDEXER

HAAS HRT210, 8" faceplate, S/N 2269.

HIGH PRESSURE COOLANT SYSTEM

CHIP BLASTER, new 2014, Chip Chiller, Mdl. SA34K, S/N K-186.

SUPPORT EQUIPMENT

(2) INGERSOLL RAND RECIP. AIR COMPRESSORS; TRINCO BLAST CABINET; MANTIS ELITE VISION ENGINEERING MEH-30031 MICRO SCOPE; (7) 6" KURT VISES; (2) 8" KURT VISES; MANUAL TRUNNION TBL.; CAT-40 TOOLING; SET UP TOOLING; CHUCKS; Q.C. INCL. LARGE CAPACITY VERNIER CALIPER; HEIGHT GAGES; BORE GAGES; AND MUCH MORE!







HAAS GR-710 CNC GANTRY ROUTER



5-AXIS TRUNION ROTARY TABLE



HAAS HRT210 4TH AXIS INDEXER

LOCATION C CONTINUED

CNC GANTRY ROUTER

HAAS GR-710, new in 2006, 84" x 120" vacuum tbl., 121" X, 85" Y, 24" Z-axis travels, CAT-40, 10,000 RPM, 15 HP, 20-pos. ATC, S/N 42370.

CNC TOOL ROOM LATHE

HAAS TL-2, new 2006, 16" swing x 48" btwn. centers, 2.3" spdl. bore, 10 HP, Bison 12" dia. 6-jaw chuck, tailstock, chuck guard, S/N 3074607.

VERTICAL TURRET MILL

SEIKI-XL MDL. 3VH, 10" x 50" tbl., 3 HP motor, variable spd. head, long. pwr. feed. S/N 5924.

ENGINE LATHE

VICTOR 16" X 60" MDL. 1660, 10" dia. 3-jaw chuck, spds: 65–1,200 RPM, 2" spdl. bore, thread dial, S/N 580908.

HARDNESS TESTER

ROCKWELL MDL. 3JR, w/stand and accessories, Tester No. 3JR841

Q.C. EQUIPMENT

VERNIER CALIPER, 80"; DIGITAL HEIGHT GAUGE, 12"; FOWLER HEIGHT GAUGE, 12"; ASSORTED BORE GAUGES; CALIPERS; MITUTOYO PIN MICROMETER; GEM I.D. GAUGE; PLUG AND PIN GAUGES, FLUKE METER; O.D. MICROMETER; VERNIER CALIPER.



HAAS TL-2 CNC TOOL ROOM LATHE



SEIKI-KL MDL. 3VH VERTICAL TURRET MILL

PLANT & MACHINERY INC. APPRAISAL DIVISION

Confidential Industrial Machinery & Equipment Appraisals Call **1-800-282-8466**

DON'T MISS THIS SALE!



HAAS SL-20T CNC LATHE



VICTOR 16" X 60" ENGINE LATHE

LOCATION D SPECIALIZED MANUFACTURING 8101 Fite Road, Pearland, Texas 77584 INSPECTION:

Wednesday, December 5, 9:00 A.M. to 4:00 P.M.



MURATA WIEDEMANN MDL. C-20001 CNC TURRET PUNCH PRESS



PRESSROOM EQUIPMENT MDL. P450F12R3125-PRPCS AUTOMATIC PRESS FEEDER

CNC TURRET PUNCH PRESS

MURATA WIEDEMANN MDL. C-20001, w/misc. tooling in cabinet, S/N 2618 (*Note: machine is out of service. Control out of machine. New PC needed).

AUTOMATIC PRESS FEEDERS

PRESSROOM EQUIPMENT MDL. P450F12R3125-PRPCS, pull through straightener, 12" max. width, .250" max. thickness, 100 PSI, 480 v., Rexroth Indracontrol VCP8, pendant control, S/N 0914053.

PRESSROOM EQUIPMENT MDL. P450F24R3245-PRCS, 24" max. width, 910" max. length, .135" max. thickness, 300 PSI, 480 v., Indramat Mdl. CLM PLC control, S/N 1098-050.

PUNCH PRESS WITH STRAIGHTENER & FEEDER

PRESSROOM EQUIPMENT MDL. P20F06HDR20-65PRHS FEEDER/STRAIGHTENER, 6" max. width, 999" max. length, .135" max. thickness, 80–100 PSI, S/N 0199-001, feeding into custom twin post punch press.

UNCOILER & SHEEP FEEDER

EGAN PRESSPARTNER, Uncoiler Mdl. M401-20 – S/N 3437, Press Feeder Mdl. 822-815 – S/N 3438, in tandem on 1/2" thk. plate, 15"W. cap.

OBI PUNCH PRESSES

CLEARING TORC-PAK 60 T. CAP., Triad Mdl. 3200 control, 6" stroke, 18" shut ht., 3" adj., 90 SPM, S/N 579028.

ROUSSELLE MDL. 20, 26 x 16 bed, S/N 11.

ROUSSELLE MDL. 2, 11 x 16 bed, S/N 1465.

ROUSSELLE MDL. 2, 11 x 17 tbl., S/N 1065.

BENCHMASTER MDL. 152E, 6 x 9 tbl., S/N 46114.

LEESON. 3 HP motor. S/N N.A.

PUNCH PRESSES

MULTI-MAX DIAMOND, 24" dist. btwn. posts, 10" depth.

BENCHMASTER, bench top, S/N N.A.

AUTOMATIC PUNCH PRESS

DIEBELL MACHINE CORP., 20" R-L and 20-1/2" F-B bed areas, 2-1/2" stroke, 9" stroke down adj. up, 2-1/2" ram adj., 0-7" length of feed, 100-400 SPM, S/N 57TF-23X72.

FORMING PRESS

YODER 30 T. CAP., new 2004, 0-3" stroke, 3-1/2" x 25" die. S/N 76103051504.

HYDRAULIC 4-POST PRESS

CUSTOM, 24" x 36" tbl., 6" hole, 8" dia. hyd. ram, 20" vert. ht., w/Mdl. M41037 25 HP hyd. pwr. supply.

HYDRAULIC RAM PRESS CUSTOM.

HORIZONTAL HYDRAULIC RAM

ARISTO MACHINES, Parker 30 gal. hyd. tank w/10 HP motor, foot control, S/N 99058.

H-FRAME PRESS

KAAST 60 T. CAP. MDL. HPA-60, new 2014, mtd. on steel riser block, S/N 181788.

BIDS START CLOSING ON THURSDAY, DECEMBER 6 AT 10:00 A.M. CDT

ONLINE BIDDING: YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING AT THIS AUCTION. Go to www.pmi-auction.com and click on *BidSimper.com* on our calendar page for this auction sale.



EGAN PRESSPARTNER UNCOILER AND SHEEP FEEDER



CLEARING TORC-PAC 60 T. CAP OBI PUNCH PRESS



ROUSSELLE MDL. 2 OBI PUNCH PRESS



DIEBELL MACHINE CORP. AUTOMATIC PUNCH PRESS



RAM PRESS



ARISTO MACHINES HORIZONTAL HYDRAULIC RAM



PRESSROOM EQUIPMENT PUNCH PRESS W/STRAIGHTENER AND FEEDER



CUSTOM HYDRAULIC 4-POST PRESS



PACIFIC .600 T. CAP. X 12' HYDRAULIC SHEAR



CUSTOM ROLLFORMERS



IRONBAY MDL. FM53 SEAM WELDER

HYDRAULIC SHEAR

PACIFIC 600 T. CAP. MDL. 625S12ARL, 5/8" x 12'L. shearing cap., motorized backgauge, S/N S10082 (*Note: partially disassembled).

ROLLFORMERS

CUSTOM, (16) die sets in line and misc. dies. **CUSTOM**, 8-pos., misc. dies, spare parts in steel totes.

SEAM WELDER

IRONBAY MDL. FM53, new 1999, 24" cap., Lincoln Squarewave TIG 175 pwr. source, S/N SPLC24997-U1990300005, hyd. clamping, adj. stops, control panel, shearing function, mtd. on rollers, S/N 869901.

HYDRAULIC DOUBLE PINCH BENDING PLATE ROLL

WALDEMAR 3/8" X 4' MDL. 400-7-4, new 2000, 5 HP motor, motor control panel. S/N 60540-00.

IRONWORKER

SCOTCHMAN MDL. 4014-C, 3 HP motor, 230 v., 40 T. punching cap., $5/8" \times 5"$, $1/4" \times 6"$, $3/8" \times 8"$, $1/4" \times 10"$ or $3/16" \times 14"$ shearing cap., $3" \times 3" \times 5/16"$ angle shearing cap., 2" max. channel shearing cap., 3/4" rd. and 3/4" sq. rod shearing cap., 90 deg. notcher, 5/N 7325FF398.

PLASMA CUTTING SYSTEM

ESAB MDL. ACER-2-VISPC, 10 amp full load current, 6' x 24'L. tbl. travels, Interlock Plasma Systems Fineline 200 PPC pwr. source, S/N 0560986336 (*Note: in storage).

CHILLERS

ADVANTAGE MDL. SC2APT-20HFX, S/N 28696.
APPLIED PROCESS EQUIPMENT CORP. CHILLER.

ROBOTIC WELDING CELLS

MOTOMAN MDL. UP20M, (2) robot welding cell-Master S/N S010602 and Slave S/N S010603, Yasnac Mdl. XRCUP20M-Type ERCR-UP20M-R800 master controller, unit new 11/2000, Motoweld Mdl. P350 robotic pwr. sources, Motoman Touch Sense feature, Motoman pendant control.

MOTOMAN MDL. SK16-6, Master S/N S52137-1-1-5 and Slave S/N S52166-1-1-2, Yasnac Mdl. MRC-Type ENCMRM6071 master controller, new 1996, Motoman Motoarc Mdl. 3501 robotic pwr. sources.

SPOT WELDERS

SKIAKY MDL. 3-76-250-24, 460 v., 250 KVA, Touchweld 3-phase weld controller, Machine No. 11029.

STANDARD MDL. FR2-12-30.

WELDING MACHINES

MILLER MDL. 400SP, 400 amps, S/N HF878207.

LINDE MIG WELDING POWER SOURCE.

WIRE FEEDER; HOBART WELDING POWER SOURCE AND ACCESSORIES.

MITERING CHOP SAW

SCOTCHMAN BEWO MDL. 350LT/PK/PD, 3 HP motor, 440 v., 5.5 fluid amps, foot pedal control, dual vise, S/N 30340495.

CONTOUR BANDSAW

DOALL 36" X 20" MDL. ZW-3620, 30" x 36" tbl., 236" bandsaw length, 45 deg. tilting tbl., S/N 266-74178.

HORIZONTAL BANDSAW

VICTOR MDL. MH-1016JA, 10" round cap., 2 HP main motor, S/N 860326.

CUT-OFF SAWS

WILTON COBRA MDL. 350, S/N 020545 (*Note: partially disassembled).

EVERETT INDUSTRIES CUT-OFF SAW.



WALDEMAR 3/8" X 4" HYDRAULIC DOUBLE PINCH BENDING PLATE ROLL

> SCOTCHMAN MDL. 4014-C IRONWORKER

LOCATION D CONTINUED





ESAB PLASMA CUTTING SYSTEM



MOTOMAN MDL. UP20M ROBOTIC WELDING CELL



VIEW OF MOTOMAN COMPONENTS



SKIAKY MDL. 3-76-250-24 SPOT WELDER



SCOTCHMAN BEWO MITERING CHOP SAW



CHARMILLES TECHNOLOGIES ROBOFILL WIRE EDM MACHINE



ENCO LONGEM 20" X 80" GAP BED ENGINE LATHE



ELB 12" X 36" AUTOMATIC SURFACE GRINDER

GAP BED ENGINE LATHES

DIANICHI 24" X 120" MDL. DH-115, new 5/1967, Acu-Rite D.R.O., steadyrest, 15-1/2" dia. 3-jaw chuck w/2-pc. jaws, spdl. spds: 12-1,200 RPM in (2) ranges, 2-1/4" spdl. bore, thread dial, Machine No. 6396.

ENCO LONGEM 20" X 80" MDL. LG-2080DS, Anilam 2-axis D.R.O., 3-1/2" spdl. bore, spdl. spds: 18-1,600 RPM, D18 spdl., thread dial, S/N 072554.

ENCO LONGEM 20" X 80" MDL. LG-2080DS, Anilam 2-axis D.R.O., 3-1/2" spdl. bore, spdl. spds: 18–1,600 RPM, D18 spdl., thread dial, taper attach., 12" dia. 3-jaw chuck, S/N 040948.

ENGINE LATHE

MONARCH 25" X 72" MDL. 2516X72, 16" over crosslide, taper attach., steadyrest, spdl. spds: 12-1,500 RPM, S/N 50676.

WIRE EDM MACHINE

CHARMILLES TECHNOLOGIES ROBOFILL MDL. 290, new 1996, 15.75" X, 9.85" Y, 7.88" Z-axis travel, 33.5" x 19.7" x 7.88" max. workpiece, 1,100-lb. max. workpiece weight, 30 deg. max. angle, 26 SIPR max. spd., S/N 6.2316.

AUTOMATIC SURFACE GRINDER

ELB, 12" x 36" electromagnetic chuck, 3-axis.

SHAPER

AMERICAN 24", 24" stroke, 24" x 16" x 16" ht. T-slotted tbl.

TOOL & CUTTER GRINDER

CINCINNATI NO. 2, 220 v., 3-phase, 1 HP motor, S/N 1D2T6C-1.

VIBRATORY DEBURRING MACHINE

PHILLIPS SCOTTSVILLE, 12.3 amps, 4,000 kW, 3-phase, 208 v., S/N 13741.

DEBURRING MACHINES

HUPP CORP. GLOBE, 32" tumbler, 1 HP motor, S/N 9920. VIBRATORY DEBURRING MACHINE.

SQUARE TUBE DEBURRING MACHINE

RASAMAT MDL. RSA2001, Machine No. 40116204.

ULTRASONIC CLEANING CONSOLE

AMSCO, (2) 24" tanks.

DUST COLLECTORS

TORIT MDL. POWERPAK 2SG-3852101 DOWNFLOW DUST **COLLECTOR**, (4) cartridge filters, 7-1/2 HP motor, Shop No. 112840-02.

DCE MDL. UMA72G1AD DUST CONTROL UNIT, 110 v., sgl. phase, .75 kW, S/N 88-1615.

(2) MICROAIR MDL. MX3510 DUST COLLECTORS.

BAR FEEDER

HASS SERVO BAR 300 BAR FEEDER



DOALL 36" X 20" CONTOUR **BANDSAW**

BIDS START CLOSING ON THURS., DEC. 6 AT 10:00 A.M. CDT



HAAS SERVO BAR 300 BAR FEEDER



AMERICAN 24" SHAPER



HUPP CORP. GLOBE DEBURRING MACHINE



RASAMAT MDL RSA2001 SQUARE **TUBE DEBURRING** MACHINE



DOWNFLOW DUST



GORBEL 2,000-LB. X 20' SPAN FREE STANDING GANTRY CRANE SYSTEM



STEEL FABRICATED PLATE STORAGE PALLET SYSTEM



MARLEY AQUATOWER COOLING TOWER

LOCATION D CONTINUED

SPECIALIZED MANUFACTURING

8101 Fite Road, Pearland, Texas 77584

INSPECTION: Wednesday, December 5, 9:00 A.M. to 4:00 P.M.

FREE STANDING GANTRY CRANE SYSTEM

GORBEL 2,000-LB. X 20' SPAN, uprights, (3) separate rails.

OVERHEAD GANTRY CRANE SYSTEM

PROSERV 3 T. X 25' SPAN, Shawbox underslung, sgl. girder, w/rails.

STEEL FABRICATED PLATE STORAGE PALLET SYSTEM

CONSISTING OF: (2) 144"L. x 68"W. shelves, rollers on sliding tracks (*Note: disassembled).

HYDRAULIC POWER UNIT

CUSTOM, 15 HP motor, approx. 50 gal. tank, controls, cooling fan.

HYDRAULIC UNIT

50 HP MOTOR, large cap. hyd. tank, cooling fan, regulator, control unit, 460 v.

HEAVY DUTY T-SLOTTED WORKTABLE

YODER, 116"L. x 66"W. x 25"H., (2) Bestek dies-Part No. P2765 and No. P2064

UPRIGHT DRILL PRESS

REXON 20-1/2" MDL. RDM270F.

BELT CONVEYOR

HYTROL, 7'L. x 7-1/2"W. belt.

ROLLER CONVEYOR

(1) PAIR OF 36" DIA. PAIR AND (1) SGL. APPROX. 36".

GAS FIRED HEATERS

(2) MODINE MDL. PA400AC, 400,000 BTU's max. input, S/N 0110107285, S/N N A

COOLING TOWER

MARLEY AQUATOWER, (3) fan units, (2) 500 gal. water holding tanks, mtd. on platform.

MISCELLANEOUS SHOP & WAREHOUSE EQUIPMENT

ROCKWELL HARDNESS TESTER (needs repair); 36" x 18" DIE SET; TYCO 12" COIL FEEDER; BERNARD MDL. 2675 ENGINE HOIST; (4) SCALES; CENTRAL MACHINERY BANDSAW; DOLLY, wire basket.; DAYTON MOTORS; PRESS TOP PLATE AND DRIVESHAFT.



PROSERV 3 T. X 25' SPAN OVERHEAD GANTRY CRANE SYSTEM



50 HP MOTOR HYDRAULIC UNIT



HYTROL 7' X 7-1/2" BELT CONVEYOR



(1 OF 2) MICROAIR MDL. MX3510 DUST COLLECTORS



CUSTOM HYDRAULIC POWER UNIT



36" X 18" DIE SET

ONLINE TIMED AUGTION

LOCATION E M3 DISTRIBUTION 25116 Stanolind Road Tomball, Texas 77375

INSPECTION: Wednesday, December 5, 9:00 A.M. to 4:00 P.M.



SHEAR

WYSONG 6' X .25", 3/16" in mild steel, S/N P26110.

BIDS START CLOSING ON THURS., DEC. 6 AT 10:00 A.M. CDT



PREMIER 35 T. CAP PRESS BRAK



PREMIER 70 T. CAP PRESS BRAKE

PRESS BRAKES

PREMIER 70 T. CAP. MDL. 670.CR, new 2001, 6' cap., Cybelec control (needs repair), 10 HP motor, S/N 295.

PREMIER 35 T. CAP. MDL. 535.2, new 1997, 5' cap., Autobend 7 control, 5 HP motor, Hurco – S/N HHAA9012047A, S/N 060.



TURRET PUNCH PRESS

STRIPPIT MDL. SUPER 30/30, 230 v., 3-phase, 60 Hz, 4.4 machine FLA, Cat. No. 113030AE, S/N 160752678.

ONLINE BIDDING: YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING AT THIS AUCTION. Go to www.pmi-auction.com and click on BidS@ter.com on our calendar page for this auction sale.

CNC TURRET PUNCH PRESSES

(2) STRIPPIT FABRI-CENTER MDL. FC-1000, Houdaille HECC-80 CNC control, S/N 27863079, S/N N.A. STRIPPIT FABRI-CENTER MDL. FC1250/30/1500, Houdaille HCC-80 CNC control, 20-pos. turret, S/N 0993681.



(1 OF 2) STRIPPIT FABRI-CENTER MDL. FC-1000 CNC TURRET PUNCH PRESSES



STRIPPIT FABRI-CENTER MDL. FC1250/30/1500 CNC TURRET PUNCH PRESS



NOTCHER
TENNSMITH 8" MDL. PN9, S/N
14964.



I FRI OND REGAL 17" X 78" ENGINE I ATHE

LOCATION F ALL FAB WELDING, INC. 8617 Pagewood Lane Houston, Texas 77063



BRIDGEPORT SERIES 1 VERTICAL TURRET MILL



PIRANHA 50 T. CAP. IRONWORKER

BIDS START CLOSING ON THURS., DEC. 6 AT 10:00 A.M. CDT

INSPECTION: Wednesday, December 5, 9:00 A.M. to 4:00 P.M.

ENGINE LATHE

LEBLOND REGAL 17" X 78", Bison 10" dia. 3-jaw chuck, taper attach., spds: 25-1000 RPM, (2) steadyrests, thread dial, chip pans, coolant, 1-3/4" spdl. bore, splash guards, chuck guard, faceplate, 4-way toolpost, extra 3-jaw and 4-jaw chucks, S/N 201431.

VERTICAL TURRET MILL

BRIDGEPORT SERIES 1, 9" x 42" tbl., long. pwr. feed, Jacobs chuck, 2 HP motor, Jay variable spd. head, S/N 214730.

DIGITAL READOUT SYSTEM

NEWALL TOPAZ, 12" and 30" scales (new in box).

FINGER BRAKE

CHICAGO 6' MDL. BP-612-6, some fingers are missing, S/N 300956.

POWER & IDLER TURNING ROLL SET

PANDJIRIS APPROX. 5 T. CAP., pwr. roll and idler, S/N N.A.

PLASMA CUTTER

PLASMARC MDL. PCM70, 325 DC OSV, 38 amps @ 230 v., 19 amps @ 460 v., S/N 870-74264.

TRACK TORCH

ULTRA-LINE MDL. 507, 1 amp, 115 v., 60 Hz, variable spd., w/track.

BEVELING MACHINES

C.A. MATHEY, 18"–20" cap., S/N 988420SA.

C.A. MATHEY, 8"-12" cap., S/N 9474-12SA.

C.A. MATHEY 8". S/N 89708SA.

IRONWORKER

PIRANHA 50 T. CAP. MDL. P3, 6'L. squaring arm, foot pedal control, w/accessories.

WELDING POSITIONER

RANSOME 2,500-LB. CAP. SIZE 25, dbl. swiveling tbl., S/N 5890.

PORTABLE WELDER/GENERATOR

LINCOLN WELDANPOWER, 225 amps, gasoline pwrd., S/N A1003621.

MIG WELDER

MILLER MDL. DELTAWELD 452, 450 amps, 100% duty cycle, S/N KG2700852, Miller 60 Series 24 v. wire feeder, S/N KG281972.

MIG GUN

MIDGET AIRCOMATIC MDL. AH20E, 50' lead.

TIG WELDER

MILLER MDL. SYNCROWAVE 351, 300 amps @ 32 v., 100% duty cycle, S/N KG112232.

WELDING MACHINE

AIRCO MDL. AIRCOMATIC 2.5DTR-224-A C.V., 250 amps DC rectifier, S/N U4772800.

CONTACTOR KIT

LINCOLN ELECTRIC, 600 amps.

WELDING TABLE

APPROX. 7' X 5', 1/2" thk. steel plate, vise, H.D.

HIGH SPEED HACKSAW

MARVEL MDL. 6A, vise, approx. 10'L. roller conveyor.

RANSOME 2,500-LB. CAP. WELDING POSITIONER



NEWALL TOPAZ DIGITAL READOUT SYSTEM



PLASMARC MDL. PCM70 PLASMA CUTTER



MILLER DELTAWELD 452 MIG WELDER





CHICAGO BP-612 6 FINGER BRAKE



MILLER SYNCROWAVE 351 TIG WELDER



(2) SHOPFOX MDL. W1712 COMBINATION BELT AND DISC GRINDERS

HORIZONTAL BANDSAW

W.F. WELLS, 12'L. conveyor, 7" cap. saw.

PIPE THREADER

RIDGID MDL. 300, on tripod stand, w/approx. 5" dia. threading attach. for the Toledo Mdl. 2BR pipe threader.

DRILL PRESS

SEARS CRAFTSMAN 20" CONTRACTOR SERIES, 2 HP motor, 3/4" chuck, (12) spds: 150-4,200 RPM, H.D. cast iron tbl. and base, 2-axis compound slide.

TABLE SAW

SEARS CRAFTSMAN 10" MDL. 113.298051, motorized, tilting tbl., miter cutting, S/N 4003M0057.

H-FRAME PRESS

H-FRAME, w/Enerpac 15 T. foot operated pneu. pwr. pack.

MISCELLANEOUS SHOP & WAREHOUSE EQUIPMENT

CHICAGO BP-612 6 FINGER BRAKE; KURT 6" VISE, S/N D675; WORKTABLE w/H.D. vise; DESK; CABINETS; PIGEON HOLE CABINETS; LIVE AND DEAD CENTERS; TOOLPOST w/lathe tooling; BROACHES; ROLLER STANDS; PIPE STANDS; HELPER STANDS; JACK STANDS; YARD MACHINE 4.5 HP LAWN MOWER; BRIGGS AND STRATTON LAWN MOWER; WEED EATERS; WELDING TBLS.; 48" BOX FAN; ASSORTED SHOP FANS; CRAFTSMAN BENCH TOP TOOLBOX w/tools; HONING ATTACHMENT; 4-JAW CHUCK (small); CHUCK JAWS; TOOLING; KOYO BEARINGS (new); COPPER LEADS; PROPANE HEATER w/(2) tanks; OXY./ACY. TORCH CARTS w/torches and gauges; BANDING CART; WIRE; FLOW METERS; TORCH REGULATORS; VALVES; TIG ROD; ALLTHREAD; SAW HORSES; ANGLE GRINDER, RIGHT ANGLE DRILL; STRAIGHT DISK GRINDER; RECIPROCATING SAW; BLACK & DECKER PROFESSIONAL CHOP SAW; PNEUMATIC AIR TOOLS; GRINDING WHEELS; C-CLAMPS; HAND CLAMPS; DEGREASER; NUTS; BOLTS; SCREWS.

COMBINATION BELT & DISC GRINDERS

(2) SHOPFOX MDL. W1712, new 2016, 6"W. x 48" belt, 12" disc, 1-1/2 HP sgl. phase motor, 1,066 FPM belt, 1,725 RPM disc, 0-45 deg. belt tbl. tilt, 12-1/2" x 7" belt tbl. size, 10" x 17-5/8" disk tbl. size. S/N 003517. S/N 001862.

COMBINATION VERTICAL BANDSAW/SANDER

SEARS CRAFTSMAN 12" MDL. 113245440, S/N 1009.P0179.

RECIPROCATING AIR COMPRESSOR

RANGER MDL. 202480-5, new 1988, 5 HP motor, 80 gal. air receiving tank, S/N 0288-1315.

AIR DRYER

ZEKS HEAT SINK MDL. 35HSEA100, S/N 116027-3N.

BEAD BLASTER

CUSTOM, a Trinco Blast Cabinet, reclamation system, auto. tumbling basket for part cleaning.

PALLET RACK SECTIONS

(2) STEEL CONSTRUCTION, approx. 7'W. x 4'D. x 3 tier.

CANTILEVER RACKS

(2) APPROX. 7'H. X 9'L., adj.

ELECTRIC PALLET LIFT

CROWN 1,500-LB. CAP. MDL. V-57, 20" L.C., S/N 1313144.

STORAGE CONTAINER

STEEL CONSTRUCTION, approx. 7'L. x 4'W., H.D.





6" KURT VISE



RANGER 5 HP RECIPROCATING AIR COMPRESSOR

LOCATION F CONTINUED

LOCATION G
FURNACES, OVENS
& BATHS, INC.
195 Campbell Street
River Rouge,
Michigan 48218
INSPECTION:
Wednesday, December 5,
9:00 A.M. to 4:00 P.M.



ABAR IPSEN ELECTRIC VACUUM TEMPER FURNACE



INSIDE VIEW OF ABAR IPSEN ELECTRIC VACUUM TEMPER FURNACE

ELECTRIC VACUUM TEMPER FURNACE

ABAR IPSEN MDL. VDFC 213, min. 300°F/max. 1300°F temp., 575V/3/60/94 kVA w/transformer for 440/480 v. operation, 20"W. x 11"H. x 30"L. work area, 8'W. x 10'H. x 8'L. external dims. (furnace only), front loading atmosphere (N2) vacuum tempering furnace w/all metal SS hot zone. Top mounted fan w/water cooled heat exchanger. Pumping system consists of a Stokes 149H mechanical pump (80 CFM) w/an Edwards mechanical booster. This furnace has absolute pressure rating of 1.3x10-2 mbar minimum and 1500 mbar maximum. Furnace was previously used at an Aerospace facility. This furnace includes three (3) alloy baskets, loading cart w/floor mounted rails and transformer to operate at 440/480 v., controls mounted and wired in a free standing panel includes Honeywell UDC temperature controllers, Honeywell digital strip chart recorder and power consumption meter. Mounted in a separate enclosure on the side of the furnace includes a "Watlow" SCR power controller for controlling voltage to the element transformer, S/N 39524.

HEAT TREAT BOX FURNACE

SUNBEAM, 1,200 deg. F. max. temp., 48"W. x 48"H. x 54"L., electrically heated, 480 v., 160 kW, vert. lift door, roof mtd. fan.

CABINET OVEN

GRIEVE, 20"W. x 20" H. x 20"L., 500 deg. F. max. temp., gas fired, solvent rated, stainless steel interior, unused condition.

INDUCTION HEATING FURNACES

 ${\bf AJAX},~25~{\rm kW},~3/10~{\rm kHz}$ includes water pump and heat exchanger.

RADYNE BRAZING TYPE, 40 kW, 40/50 kHz, dual heat stations, water system w/heat exchanger, misc. spare parts.



SUNBEAM 1,200 DEG. HEAT TREAT BOX FURNACE



GRIEVE 20" X 20" X 20" CABINET OVEN



RADYNE BRAZING TYPE
INDUCTION HEATING FURNACE

ONLINE BIDDING:
YOU MUST REGISTER IN
ADVANCE FOR ONLINE
BIDDING AT THIS
AUCTION. Go to
www.pmi-auction.com
and click on BidSioter.com
on our calendar page for
this auction sale.



DON'T MISS THIS SALE!

LOCATION HSOUTH MOUNTAIN ENTERPRISES

1215 East 143rd Street, East Chicago, Indiana 46312

INSPECTION: Wednesday, December 5, 9:00 A.M. to 4:00 P.M.

GAS GENERATOR

SURFACE COMBUSTION RX (ENDOTHERMIC), 1950F, Marathon Monitors generator atmosphere and temperature control, MMI 10-Pro-L, Nova dew point controller, produces 5,600 cubic feet of gas per hour, S/N BC-40270-1A.







TONLINETIMED AUGION

BIDS START CLOSING ON THURSDAY, DECEMBER 6 AT 10:00 A.M. CDT

ONLINE BIDDING: YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING AT THIS AUCTION. Go to www.pmi-auction.com and click on BidS@ter.com on our calendar page for this auction sale.

LOCATION I SOUTH MOUNTAIN ENTERPRISES 4790 White Lake Road Clarkston, Michigan 48346

INSPECTION: Wednesday, December 5, 9:00 A.M. to 4:00 P.M.



TOYOTA 10,000-LB. CAP. FORKLIFT



CATERPILLAR 20.000-LB. CAP. GASOLINE FORKLIFT

FORKLIFTS

CATERPILLAR 20,000-LB. CAP. MDL. 850S, gasoline pwrd., 7'L. forks, S/N 66L230.

TOYOTA 10,000-LB. CAP., propane pwrd., 6'L. forks.

SWEEPER/ RETRIEVER

ADVANCE MACHINE COMPANY MDL. 5800, S/N 1238953.



ADVANCE MACHINE COMPANY SWEEPER/ RETRIEVER

DON'T MISS THIS SALE!

LOCATION J FURNACES, OVENS & BATHS, INC.

4 Niblick Road, Enfield, Connecticut 06082

INSPECTION: Wednesday, December 5, 9:00 A.M. to 4:00 P.M.

HEAT TREAT BOX FURNACE

SUNBEAM, 24"W. x 18"H. x 36"L., 1,950 deg. F. max. temp., atmosphere capable, nitrogen/methanol panel included, 480 v., 45 kW.

VACUUM HEAT TREAT FURNACE

HEAT SOURCE, 12"W. x 12"H. x 24"L., 2,650 deg. F. max. temp., dual stage mechanical pump, diffusion pump.



SUNBEAM 1,950 DEG. HEAT TREAT BOX FURNACE



HEAT SOURCE VACUUM HEAT TREAT FURNACE

LOCATION K DALLAS AREA STORAGE FACILITY 2120 N. Loop 12, Irving, Texas 75061

INSPECTION: Wednesday, December 5, 9:00 A.M. to 4:00 P.M.

FORKLIFTS

TAYLOR 52,000-LB. CAP. MDL. Y52-W0S, diesel engine, 52,000-lb. cap. @ 36" L.C., 144/132 standard mast, 84"L. forks, fork positioner, dual drive pneu. tires, S/N S-58-13760. CATERPILLAR 33.000-LB. CAP. MDL. DP150. new 1997. diesel engine. 197" standard

mast, 96"L. forks, side shift, fork positioner, dual drive pneu. tires, S/N GDP00156.

HYSTER 15,500-LB. CAP. MDL. H155FT, new 2011, diesel engine, 185" triple stage mast, side shift, pneu. tires, S/N J006V03412J.

HYSTER 12,000-LB. CAP. MDL. H120FT, new 2015, diesel engine, 109/159 standard mast, 48"L. forks, pneu. tires, S/N U005V02028N.

HYSTER 8,000-LB. CAP. MDL. H80FT, new 2015, diesel engine, 109/159 standard mast, 60"L. forks, pneu. tires, S/N U005V02026N.

ELECTRIC FORKLIFT

TOYOTA 3,500-LB. CAP. MDL. 7FBEU18, new 2012, 36 v., 83/189 triple stage mast, 42"L. forks, side shift, fork positioner, cushion tire, S/N 23211.

SIDE LOADER

BAUMANN TYPE AS60-1440, new 1997, diesel engine, 6,000 KG. S/N 4648.



TAYLOR 52,000-LB. CAP. DIESEL FORKLIFT



HYSTER 15,500-LB. CAP. FORKLIFT



HYSTER 8,000-LB. CAP. FORKLIFT

BIDS START CLOSING ON THURS., DEC. 6 AT 10:00 A.M. CDT

LOCATION LNAEGELI TRANSPORTATION

7201 Easthaven Blvd., Houston, Texas 77017

INSPECTION: Wednesday, December 5, 9:00 A.M. to 4:00 P.M.





FORKLIFT

2012 TAYLOR MDL. THX350L, 35,000-lb. cap. @ 48" load center, 2-stage mast, 184" max. lift height, Cummins diesel engine, solid tires 1200 x 20, 24 ply 130 pressure, 8"W x 8'L forks, side shift, 1,370 H.O.M., S/N SCH37637.



LOCATION MFABCORP INC.

6951 W. Little York, Houston, Texas 77040

INSPECTION: Wednesday, December 5, 9:00 A.M. to 4:00 P.M.



STOPA TKL MATERIAL STORAGE SYSTEM

> BIDS START CLOSING ON THURS., DEC. 6 AT 10:00 A.M. CDT

PUNCH PRESS

PIRANHA SEPP-35, 35 T., S/N 175

RADIAL ARM DRILL

3' X 9" GIDDINGS & LEWIS BICKFORD, Chipmaster, S/N 951-00565-74.

VERTICAL BAND SAW

DOALL MDL. 3612-3, 36" throat, 12" ht., 3 HP, S/N 153-69-1023.

ELECTRIC SCISSOR LIFT

JLG COMMANDER MDL. #CM26N, S/N 0208904077, 26' max. plate ht., 750-lb. cap.

CENTERLESS GRINDER

CINCINNATI MILACRON NO. 2 MDL. EA, 1/16"-3" dia. cap., 16" min. grinding wheel diameter, 20" max. grinding wheel dia., 15 HP grinding wheel motor, speeds from 12–300 RPM.

VERTICAL PLATE CLAMPS

(2) PALLETS OF (11) PLATE CLAMPS.

CHILLER UNIT

SOURCE METALS TRUETON CHILLER.

AIR DRYER

VAN AIR MDL. RD500A/C REFRIGERATED AIR DRYER, 520 SCFM, S/N 09E-D08394.

MATERIAL STORAGE SYSTEM

2005 STOPA TKL (3 tons per pallet - 60" x 120"):

Dual Tower (5 x 10 ft, 3 ton per shelf) TKL Storage System for 18' ceiling ht. min.

- (42) Pallets w/3.5" Stacking Height
- (2) Raw Material Carts to Exterior of Cage.
- Material Input Scissors Cart
- Material Weighing Scale
- Safety Fencing and Light Barriers
- Cell Server Software

STORAGE TANKS

2,000 GAL. CHERRY-BURRELL MDL. HCWE, 316 SS double walled, weight 3,515-lbs., S/N 2000-55-CR6648.

2,000 GAL. CHERRY-BURRELL MDL. GHW, 316 SS double walled, weight 3,515-lbs. S/N 20-67-2336.

2,000 GAL. CHERRY-BURRELL MDL. GHW, 316 SS double walled, weight 3,515-lbs. S/N 20-74-2795.



CINCINNATI MILACRON CENTERLESS GRINDER



DOALL MDL. 3612-3 VERTICAL BANDSAW



PIRANHA SEPP-35 PUNCH PRESS



JLG COMMANDER ELECTRIC SCISSOR LIFT



SOURCE METALS CHILLER UNIT



CHERRY-BURRELL 2,000 GAL. STORAGE TANK



VAN AIR REFRIGERATED AIR DRYER

LOCATION NHIPPO HOPPER

27807 Red Fox Road, Tomball, Texas 77377

Inspection: Wednesday, December 5, 9:00 A.M. to 4:00 P.M.

TO STATE OF THE ST

BIDS START CLOSING ON THURSDAY, DECEMBER 6 AT 10:00 A.M. CDT

ROBOTIC WELDING SYSTEM

MOTOMAN SK6 + SK6, (2) SK6 robots controller and pendant, Motoman robot: works positioner, Miller Auto Invision II welder w/manual, (2) OTC 350-XSR w/(2) CM-231 wire feeders, (1) OTC CM-741 wire feeder.







OTC-DAIHEN 350-XSR MIG WELDER



OTC-DAIHEN 350-XSR MIG WELDER



MILLER AUTO INVISION II POWER INVERTER

DURMA 148 TON X 10' CNC PRESS BRAKE

CNC PRESS BRAKE

DURMA MDL. AD-S 30135, new 2006, 148 ton cap., 10' overall, 8'6" btwn. housings, Delem DA66W 4-axis CNC control, motorized crowing, S/N 732 3061771.

MIG WELDERS

OTC-DAIHEN 350-XSR MIG WELDER, S/N P6447YDZ113831003, w/CM-231 OTC-Daihen wire feeder, S/N U3879YD255035. OTC-DAIHEN 350-XSR MIG WELDER, S/N P6447YDK176271003, w/CM-741 OTC-Daihen wire feeder, S/N U5278YDZ.

POWER INVERTER FOR ROBOTIC WELDER

MILLER AUTO INVISION II, S/N LC088813.

ONLINE BIDDING: YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING AT THIS AUCTION. Go to www.pmi-auction.com and click on *BidSpoter.com* on our calendar page for this auction sale.

ONLINE TIMED AUGION

OVER (200) ITEMS • (14) LOCATIONS IN TEXAS, MICHIGAN, INDIANA & CONNETICUT • ITEMS NEW AS 2016

CNC & MANUAL MACHINE TOOLS AS NEW AS 2015 • CNC & MANUAL FABRICATING EQUIP. • HEAT TREATING EQUIP. • SHOP SUPPORT EQUIP. • MATERIAL HANDLING EQUIP. • MUCH MORE!

BIDS START CLOSING ON THURSDAY, DECEMBER 6 AT 10:00 A.M. CDT

GO TO OUR WEBSITE CALENDAR AT WWW.PMI-AUCTION.COM FOR THE LINK TO THE BIDSPOTTER CATALOG.

TERMS & CONDITIONS OF ON-LINE AUCTION SALE

ALL BIDS ARE MADE AND RECEIVED UNDER THE TERMS HEREINAFTER SET FORTH TO WHICH TERMS BIDDERS AGREE BY MAKING THEIR BID AT THE SALE. THESE TERMS CANNOT BE ALTERED EXCEPT BY THE AUCTIONEER. NO EMPLOYEE HAS AUTHORITY TO MODIFY SAME. THE OWNER AND/OR AUCTIONEER RESERVE THE RIGHT TO ADD TO OR MODIFY THE TERMS OF THE SALES.

An 18% Buver's Premium will apply.

This auction may require a credit or debit card 100% refundable deposit. Your credit/debit card added through the Bidspotter.com fully secure and PCI compliant registration process will be assessed a 100% refundable \$3000 (US Bidder) or a \$10,000 (Foreign Bidder) deposit in order to be approved to bid online within this auction. If you are unsuccessful in the auction, your card will be refunded of your deposit within 24 hours post auction.

Plant & Machinery, Inc. DOES NOT take credit cards for auction invoice payments. All payments must be made by Cash, Cashier's Check, Wire Transfer or Company Check with Bank Letter of Guarantee to Plant & Machinery, Inc. (PMI). Here is an example of what your letter should be: [Mr. "Customer Name" representing "Company Name" is a customer of this bank. This bank will guarantee unqualified payment to Plant & Machinery, Inc. on the account listed herein up to the amount of \$______. This letter is good until January 21, 2019.

By registering, the Bidder hereby expressly authorizes PMI to charge the Credit Card if the Bidder fails to pay any invoice within forty eight (48) hours after each invoice is issued to Bidder.

All bidders are required to give full name, company name, address, phone, fax, email address, and bank information when registering. All bidders must register before bidding.

All bids must be paid in full within two business days after the bids have closed. The Auctioneer shall determine the bidding increments. Some items may be auctioned with reserve.

All purchases must be removed within two weeks after the bids have closed or within the timeframe posted on the sale web page. No lot can, on any account, be removed prior to PMI having been paid in full. Removal shall be at the expense, risk and liability of the Purchaser. Purchases will be delivered only on presentation of paid bill. Auctioneer shall not be responsible for goods not removed within the aforesaid time.

Riggers, movers, electricians or buyer performing work at the Auction Sites must provide Auctioneer with evidence of insurance. The insurance coverage must be at a level acceptable to Auctioneer and to the Seller.

All checks for deposits and balances due shall be payable to the order of PLANT & MACHINERY, INC. unless instructed otherwise. All bills must be paid to the Houston headquarters offices of the Auctioneer at 1304 Langham Creek Drive, Suite 454, Houston, TX, 77084 or by wire transfer directly to the bank specified in the wire transfer instructions provided for this on-line auction. The full purchase price on all lots sold to the same buyer must be paid within the time fixed and before removal of any of the goods.

THE AUCTIONEER SHALL NOT BE RESPONSIBLE FOR THE CORRECT DESCRIPTION, GENUINENESS, AUTHENTICITY OF, OR DEFECT IN ANY LOT, AND MAKES NO WARRANTY IN CONNECTION THEREWITH. NO SALE SHALL BE SET ASIDE NOR ALLOWANCE MADE ON ACCOUNT OF ANY INCORRECTNESS, ERROR IN CATALOGING, OR ANY IMPERFECTION NOT NOTED. NO DEDUCTION ALLOWED ON DAMAGED ARTICLES, ALL ARTICLES BEING EXPOSED FOR PUBLIC EXHIBITION, AND SOLD "AS IS" AND WITHOUT RECOURSE. ARTICLES ARE NOT WARRANTED AS MERCHANTABLE OR FIT FOR ANY PARTICULAR PURPOSE, AND NO CLAIM MAY BE MADE BY PURCHASER RELATING TO THE CONDITION OR USE OF ARTICLES PURCHASED, OR FOR PROXIMATE OR CONSEQUENTIAL DAMAGES ARISING THEREFROM.

Articles purchased may not incorporate approved activating mechanisms, operating safety devices or safety guards, as required by OSHA or otherwise. It is Purchaser's responsibility that article purchased be so equipped and safeguarded to meet OSHA and any other requirements before placing such articles into operation.

Purchaser agrees to indemnify and hold Auctioneer harmless from and against all claims and liabilities relating to the condition or use of the articles purchased or failure of user to follow instructions, warnings or recommendations of the manufacturer, or to comply with federal, state and local laws applicable to such articles, including OSHA requirements, or for proximate or consequential damages, costs or legal expenses arising therefrom.

No claims will be allowed after removal of goods from premises.

Auctioneer shall not, in any event, be liable for non-delivery or any other matter or thing, to any Purchaser of any lot other than for the return to the Purchaser of the deposit or sum paid on said lot, should the Purchaser be entitled thereto.

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. Lots not paid for and removed within the time allowed herein may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charges of re-sale, will be charged to the defaulting Purchaser.

Persons attending during exhibition, sale or removal of goods assume all risks of damage of or loss to person and property and specifically release the Auctioneer from liability therefor. Neither the Auctioneer nor his principal shall be liable by reason of defect in or condition of the premises on which the sale is held.

The Auctioneer reserves the right to withdraw from sale any of the property listed or to sell at this sale property not listed, and also reserves the right to group one or more lots into one or more selling lots or to subdivide into two or more selling lots. Whenever the best interest of a Seller will be served, the Auctioneer reserves the right to sell all the property listed, in bulk.

Where items are sold by estimated weight, count or measure, the Purchaser will be billed for and required to pay for the estimated weight, count or measure. If, upon delivery, any shortage exists, the Purchaser will receive a refund at the rate of purchase. If there be an excess, the Purchaser will be required to pay for such excess, at the rate of purchase.

The Auctioneer reserves the right to reject any and all bids, alter the order of sale, and accept bids made on behalf of the Seller.

The record of sale kept by the Auctioneer will be taken as final in the event of any dispute.

The Auctioneer is acting as agent only and is not responsible for the acts of its principals. Purchaser or its representative will independently inspect the goods bid upon by the Purchaser, and acknowledges to the Seller that Purchaser is acquiring all goods "AS IS, WITH ALL FAULTS" and "WITH REMOVAL AT PURCHASERS' RISK AND EXPENSE" and agrees to protect, indemnify and hold harmless the Seller from any and all claims, demands, causes of actions, liabilities and judgments relating to the conditions or use of the goods.

Seller, if not the same as the Auctioneer, shall have the rights, protections and benefits afforded to the Auctioneer as set forth herein

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

ANY ADDITIONAL PROVISIONS OR AMENDMENTS TO THE ABOVE LISTED TERMS WILL BE POSTED TO THE ON-LINE SALE WEB PAGE BY THE AUCTIONEER PRIOR TO THE START OF BIDDING.