

# Auction Catalog

Fram Fram March Machinery Auction

## Auction Date:

Monday, Mar 05 2018

Bidding Starts: 12:00 AM CST

Fram Fram LLC  
11171 Excelsior Blvd  
Hopkins, MN 55343

Phone: (612) 564-3726  
Email: [info@framfram.com](mailto:info@framfram.com)

## Terms & Conditions

This auction is contracted and managed by Fram Fram, LLC.

By placing a bid on this auction you are agreeing to the auction specific terms listed below in addition to K-BID user terms. For auctions contracted and managed by an Independent Affiliate, K-BID Online, Inc. is acting as a venue only and will not be involved in any disputes or issues regarding this auction.

Everything is sold "as is, where is" with no guarantees or warranties. You are responsible for inspecting items prior to purchase.

There is a 13% BUYERS PREMIUM (13% BP) on this auction.

Applicable Minnesota Sales Tax will be collected.

At the close of the auction active items will remain open until no bids have been received for three minutes.

**IMPORTANT NOTE:** If the high bidder of an item does NOT acknowledge the purchase, K-BID systems reserves the right to determine how and to whom it will be resold. If we determine that the winning bid was not a bona fide bidder, the item WILL NOT AUTOMATICALLY go to the next second-highest bid.

This auction is contracted and managed by an independent affiliate. By placing a bid on this auction, you are agreeing to the auction specific terms listed on this page in additions to the K-BID user terms and agreements.

K-BID Online, Inc. (K-BID) is responsible for maintaining the K-BID.com website. K-BID.com serves as the venue used by independent auction companies (Affiliates) to present their online auctions to bidders.

K-BID's role in the auctions listed on K-BID.com is limited to providing the venue for affiliate auctions. Affiliates are not employees, agents, representatives or partners of K-BID Online, Inc. K-BID's knowledge about individual auctions and individual auction transactions is limited to the information appearing on the website.

By placing a bid on K-BID.com, bidders are verifying they are at least 18 years old and acknowledging they understand and will comply with both the K-BID.com website terms and the auction specific terms. Bidders MUST NOT share their password or account information with anyone. Bidders are responsible for bids placed on their account.

Inspection dates/times are available for every auction. Bidders are strongly encouraged to inspect prior to placing bids. Removal day is not inspection day. When an auction ends, and the winning bidder invoice appears on the bidder's dashboard, the bidder is obligated to honor their bid(s).

Every auction item is sold "as is, where is" with no guarantees or warranties. You are responsible for inspecting items prior to purchase.

Bidders are responsible for knowing and complying with auction terms. Failure to comply with removal terms may result in bidding privileges being disabled. Once a bid is placed it cannot be retracted.

Sellers, and their agents, are prohibited from bidding on their own assets.

Items with a reserve will not be sold unless the reserve price has been met.

At the close of the auction active items will remain open until no bids have been received for three minutes.

Applicable sales tax will be collected by the affiliate managing the auction.

In the event that bidding rights are terminated due to no-show invoices, bidders MAY be reinstated at the discretion of K-BID only after a penalty fee of 20% of the unpaid invoice(s) and a reinstatement fee of \$25.00 has been paid to K-BID and a scanned copy of your driver's license emailed to us. INVOICED ITEMS WILL NOT BE AWARDED. The payment is punitive and meant to deter no-shows. Duplicate bidder accounts will be deactivated when they are determined to exist. If possible and at our discretion K-BID reserves the right to delete any bid we believe has been place by a suspect bidder. Any registration that shows up on our fraud detection system may be placed on hold and bids removed until user is verified . K-BID Online, Inc reserves the right to disallow anybody from bidding on its web site. Cases of obvious bidding with no intent to redeem will be referred to appropriate legal authorities.

Affiliates may lower a lot reserve at any time before or after an auction closes. If the reserve is lowered while the auction is in progress, the applicable reserve message will appear below the Next Required Bid information (Reserve Not Met or Reserve Has Been Met); the asset will sell to the high bidder if the lowered reserve amount is met. If the reserve is lowered after the auction closes, the highest bidder at auction close will receive a winning bidder invoice.

Once an auction begins its closing process, outbid notifications will not be sent.

Once a bid is placed it cannot be retracted.







Thumbnail	Lot Number	Title & Description
 <p>Image 1 of 19</p>	1	<p>Bridgeport Series 1, 2HP Vertical Mill Serial 199155 9" x 42" T-Slotted Table 20" x-travel 12" y-travel Adjustable Knee 5" Quill 120 to 1,200 RPM Variable R-8 Spindle Kurt PowerLock Collet Closer 4" Riser Light One shot lubrication Assorted Collets Acurite Millmate 2-axis DRO 2 HP Motor wired 220V, 3-phase Overall Dimensions 60" x 60" x 91"h Approximate 2,500 Lbs (Note: missing y axis linear rail on table) (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$50 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)</p>
 <p>Image 1 of 21</p>	2	<p>Hyster 6,050 LB CAP Forklift Truck Model S80XLBCS, Triple mast, 42" Forks, Propane Engine 142" Max Lift Height, Cushion Tires, Safety Cage, Serial Number: D004V06681P (Note: NEW seat) (Note: Propane Tank NOT included)</p>
 <p>Image 1 of 24</p>	3	<p>TM Free Standing Crane Unit to include: (1) Crane Bridge Unit with 3-phase power ans rails approximate 15ft Length (2) Longest Beams Approximate 30ft with 6" x 18" steel (1) Long Beam Approximate 17ft with 8" x 13" Steel (2) Long Beams Approximate 14ft (3) Short Legs Approximate 141" with 6" x 6" steel (Note: Hoist NOT included) (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$200 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)</p>
 <p>Image 1 of 1</p>	3a	<p>Removal Schedule in Hopkins, MN: Thursday, March 22nd, 9am-5pm Friday, March 23rd 9am-5pm Saturday, March 24th 9am-12pm (Note: please do not bid on this lot)</p>
 <p>Image 1 of 1</p>	3b	<p>Live Preview in Hopkins, MN: Monday March 19th from 9am-5pm or by appointment 612-564-3726 Address: Hopkins Tech Center, 11171 Excelsior Blvd, Hopkins, MN 55343 (back side of building) (Note: please do not bid on this lot)</p>
 <p>Image 1 of 1</p>	3c	<p>Preview &amp; Removal Location: Hopkins Tech Center 11171 Excelsior Blvd Hopkins, MN 55343 (Note: please do not bid on this lot)</p>



Image 1 of 1

3d

Extended bidding (Note: please do not bid on this lot)



Image 1 of 26

4

Magnetool Demagnetizer System DM-7 17"x18" Surface demag on conveyor w/Controls Magnetool Model DM-7 Surface type demagnetizer unit. Serial Number O31596/34. Length 18" Width 17" Height 8-3/4" 460 @ 22 Amps 1PH 330 Lbs Conveyor Model 7035-96 Serial Number 051696-02 1 HP Variable DC Drive with Dart Contoller. 10" wide by 80" long. overall 89" x 25" x 58" Electromagnet Control Box Model DMC-70350-96 Serial Number 051696-20G Input 480VAC Output 240VAC-6A & 480VAC-44A (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$100 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)



Image 1 of 13

5

13-Ton Schmidt 25ES-S Squeeze Press Marking Machine Make: Schmidt Model: 25ES-S Type: Squeeze Press Marking Machine Serial Number: 6898 Ideal for marking the ends of shafts or studs up to 20" long. Max Ram Pressure: 13 Tons Die Space" 20" Throat: 2-1/4" Ram Stroke: 7/8" Height Adjustment: 4-1/2" Table Size: 9-1/2"W x 4-1/2"D Weight: 1,000 lbs Min/max working air pressure: 20/100 PSI Electrical: 110V Dim: 48" tall, 20" wide, 25" Deep



Image 1 of 17

6






Peerless Mechani-Cut Model 41-PAC 11"X 11" Power Hacksaw, MAX CAPACITY -STRAIGHT CUT 90 DEGREE: 11" X 11", 45 DEGREE ANGLE CUT: 11" X 11", SPEED RANGE: (3) 50,85,125 SPM, LENGTH OF STROKE: 6", LENGTH OF SAW BLADE: 18" OR 21", 3 HP (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$60 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)








Image 1 of 26








7

Genie Boom Lift Model Boom 2-30/20HD Serial 3085-291 1422 hours on meter Boom Controls: Riser up/down, Lift up/down, Boom Extend/Retract, Cage rotation Controls in cage and base Firestone Pneumatic Tires 36V System (Note: NEW Interstate 12v Deep Cycle Batteries, PF-GC2, 105min@75A, 210Ah@20Hr, no hours of use) (Note: Unit Boom Operates as it should, the drive electrical will need some repair) Body dimensions 72" x 105" x 78" h Overall Dimensions boom retracted 72" x 205" x 78"h Approximate 7,000 Lbs (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$100 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)

 <p>Image 1 of 24</p>	8	<p>Moore Jig Grinder #2 with (2) High Speed Spindles, 10" x 19" t-slotted table, Auto Feeds and Lubrication, Analam Wizard 3-Axis DRO, Serial Number 7867 Overall Dimensions 42" x 56" x 98" Approximate 3,500 Lbs (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$50 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)</p>
 <p>Image 1 of 21</p>	9	<p>Moore Jig Borer Model No. 2 Serial No. 5160 10" x 19" T-slotted Table 10" Head Travel 10" Throat 0 to 2,500 PRM Variable Auto Lubrication 2/1HP 220V 3-phase Sony 2-axis DRO Overall Dimensions 45" x 68" x 84" Approximate 3,500 Lbs (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$50 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)</p>
 <p>Image 1 of 24</p>	10	<p>Yale GLP060 ZGNGAE087 Fork Lift Truck, 6k LP Cushion Tires 187" Lift 61" Carriage Make: Yale Model: GLP060ZGNGAE087 Fuel: LP Type: Fork Lift Truck Serial Number: A875B02245W Truck Weight: 10668 Capacity: 6,000 lbs @ 164" &amp; 5700 Lbs @ 187" Max Lift 187" Hours: 10,063 Features: Automatic Transmission, Pneumatic Profile Solid Tires, 4 3/4" x 44" Forks, 61" Carriage Width, Cascade Mast, 87" Closed Height (Note: NEW seat) (Note: Propane Tank NOT included)</p>
 <p>Image 1 of 10</p>	10a	<p>TDR Precision Grinding Unit with attachments and assorted wheels, 120V, 1/4H.P. 7,800 RPM</p>
 <p>Image 1 of 5</p>	10b	<p>BRIDGEPORT-ROMI 13" x 42" Engine Lathe, Serial No. 02-65833-163. GENERAL SPECIFICATIONS: Swing over Ways 12-13/16" Distance between Centers 42" Swing over Cross Slide 7-5/16" Width of Bed 8-7/8" Spindle Bore 1-9/16" Spindle Speeds (12) 40 – 2500 RPM Threading (46) Inch &amp; Metric Feeds (20) cross &amp; longitudinal Inch &amp; Metric Tailstock Spindle Travel 4-3/4" Weight, Approx. 3,500 lbs. EQUIPPED WITH: 5 H.P. Motor &amp; Controls – 220 /440/60/3 – 8" 3-Jaw Chuck – Steady Rest Tool Post – Threading Dial – Coolant System (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$50 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)</p>










 <p>Image 1 of 16</p>	10c	<p>Jones Lamson Epic 14 Optical Comparator and Measuring Machine Serial E-43201 14" Window 8-1/2" x 32" Table X/Y/Z Table adjustment Lamp and Projection Illumination Lense Selection: 10x, 20x, 31.25x, 50x, 61.5x, 100x Hood 110V 60Hz Single Phase Overall Dimensions Approximate 68" x 50" x 80" and 6,500 Lbs (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$75 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)</p>
 <p>Image 1 of 5</p>	10d	<p>U.S. CLEARING (Torq-Pac) 60 Ton O.B.I. Back Geared Punch Press Serial No: 57-8973 Press Series: UK60T640-26 GENERAL SPECIFICATIONS: Capacity: 45 Ton Stroke: 7" Shut Height to Bed – SDAU: 14-1/4" Ram Adjustment: 3" Bed Area: 30" L-R x 18-1/4" F-B Ram Area: 13" L-R x 10-3/4" Bolster Thickness: 2-1/4" Strokes per Minute: 90 Width of Opening in Back: 15" Weight, Approx: 7,500 lbs. EQUIPPED WITH: 5 H.P. Motor &amp; Controls - 220/440/60 /3 - Air Clutch &amp; Brake (Note: Buyer Responsible for arranging and paying your own Rigging company after item is paid)</p>
 <p>Image 1 of 12</p>	11	<p>Regal 2000lb Die Lift Cart on Casters Model ER72000 Work Surface 24" x 36" 25" up to 42" work height Brake Unit</p>
 <p>Image 1 of 10</p>	11a	<p>BGK Curing Oven, conveyor style Make: BGK Model: D56783 Serial No: 2524 Conveyor Size: 24" x 62" Opening Height: 1-3/4" Electrics: 480V/3ph Amperage: 72 Amps The conveyor has a variable speed dial. Note: The Oven has a variable temperature dial. (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$50 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)</p>
 <p>Image 1 of 11</p>	11b	<p>Eletro-Mechano Sensative Drill, Model 101W, Variable Spindle Speeds 1,000 to 10,000 RPM, 4" Throat, 5-1/2" x 5-1/2" Table with coolant channel, taper spindle, 115V, includes metal stand</p>
 <p>Image 1 of 4</p>	11c	<p>Hossfield #2 Pipe Bender</p>

 <p>Image 1 of 20</p>	11d	SMW Hydraulic Bar Feed, 1/2" diameter capacity, adjustable height stands, 36" x 130" Overall, Hameca MO46 Hydraulic Unit (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$50 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)
 <p>Image 1 of 8</p>	11e	Roller Feed Table, 118" x 16", 1-3/4" diameter x 15-1/2" rollers, 102" x 25" steel base stand welded on. (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$20 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)
 <p>Image 1 of 7</p>	12	Patterson 120V Industrial Fan, 29" Diameter x 16" Tall
 <p>Image 1 of 10</p>	12a	Pallet Racking Tear Drop Style to include: (4) 144" x 36" Uprights (18) 96" x 3-1/2" Cross Beams (Notes: Contents of decking and inventory not included) (Notes: Buyer responsible for disassembly and loading, no ladders onsite)
 <p>Image 1 of 8</p>	12b	Pallet Racking Tear Drop Style to include: (4) 168" x 42" Uprights (2) 120" x 42" uprights (1) 96" x 42" upright (6) 144" x 6" Cross Beams (10) 96" x 5" Cross Beams (Notes: Contents of decking and inventory not included) (Notes: Buyer responsible for disassembly and loading, no ladders onsite)
 <p>Image 1 of 7</p>	12c	Pallet Racking Tear Drop Style to include: (3) 144" x 44" Uprights (12) 96" x 5-1/2" Cross Beams (Notes: Contents of decking and inventory not included) (Notes: Buyer responsible for disassembly and loading, no ladders onsite)
 <p>Image 1 of 9</p>	13	Assorted Monarch Tooling

 <p>Image 1 of 33</p>	13a	<p>Motion Master CNC Router 5ft x 10ft Table (4) Router Heads 7hp Perske and (1) Drill Head DYWA Path Controller Estimated Weight and Dimensions 8,000Lbs, 190" x 125" x 92" (Note: Buyer Responsible for arranging and paying your own Rigging company after item is paid)</p>
 <p>Image 1 of 39</p>	13b	<p>Holzma Beam Saw 120" Wide Cutting Capacity In-feed and out-feed tables Includes: Manuals and Controller Estimated Weight and Dimensions: 8,000 Lbs, 240" x 48" x 78" Estimated (4)-additional pallets: 1000 Lbs 240" x 60" each (Note: Buyer Responsible for arranging and paying your own Rigging company after item is paid)</p>
 <p>Image 1 of 25</p>	13c	<p>Thermal Dynamics Merlin 3000 Plasma Cutter Assorted Plasma Torches and Cabinet of Manuals and perishables Approximate 800 Lbs and 24" x 36" x 42" (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$60 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)</p>
 <p>Image 1 of 8</p>	14	<p>Enco " Rotary Table on Rolling Stand</p>
 <p>Image 1 of 8</p>	15	<p>MTI and Fowler Electronic Sensors</p>
 <p>Image 1 of 10</p>	15a	<p>Title: Joy Manufacturing Axivane Fan Series 1000 - 35,000 CFMs Description: Large Axivane Fan for plants, barns, windtunnels, exhaust stacks ect. Series: 1000 Model No: 48-26-870 CP Serial No: SF-43772 Operating Speed: 870 230/460 Volts 3 Phase Weight: 1900lbs Dimensions: 52 1/2" Wide x 58 1/2" Tall Reliance Motor 25 HP - 230/460 Volts - 68/34 Amps - 60 Hertz 32.5 HP - 230/460 Volts - 88/44 Amps - 60 Hertz Video: <a href="https://www.youtube.com/watch?v=O19A4W-S-Cs">https://www.youtube.com/watch?v=O19A4W-S-Cs</a> (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$20 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)</p>



 <p>Image 1 of 7</p>	15b	<p>Title: Joy Manufacturing Axivane Fan Series 1000 - 60,000 CFMs          Description: Large Axivane Fan for plants, barns, windtunnels, exhaust stacks ect. Axivane Fan Series: 1000 Model No: 54-26-870 CP Serial No: SF-43773 Operating Speed: 870 230/460 Volts 3 Phase Weight: 2100lbs Dimensions: 52 1/2" Wide x 58 1/2" Tall Reliance Motor 25 HP - 230/460 Volts - 68/34 Amps - 60 Hertz 32.5 HP - 230/460 Volts - 88/44 Amps - 60 Hertz Video: <a href="https://www.youtube.com/watch?v=uog6l-IBes0">https://www.youtube.com/watch?v=uog6l-IBes0</a> (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$20 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)</p>
 <p>Image 1 of 11</p>	16	Knurling Tool With Assorted Cutters, 1" Shank
 <p>Image 1 of 7</p>	17	Wells Polishing Lathe model QW-100T, 2-speed, 1/3hp, 115v
 <p>Image 1 of 8</p>	18	Wells Polishing Lathe model QW-100T, 2-speed, 1/3hp, 115v
 <p>Image 1 of 6</p>	19	Waldmann Professional Magnifying Work Light, Low/High Setting, Articulating Arm (note: no Base Holder and damage)
 <p>Image 1 of 8</p>	20	(2) Waldmann Professional Magnifying Work Lights, Low/High Setting, Articulating Arm (note no Base Holder)
 <p>Image 1 of 8</p>	20a	New Ohaus Adventurer Pro Balance Scale Model AV8101C, Serial 8028161020, Max 8100g, d=0.1g







 <p>Image 1 of 10</p>	20b	New Ohaus Adventurer Pro Balance Scale, Model AV264C, Serial 8027031081, Max 260g, d=0.0001g
 <p>Image 1 of 10</p>	20c	Volland Precision Balance Scale, Model 320D, Serial V-10627, 100mg, includes assorted weights and tooling
 <p>Image 1 of 7</p>	21	(2) Waldmann Professional Magnifying Work Lights, Low/High Setting, Articulating Arm (note no Base Holder)
 <p>Image 1 of 11</p>	22	Asst Lathe Parts to include: 4" Steady Rest and other
 <p>Image 1 of 6</p>	23	6" Machining Vise
 <p>Image 1 of 6</p>	24	Enerpac B5003 Pneumatic Cylinder
 <p>Image 1 of 5</p>	25	TB Woods E-Trac AC Inverter Model WFC4020-0CHT LCD Readout Type 12K 4X Input 480V 3-phase 50/60Hz 37A 20 KVA Output 20HP 280V 3-Phase 33A 23KVA



Image 1 of 12

26

Posimo RW Elektronik Controller Model P3000 G048Y0002 Serial 10064-012 kw 46/1998 (640) Programmable RS232 port



Image 1 of 5

27

Electrical Cabinet With Switch



Image 1 of 5

28

AB Starter Control Box



Image 1 of 4

29

General Signal 5KVA Hevi-Duty Type HS Transformer Cat# HS5F5AS Primary 240/480V, Secondary 120/240V 60Hz, 1-phase, 5KVA



Image 1 of 5

30

3KVA 3-Phase Transformer, Primary 480V Secondary 240/120V



Image 1 of 3

31

General Signal 3KVA Hevi-Duty Type HSZ Transformer Cat# H23000RG Primary 480V, Secondary 240V, 60Hz, 1-phase, 3KVA



Image 1 of 13

32

Electrical Control Cabinet includes: Allen Bradley SLC5/01 CPU, Input and output modules EGS Hevi-Duty 1KVA Transformer,

 <p>Image 1 of 10</p>	33	Magnetics Industrial Control 20KVA Dry Type Transformer Primary 230/460V 71/35.5A Secondary 230Y Volts, 60Amp 410Lbs Includes GE Safety Switch 15HP 60A 240VAC
 <p>Image 1 of 3</p>	34	General Signal 2KVA Hevi-Duty Type HS Transformer, Cat# HS1F2A Primary 240/480V Secondary 120/240V 60Hz, 1-phase, 2KVA
 <p>Image 1 of 11</p>	35	Assorted Transformers and Switch to Include: (1) Safety Switch CAT# H321N, 30Amp, 240VAC (2) Dongan Transformers (1) Micron Transformer (1) Square D Transformer
 <p>Image 1 of 13</p>	36	Avaya Telephone System, Merlin Magix 491E1 Power Unit Controller and Desk Phones 4412A01A-003
 <p>Image 1 of 5</p>	37	Pouar Model P-100 Engine Starter
 <p>Image 1 of 4</p>	38	Toter 800 Lb Capacity Dump Cart (missing a wheel) and Assorted Rolls of plastic
 <p>Image 1 of 15</p>	39	(2) Industrial Brushless Motors and Heidenhain Controller





Image 1 of 12

40 Assorted Pneumatic and Hydraulic Cylinders



Image 1 of 7

41 Quenching Tank 304 Stainless 12" diameter x 25" high and 18" diameter Funnel



Image 1 of 7

42 (3) Tubs on Chair Wheels



Image 1 of 4

43 (20) Assorted Clamps as shown



Image 1 of 4

44 (20) Assorted Clamps as shown



Image 1 of 5

45 (20) Assorted Clamps as shown



Image 1 of 3

46 (20) Assorted Clamps as shown



Image 1 of 3

47 (20) Assorted Clamps as shown



Image 1 of 5

48 (20) Assorted Clamps as shown



Image 1 of 5

49 (20) Assorted Clamps as shown



Image 1 of 4

50 (20) Assorted Clamps as shown



Image 1 of 5

51 (20) Assorted Clamps as shown



Image 1 of 5

52 (20) Assorted Clamps as shown



Image 1 of 4

53 (20) Assorted Clamps as shown

 <p>Image 1 of 5</p>	54	(33) BTD Stacking Storage Bins, 14-1/2" x 47-1/2"
 <p>Image 1 of 9</p>	55	(3) Assorted Cases as shown
 <p>Image 1 of 3</p>	56	Metal Rolling Cart 16-1/2" x 30-1/2" shelves
 <p>Image 1 of 3</p>	57	Metal Rolling Cart 16-1/2" x 30-1/2" shelves
 <p>Image 1 of 3</p>	58	4-shelf Rolling Cart, 36" x 24" x 63" high
 <p>Image 1 of 3</p>	59	Rivet Style Rack with 4-wood shelves, 49" x 37" x 84" high (Contents NOT included)
 <p>Image 1 of 3</p>	60	Metro Multitier setup shelf unit, 104" x 24" x 74" high, NSF Rated, 15-shelves and 8-uprights (Contents NOT included)



Image 1 of 7

61 Banding Cart With Crimper and Tensioner 1/2"



Image 1 of 3

62 Banding Cart



Image 1 of 3

63 Banding Cart



Image 1 of 5

64 (4) 1-3/4" Pivoting Clevis, 4000 Lb Capacity, Jergens



Image 1 of 3

65 (4) 1-3/4" Pivoting Clevis, 4000 Lb Capacity



Image 1 of 4

66 (4) 1-3/4" Pivoting Clevis, 4000 Lb Capacity, Jergens












Image 1 of 4

67 (4) 1-3/4" Pivoting Clevis, 4000 Lb Capacity



 <p>Image 1 of 3</p>	68	(4) 2-3/4" Pivoting Clevis, 7000 Lb Capacity
 <p>Image 1 of 3</p>	69	4-1/2" Machining Vise and 2" Vise
 <p>Image 1 of 5</p>	70	Milling Machine Riser Block with Webbing attachment, 15" Diameter x 7" tall
 <p>Image 1 of 15</p>	71	Assorted Inspection items to include: Bausch and Lomb Light Base American Optical Light Bushnell Magnifier Lenses
 <p>Image 1 of 7</p>	72	(6) Assorted Go No/Go Ring Gauges to include: 1.8511, 1.8510-xx, 1.8506, 2.4414, 2.7500xx, 2.750x
 <p>Image 1 of 6</p>	73	(20) Assorted Go No/Go Ring Gauges .2788 up to .9863
 <p>Image 1 of 7</p>	74	(22) Assorted Go No/Go Thread Gages, .2752 up to 2.9594

 <p>Image 1 of 8</p>	75	(60) Assorted Thread Gage holders as shown
 <p>Image 1 of 8</p>	76	Assorted Gage Blocks and Standards as shown
 <p>Image 1 of 11</p>	77	Assorted Inspection items to include: Gear Tooth Roll Pins Bear Brand Universal Synchronizer Portable Rockwell Hardness Testers Kwik Chek No. 20 Hole Gauge Thread Gage Thread Gage Holder
 <p>Image 1 of 10</p>	78	Assorted Shell Mill Tool Holders and Cutters to include: Weldon 1-1/2" QSH-5, 1-1/2" post, 5/8" tabs Sandvick R331.32-152R38FM 6" dia cutter ZN3M.0408-RH 4-1/4" Cutter Apex A6505x, 4-3/4" No. 5HS RH 5" diameter 4" diameter cutter
 <p>Image 1 of 9</p>	79	(2) Weldon 1-1/4" Shank Slitting Saw Tool Holders No 1-1/4" SAR40-8, 1-1/4" Arbor and Assorted Spacers and cutters
 <p>Image 1 of 7</p>	80	Acco Chain Cutter Model 40, 3/8" diameter capacity
 <p>Image 1 of 13</p>	81	Over (700) Assorted Carbide Tipped cutters 1/16" up to 5/8"

 <p>Image 1 of 6</p>	82	Over (500) Assorted Carbide Tipped Cutters
 <p>Image 1 of 12</p>	83	Key Series Model M-5255II Curing Oven, Approximate 6-1/2" x 9" x 9"high Cavity, 0-1000 Celsius, Part No. 94-92-183A Rev F, Serial no. DKN9312-111, 240V, 50/60Hz, 1-phase, 6.3A, 1500W
 <p>Image 1 of 6</p>	84	Tool Box with assorted tools, sockets, wrenches, screwdrivers, cutters, gauges
 <p>Image 1 of 13</p>	85	Assorted Power Tools, Black and Decker DR202 10mm Drill, Milwaukee #1220 1200 Watt Heat Gun, Dremel Multipro Tool, Assorted Electrical items
 <p>Image 1 of 9</p>	86	Assorted Tolls, Remington Power Actuated Tool Model 490, Rmaset Tool, Stanley Fatmax Extreme Stapler, Chicago Force 3/8" Pneumatic Socket Driver
 <p>Image 1 of 8</p>	87	Assorted Crimping and Tools, Amp Phone Crimper 2-231652-0 head, and others
 <p>Image 1 of 7</p>	88	Tote Bag with assorted Tools, hammers, mallets, Stone Chisel, wrenches and more as shown


 <p>Image 1 of 8</p>	89	Assorted Hardware and screws in bins
 <p>Image 1 of 7</p>	90	Stanley Mobile Job Chest on wheels, approximate outside dimensions 36" x 22" x 24" high
 <p>Image 1 of 18</p>	91	Assorted Bridgeport Mill Attachments to include: Quillmaster Type JA Right Angle Head R8 Right Angle Cutting Tool Head
 <p>Image 1 of 5</p>	92	Bridgeport Right Angle Attachment R8 Type
 <p>Image 1 of 14</p>	93	Assorted Boring Tools and Cutters to include: Criterion DBL-102 1/2" capacity Criterion Single 1/2" capacity Assorted 1/4" and 1/2" Carbide Cutters
 <p>Image 1 of 7</p>	94	Steel Workbench with 3-drawers, 34" x 72" x 34" (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$10 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)
 <p>Image 1 of 7</p>	95	Bernard Welding Chiller Unit Model 3500SS, 3-gallon capacity, 115V, 6.8A, 60Hz, 1-phase





Image 1 of 4

96

Metal Cart on wheels, 18" x 24" surface



Image 1 of 7

97

Ridgid No. 25 1/8" to 4" Pipe Clamp on Mounting Base



Image 1 of 6

98

Ridgid 2-1/2" to 4" Pipe Threading Head



Image 1 of 7

99

4" Cross Slide



Image 1 of 5

100

Stihl 16" Chain Saw, Model 041AV (unknown condition)



Image 1 of 7

101

Rockwell Multi-Drill Drill Head, 4-spindles, Model 700, Serial 6102, 2-1/2" Collar, 26" Overall Height



Image 1 of 5

102

Cushman 3-jaw Chuck no 1862, 6" Diameter, 1/2" diameter camlocks



Image 1 of 4

103 6" 3-jaw chuck for use with Hardinge Lathe



Image 1 of 6

104 Hardinge Model 30A-HCX 5" 3-jaw chuck, serial 7583



Image 1 of 3

105 4-3/4" faceplate, 5/8" camlocks



Image 1 of 4

106 Rohn Drill Chuck, 5-20 3/16" to 3/4" capacity, morse taper shank



Image 1 of 6

107 Aloris Tool Post holder as shown










Image 1 of 5

108 (2) 1" Capacity Lathe Tool Post Holders



Image 1 of 5

109 (2) Lathe Centers to include: Live Center and Dead Center

 <p>Image 1 of 3</p>	110	(3) Hardinge 5C Collets, Inside and Outside Threads, 7/16", 1/2", 3/8"
 <p>Image 1 of 5</p>	111	Osram HBO200W Super Pressure Mercury Lamp, (Note: We are unable to ship this item)
 <p>Image 1 of 5</p>	112	Assorted Jacobs Expansion Collets, J910, J911, J912, J913
 <p>Image 1 of 4</p>	113	1/2" Lettered Steel Stamps
 <p>Image 1 of 6</p>	114	Dumore Hand Grinder, Cat no. 10-051, serial 8169, 115V, 1/10HP, 22,000 RPM no load, assorted bits and case
 <p>Image 1 of 6</p>	115	L-W Demagnetizer, No. J2546, 110V, 6-1/4" x 6-1/4" surface
 <p>Image 1 of 9</p>	116	Sony Millman 3-Axis DRO and Scales, Model LH30-3, Serial H3U006320, 100-120VAC

	117	Lyon 2-Door Cabinet with 5-shelves, 36" x 21" x 79" Includes Contents of Hold Down, Machine Parts and tools
	118	Lyon 2-Door Cabinet with 5-shelves, 36" x 21" x 79" Includes Contents of Electrical and Pneumatics
	119	2-Door Cabinet with 5-shelves 36" x 18" x 72" Includes contents of Electrical and Assorted Hardware
	120	36" x 72" Wood Top Industrial Folding Table
	121	36" x 72" Wood Top Industrial Folding Table
	122	Justrite Flammable Storage Cabinet, Model 25300, 30 Gallon Capacity, 2-shelves, 43" x 18" x 44" (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$10 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)










 <p>Image 1 of 5</p>	123	<p>Justrite Flammable Storage Cabinet, Model 25450, 45 Gallon Capacity, 4-shelves, 43" x 18" x 65" (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$10 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)</p>
 <p>Image 1 of 17</p>	124	<p>Steel Work Bench 36" x 42" x 34", includes Bridgeport X and Y Table Screws, 28-drawer bin with assorted electrical, machine parts and hardware (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$10 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)</p>
 <p>Image 1 of 5</p>	125	<p>Rolling Steel Cage with 2-doors, 48" x 31" x 57", forklift slots (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$10 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)</p>
 <p>Image 1 of 4</p>	126	<p>Steel Top Rolling work die table, 36" x 28" x 32" x 7/8" thick steel surface (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$10 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)</p>
 <p>Image 1 of 2</p>	127	<p>Cabinet shelf, Approximate 24" x 24" x 84"</p>
 <p>Image 1 of 3</p>	128	<p>Shelving unit approximate 36" x 18" x 42"</p>
 <p>Image 1 of 6</p>	129	<p>Fiberglass Step Labdder, 9ft shipping height, 30 Lbs Capacity, 32" x 144" folded size, Model FS1012</p>



Image 1 of 2

130

Machine Coolant Tray, Approximate 29" x 49"



Image 1 of 2

131

Rolling Step Ladder approximate 54" Tall (Note: Needs repair)



Image 1 of 7

132

Cart and contents to include assorted electrical, tools and machine parts



Image 1 of 7

133

Rubbermaid Cart and contents to include: Aluminum stock, Chain, Casters, Ladder and more



Image 1 of 12

134

Weldotron Safe-T-Lite Controls, Light Bars and assorted hardware



Image 1 of 2

135

Machinery Moving Dollies, 3" and 4" Steel Casters



Image 1 of 2

136

Assorted Chain and Cumalong's



Image 1 of 2

137 Electric Foot Switch and Electrical



Image 1 of 3

138 Machine Spindle Nose, 7/8" Cam Locks



Image 1 of 7

139 Assorted Air Filters, Atlas Copco UNI 310305 and Harley Davidson



Image 1 of 9

140 Kodak Ektagraphic III E Plus Slide Projector, Assorted Computer Cables, Microphone



Image 1 of 2

141 (3) Basketball Hoops, Metal Frame



Image 1 of 1

142 Assorted Electronic Vacuum Tubes



Image 1 of 9

143 Pallet of Assorted Electrical and Hose Fittings as shown

 <p>Image 1 of 2</p>	144	Tool Box of assorted Wrenches
 <p>Image 1 of 5</p>	145	Briggs and Stratton Intek 206 Gas Powered Power Washer, 6.5HP OHV
 <p>Image 1 of 4</p>	146	Assorted Electrical Plugs and Misc
 <p>Image 1 of 5</p>	147	(2) 14" Roller Stands, height 24" up to 36" (Note: 1 foot is cracked) (1) 38" Pedestal
 <p>Image 1 of 5</p>	148	Machine Spindle for NMTB50 Tools, parts
 <p>Image 1 of 6</p>	149	(4) Assorted Foot Switches, Electric and Pneumatic
 <p>Image 1 of 2</p>	150	Metal Rolling Cart, 20" x 28" Surface











 <p>Image 1 of 8</p>	151	Assorted Tools, Grease Gun, Hammers, Vises, Files, Rulers and more
 <p>Image 1 of 10</p>	152	Miget Comatic Gun Model AH?O-E
 <p>Image 1 of 7</p>	153	Assorted Welding Items to include, Gas Valves and Mixers, Shield, Torch Tips
 <p>Image 1 of 4</p>	154	(3) Reamers, Approximate 1-1/2" 2", 2-1/2"
 <p>Image 1 of 14</p>	155	Assorted Sanding Abrasives to include: 6" belt, 1" belt, 1-1/2" belt, 4-1/2" disk, 7" disk
 <p>Image 1 of 2</p>	156	(16) Assorted 5C Collets
 <p>Image 1 of 4</p>	157	George Gorton Collets
 <p>Image 1 of 12</p>	158	Assorted Machine Perishables to include: Lennox Band Saw Blades 15" Saw Blades Norton 12" Grinding Disks



Image 1 of 6

159 Assorted End Mills, Drills Bits and Machine Tools



Image 1 of 15

160 Assorted to include: Black and Decker 1/4" Drill Electric Foot Switch Newall Scale Connector Jones and Shipmann Machine Ball Screw



Image 1 of 3

161 Metal Cart on Wheels, 24" x 36"



Image 1 of 8

162 (2) Kimball Desk Units, 4-drawer 36" x 72" and 4-drawer 2-door 20" x 72" (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$20 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)



Image 1 of 3

163 3-shelf metal cart on casters, Approximate 18" x 38" x 49"h










Image 1 of 5








164 Steel Table With Drawer, 48" x 96" x 35", (contents not included) (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$10 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)










Image 1 of 8








165 Steady Rest for 14" Lathe Follow Rest for 14" Lathe 12" 4-jaw chuck 20" Faceplate, 5-1/2" hole, 1" dia camlocks 10" faceplate, 6" hole, 1" dia camlocks









 <p>Image 1 of 11</p>	166	Assorted Lathe Fixtures to include: (2) 6" Diameter 4-jaw chucks (5) 8-1/4" Diameter Face Plates (4) assorted faceplates craftsman sander pneumatic sander miter saw
 <p>Image 1 of 10</p>	167	Steady Rest and Follow Rest for 25" Lathe
 <p>Image 1 of 10</p>	168	Gear Reduction Drive 1" and 1-1/2" shafts Roll Wire 3/c 16ga, water resistant SJ00W CSA (2) Steel beams
 <p>Image 1 of 9</p>	169	Minuteman Floor Scrubber, Model 4YH89, 15" diameter scrubber mount, 115v
 <p>Image 1 of 9</p>	170	30" x 60" Butcher Block Table on Metal Bench with drawer, 1-3/4" thick segments, power strip (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$10 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)
 <p>Image 1 of 4</p>	171	Banding Cart Includes Tensioner and Cutter
 <p>Image 1 of 4</p>	172	Banding Cart Includes Tensioner and Cutter

	173	Banding Cart Includes Tensioner and Crimper
	174	Banding Cart Includes Crimper
	175	Advance Manual Floor Sweeper
	176	Pallet of Assorted Marvel 81A Machines parts, Armstrong Blum Controller for Marvel 81A, Vises and other assorted items
	177	MicroAir MX1800 Metal Ventilation Cabinet, approximate 24" x 24" x 70", 120V (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$10 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)
	178	Steel Frame Stand, approximate 48" x 28" x 37-1/2"
	179	Hobart 295 Amp Welder, Model 110-077, Primary 230 O.C.V., 78-arc volts, 30-pri amps 65.7, Secondary Amps 295, temp rise 115 celsius, single phase, assorted grounding clamps, face shield, Large assortment of welding rods










 <p>Image 1 of 3</p>	180	(4) New Haven Wood Moving Dollies, 18" x 32"
 <p>Image 1 of 17</p>	181	NEW Pentair 273 PERFORMA Water Filter Systems w/ Logix 764 Controls Each Unit contains a new Tank, 273/764 Head unit, 1/2 Cu Ft Carbon Activated, 25lb gravel, 27.5 lbs coal and hook up accessories. (Note: Stock Photo)
 <p>Image 1 of 17</p>	182	NEW Pentair 273 PERFORMA Water Filter Systems w/ Logix 764 Controls Each Unit contains a new Tank, 273/764 Head unit, 1/2 Cu Ft Carbon Activated, 25lb gravel, 27.5 lbs coal and hook up accessories. (Note: Stock Photo)
 <p>Image 1 of 17</p>	183	NEW Pentair 273 PERFORMA Water Filter Systems w/ Logix 764 Controls Each Unit contains a new Tank, 273/764 Head unit, 1/2 Cu Ft Carbon Activated, 25lb gravel, 27.5 lbs coal and hook up accessories. (Note: Stock Photo)
 <p>Image 1 of 17</p>	184	NEW Pentair 273 PERFORMA Water Filter Systems w/ Logix 764 Controls Each Unit contains a new Tank, 273/764 Head unit, 1/2 Cu Ft Carbon Activated, 25lb gravel, 27.5 lbs coal and hook up accessories. (Note: Stock Photo)
 <p>Image 1 of 17</p>	185	NEW Pentair 273 PERFORMA Water Filter Systems w/ Logix 764 Controls Each Unit contains a new Tank, 273/764 Head unit, 1/2 Cu Ft Carbon Activated, 25lb gravel, 27.5 lbs coal and hook up accessories. (Note: Stock Photo)
 <p>Image 1 of 17</p>	186	NEW Pentair 273 PERFORMA Water Filter Systems w/ Logix 764 Controls Each Unit contains a new Tank, 273/764 Head unit, 1/2 Cu Ft Carbon Activated, 25lb gravel, 27.5 lbs coal and hook up accessories. (Note: Stock Photo)

 <p>Image 1 of 4</p>	187	Skid of Poly Gaskets as shown
 <p>Image 1 of 4</p>	188	Skid of assorted Rubber Gaskets as shown
 <p>Image 1 of 5</p>	189	Skid of 4" Diameter Poly Caps with gasket
 <p>Image 1 of 6</p>	190	Reverse Osmosis Water Filter, Approximate 24" diameter filter, Stand is 31" diameter x 87" frame around filter, Inlet/Outlet Openings 8" diameter flange, 2000 Lbs (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$20 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)
 <p>Image 1 of 10</p>	191	Assorted Steel to Include: 316 Stainless Steel Square Tube, 4.00" x 4.00" x .25" wall x 160" length. 10ft x 2" diameter threaded Stainless Pipe 5ft x 6" diameter threaded Stainless Tube (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$20 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)
 <p>Image 1 of 11</p>	192	International Portland Portable Clean Air Station, Model no. 25, 50-250 ft/min variable control, 120V
 <p>Image 1 of 14</p>	193	(3) Assorted Electric Drill to include: Milwaukee Magnum 1/2", Cat 0299-20, 0-850RPM, 120V Makita 3/8" DeWalt 3/8" VSR Drill DW106

 <p>Image 1 of 8</p>	194	Assorted Sanding and Painting supplies
 <p>Image 1 of 7</p>	195	Assorted Punches, Torch and misc
 <p>Image 1 of 3</p>	196	Assorted 2-1/4" Cincinnati Grinding Wheels and Blotters
 <p>Image 1 of 10</p>	197	(3) DRO axis units to Include: Bausch and Lomb Acu-rite Cat no. 38753, 115v Accu-rite III, 2-axis, cat 387597, 115v Anilam Wizard Mini Wizard, Model 101-2, 110v
 <p>Image 1 of 4</p>	198	6" 6-jaw chuck
 <p>Image 1 of 14</p>	199	(3) Rosko Toys Animated Bartender Battery Powered Toys, Charley Weaver, tree stand
 <p>Image 1 of 9</p>	200	Assorted Machine Tooling, Lathe Parts, Collets, Hammers, Chuck Jaws and more as shown
 <p>Image 1 of 18</p>	201	(12) Assorted Wildlife Prints to Include: Mark Anderson "Sunset Gathering" Mark Anderson "Winter Pheasants Mark Anderson "Pheasant Flush" Donald Blakney "Shadows" Ken Zylla "A Likely Refuge" Ken Zylla "Lifting to the North" Ken Zylla "Coming Together" Ken Zylla "Nary a Care" Leo Stans Loon Lore Collector set 0117 (4-pictures)

 <p>Image 1 of 6</p>	202	General Electric Vintage AM Tube Radio
 <p>Image 1 of 2</p>	203	(20) Ellis Mfg Company Inc baseball caps
 <p>Image 1 of 11</p>	204	(4) Assorted Pneumatic tools to include: Dynaflex Model 40320, 4550 SFPM, 1/2" CP Grinder RP9113 CP Grinder Dynabrade 5" Polisher/Sander
 <p>Image 1 of 5</p>	205	(2) Jacobs Super Ball Bearing Chucks, No. 14N 0-1/2" capacity
 <p>Image 1 of 7</p>	206	(3) Assorted Antiques, Signal Systems Time Clock, Time Card Holder and Metal Cast A.D.T. Fire Alarm Box
 <p>Image 1 of 17</p>	207	Kennedy 2-drawer tool box with assorted inspection and tooling: Mitutoyo, Browne and Sharp Rulers, Pocket Roughness Gage, Calipers, Dividers, Radius Gage, Rivet Gage, Gage Stand parts, Trammel, Indicator and more as shown
 <p>Image 1 of 12</p>	208	Assorted Machining Items to include, tailstock, Dividing Disks, Morse Taper, Ankle Plate, Centers, Boring Cutters, Routing Bits, Tapping Tools



 <p>Image 1 of 10</p>	209	Assorted Tools, Hammer, Threading, orse Taper, Palmgren 2-1/2" Vise, 6" C-Clamps, Drill Bits and more as shown
 <p>Image 1 of 8</p>	210	(3) Indicator Stands
 <p>Image 1 of 6</p>	211	Nardini 15" x 40" Follow Rest, Approximate 3" diameter capacity
 <p>Image 1 of 7</p>	212	Assorted items to include, electrical tape, shoe polish, grease gun, wrenches, Machine floor disks, and more as shown
 <p>Image 1 of 10</p>	213	Assorted Welding and Grinding to include, foot control, Weldcraft Tig Torch, DeWalt D28402 4-1/2" electric grinder
 <p>Image 1 of 4</p>	214	(2) Assorted Floor Jacks
 <p>Image 1 of 7</p>	215	Black and Decker Jointer/Spliner Tool in Metal Case, Model 3380, 8,500 RPM, 120V

 <p>Image 1 of 3</p>	216	Rockwell Band-it Banding Tool
 <p>Image 1 of 4</p>	217	Phase II DeMagnetizer, Stock no. 900.315, 120V, approximate 4-1/2" x 6-3/4" surface
 <p>Image 1 of 4</p>	218	Tapmatic 30x reversible tapping head, 0-1/4" capacity, max rpm 200, collet type
 <p>Image 1 of 4</p>	219	Tapping Head collet type
 <p>Image 1 of 6</p>	220	Assorted Sunnen Honing Tools and perishables
 <p>Image 1 of 13</p>	221	Assorted Machine Tools to include: Kitagawa Model BT204 4-1/4" Hydraulic Chuck, Cat50 Tool Holder, CNC 1" Coolant tool holders
 <p>Image 1 of 8</p>	222	Assorted Office items to include, clock, telephones, paper files

 <p>Image 1 of 7</p>	223	(2) Godard Numbered Canvas Paintings, 28" x 35"
 <p>Image 1 of 24</p>	224	Antique Schluter Heli-Baby, Heli-Trainer Order No. 707 RC Helicopter, Controller, Starter, Parts, Fuel, Manual (Note: This Item will not be shipped due to fuel and delicateness)
 <p>Image 1 of 12</p>	225	10-Drawer Wood Cabinet with assorted Inspection Tools, Perishable Tooling, Hardware, and more as shown
 <p>Image 1 of 3</p>	226	2-door 3-shelf cabinet, 36" x 18" x 42"h
 <p>Image 1 of 3</p>	227	2-door multi-shelf cabinet, Approximate 36" x 14" x 43"
 <p>Image 1 of 5</p>	228	5-Shelf Rack with contents as shown, 36" x 17" x 76"
 <p>Image 1 of 9</p>	229	6-Shelf Rack with contents as shown, 36" x 17" x 76"







 <p>Image 1 of 23</p>	230	(6) Vintage Wood Sand Casting Molds: Approximate Diameters 21", 31", 34", 35", 45", 54"
 <p>Image 1 of 12</p>	231	Precor Electric Heavy Duty Commercial Treadmill, Model C956i /C966i, Programs, Calorie, Heart Rate, Incline, Speed, Distance, Pace, Emergency Stop, Note: Belt was recently replaced (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$100 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)(Also note if you remove from office location with "your" help he will load onto trailer for \$20)
 <p>Image 1 of 11</p>	232	Precor Industrial Elliptical Machine, Model EFX576i, EFX556i, EFX546i, Programs, Calorie, Heart Rate, Incline, Speed, Distance, Pace, Note: Battery was recently replaced (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$100 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)(Also note if you remove from office location with "your" help he will load onto trailer for \$20)
 <p>Image 1 of 4</p>	233	Antique Bag Boy Golf Cart, Foldable, 11-1/2" Wheels
 <p>Image 1 of 4</p>	234	Antique Floor Lamp, 15-3/8" square table, 56-1/2" total height
 <p>Image 1 of 10</p>	235	(4) Assorted Faceplates and chuck to include: 11-3/4" dia, 9-3/4" dia, 14" dia, 10"dia 3-jaw chuck



Image 1 of 6

236 12" diameter 4-jaw chuck



Image 1 of 5

237 10" diameter 3-jaw chuck



Image 1 of 4

238 Assorted Hold Down Tooling and Racks



Image 1 of 3

239 Assorted Hold Down Tooling and Racks



Image 1 of 5

240 Assorted Machine Tooling as shown



Image 1 of 5

241 10" 3-jaw chuck



Image 1 of 6

242 Yuasa 12" 4-jaw chuck





Image 1 of 3

243 5C Collet Nose with 1" dia camlocks



Image 1 of 4

244 28" x 96" x 33" Metal Frame Workbench as shown (Note: Contents NOT included)



Image 1 of 8

245 Approximate (60) Assorted Reamers and Drill Bits, Morse Taper, Square end shank, round shank



Image 1 of 3

246 Approximate (17) Assorted Morse Taper and Drill Bits



Image 1 of 3

247 Approximate (70) Assorted Morse Taper Drill Bits










Image 1 of 3






248 Approximate (100) Assorted Morse Taper Drill Bits










Image 1 of 3

249 Assorted Center Drills, Screw in Type

 <p>Image 1 of 10</p>	250	Pallet of Assorted Drill Bits, End Mills and Reamers, Morse Taper, round shank and more as shown. Approximate 1,000 Lbs (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$10 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)
 <p>Image 1 of 6</p>	251	Steel Bin of Assorted Drill Bits, End Mills, Cutters and Reamers, Morse Taper, round shank and more as shown. Approximate 500 Lbs (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$10 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)
 <p>Image 1 of 5</p>	252	Wood Crate of Assorted Small Size Drill Bits, Approximate 250Lbs (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$10 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)
 <p>Image 1 of 5</p>	253	Steel Drum of Assorted Drill Bits and Reamers, approximate 250Lbs (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$10 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)
 <p>Image 1 of 18</p>	254	Craftsman 12" Bandsaw / Sander Model 113.243310 120V Assorted Blades (Motor not working)
 <p>Image 1 of 13</p>	255	Craftsman 10" Table Saw Model 113.298720 27" x 44" Table Fence and Miter 120V (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$20 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)
 <p>Image 1 of 4</p>	256	Wood 6-Door Cabinet, approximate 54" x 15" x 112" (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$25 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)


 <p>Image 1 of 3</p>	257	Steel Workbench with shelf, 36" x 72" (Note: Contents NOT included)
 <p>Image 1 of 5</p>	258	Acme 1.5KVA General Purpose Transformer, Cat no. T-2-53011-5, Primary 240/480V, Secondary 120/240V, 1.5kva, 60hz, 1-phase
 <p>Image 1 of 7</p>	259	Graco Probatch Precision Dispense/Proportioning System - 110V (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$20 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)
 <p>Image 1 of 2</p>	260	Justrite Flammable Liquid Storage Cabinet
 <p>Image 1 of 3</p>	261	VISUMATIC Pneumatic Bowl Screw Feeder
 <p>Image 1 of 3</p>	262	Horizon PC-P40 Paper Cutter
 <p>Image 1 of 7</p>	263	(2) Nuttall Gear Corp Gear Motors Cat no. R43D HP: 15 Ratio: 25.63 Output RPM: 68 Service Factor: 1 (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$20 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)

 <p>Image 1 of 2</p>	264	VISUMATIC Pneumatic Bowl Screw Feeder
 <p>Image 1 of 7</p>	265	MHP Coolant Systems Performance Pump for CNC Machines MHP-250-S5 (Notes: Manual and yellow cord were misplaced and are not included) (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$10 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)
 <p>Image 1 of 9</p>	266	Air Techniques Dual Head Oil-Less Compressor 230V Video Link: <a href="https://www.youtube.com/watch?v=BeMioQJ8Vw&amp;feature=youtu.be">https://www.youtube.com/watch?v=BeMioQJ8Vw&amp;feature=youtu.be</a> (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$20 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)
 <p>Image 1 of 7</p>	267	(4) BMW 3 Series 15" Alloy Rims
 <p>Image 1 of 4</p>	268	(4) APC Smart-UPS 2(SMT2200RM2U) Battery Backups (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$20 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)
 <p>Image 1 of 7</p>	269	Gaertner Scientific Laser Ellipsometer (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$20 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)
 <p>Image 1 of 6</p>	271	Ace Super Tap and Die Set, 6-32 to 7/16-20nf




 <p>Image 1 of 5</p>	272	Yuasa 5C Collet Closer, Model 550-004
 <p>Image 1 of 4</p>	273	Bridgeport Right Angle Head, R8
 <p>Image 1 of 5</p>	274	(2) Bridgeport Power Table Feed Mounting Plates
 <p>Image 1 of 3</p>	275	7-1/2" Diameter Face Plate, and collars
 <p>Image 1 of 5</p>	276	5C Collet Indexer
 <p>Image 1 of 9</p>	277	Assorted Hardinge Tooling and CAT40 Tool Holders
 <p>Image 1 of 6</p>	278	Assorted Machine Parts, cutter, wheel, bolts as shown







 <p>Image 1 of 4</p>	279	Angle Plate, 6" x 8" x 10"
 <p>Image 1 of 5</p>	280	Assorted Grinder Accesories, Trueing Tool, Drip Cup, tray
 <p>Image 1 of 6</p>	281	(2) Antique Machine Articulating Lamp
 <p>Image 1 of 8</p>	282	Partial Pin Gage Set, .231 to .500
 <p>Image 1 of 6</p>	283	Indicator and Measuring Stand, Browne and Sharpe indicator 7030-5, .0005"
 <p>Image 1 of 14</p>	284	Alva F. Allen 2-ton Punch Press Model B Serial B-2-LFK19671 6" x 8" Table 3-1/2" x 5" Window 1" Arbor 1" Stroke Counter
 <p>Image 1 of 10</p>	285	Assorted Stock metals to include: Approximate measurements (1) Aluminum 35" x 48" x 1/8" (1) Aluminum 28" x 35" x 1/8" (1) Steel usable 25" x 38" x 1/8" (1) Stainless Steel Bar 82" x 1-1/8" diameter (1) Stainless Steel Bar Usable 42" x 1-1/2" diameter

 <p>Image 1 of 8</p>	286	Steel Leg Bench with wood top, 30" x 60" x 33"h, Includes Sears 5175 3-1/2" Bench Vise and Adjustable Office Chair
 <p>Image 1 of 6</p>	287	24" Cast Sprocket
 <p>Image 1 of 12</p>	288	Metalist Standbury Marching Uniform, Pants 36" x 44-1/2", Jacket Vest Size 46R, Jacket and Cap
 <p>Image 1 of 7</p>	289	(3) Assorted Hats, U.S. Naval Academy, Monaco Finefelts and Tschler Hut
 <p>Image 1 of 7</p>	290	Dremel Shoe Polishing Bonnet, 110V
 <p>Image 1 of 8</p>	291	Western Germany Alp Shorts, Size 42 with suspenders
 <p>Image 1 of 3</p>	292	Anchor Bib Apron, CA-700 Large

 <p>Image 1 of 11</p>	293	Harley Davidson Chaps and Hood
 <p>Image 1 of 6</p>	294	(2) Baskets
 <p>Image 1 of 9</p>	295	Pallet of Assorted Saw Blades as shown, Marvel, Milford, DoAll Brands and others
 <p>Image 1 of 5</p>	296	4-shelf Rolling Metal Cart with Doors, Approximate 48" x 24" x 56" (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$10 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)
 <p>Image 1 of 3</p>	297	Box of Filters, Approximate 18" x 18" x 5", some cut
 <p>Image 1 of 8</p>	298	Camco Gear Drive, Model 5001PPP2-32-4H32, Serial 274541, 1-1/4" Shafts (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$10 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)
 <p>Image 1 of 4</p>	299	Welded Steel Die 5-shelf Unit, approximate 72" x 19" x 72"h (Note: contents not included) (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$20 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)



 <p>Image 1 of 3</p>	300	5-shelf storage rack, approximate 36" x 18" x 72"
 <p>Image 1 of 4</p>	301	4-shelf NSF Racking, approximate 48" x 18" x 78"
 <p>Image 1 of 2</p>	302	T Slot Aluminum Profile, Misc. Maytec Brand (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$20 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)
 <p>Image 1 of 3</p>	303	Ergotron Wall Mount Monitor Arms, New, Heat Gun, Outlet Strips, Pintle Ring (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$20 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)
 <p>Image 1 of 8</p>	304	Xerox Docucolor 250 Digital Color Copier, powers on, supplies included (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$20 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)
 <p>Image 1 of 4</p>	305	(2) Fork Lift Extensions, 6' long, 6" channel
 <p>Image 1 of 3</p>	306	Todco Box Truck Rear Roll Up Door, New, never Installed (Note: If Help is needed for loading please bring it, Rigger onsite has quoted \$20 for loading fee on this item. Payment will need to be paid directly to rigger at time of pickup.)

 <p>Image 1 of 2</p>	307	Blizzak Tires, 3, 40% tread left 235/35/R19
 <p>Image 1 of 11</p>	308	Montgomery Ward Powr-Kraft Survey Level Model No. 84-6463 In locking metal case
 <p>Image 1 of 11</p>	309	Vintage Jensen Mfg Co. Electric Steam Engine Style No. 10 115V AC /DC, 450 watts, 4 amps Purchased at Montgomery Ward in the Early 50's
 <p>Image 1 of 10</p>	319	Dayton Gear Motor and Controls to include: DC Gear Motor Model 4Z383A, HP: 1/8, RPM: 31, V: 90, A: 1.5, Torque: 244in/lb, Ratio:58 to 1 DC Variable Controller Foot Switch
 <p>Image 1 of 3</p>	320	Assorted Garbage Barrels and dollies as shown
 <p>Image 1 of 9</p>	321	Ricoh Aficio MP C3500 Printer - Ricoh Aficio color printer. Comes with adapter and power cord, as well as ink cartridges.

#### Photo Appendix

The photo appendix exceeded the image list size limit and will not be created.  
Please reduce the number of photos in the auction to 500 non-barcode images.