
AUCTION

GUNDRILLS – MACHINE TOOLS – Q.C. – MATERIAL HANDLING
ON-SITE/WEBCAST AUCTION IN TEXAS WITH ITEMS IN MAINE SOLD BY PHOTO
REAL ESTATE TO BE OFFERED SUBJECT TO CONFIRMATION (See Page 6)

Featuring: Unisig Counter Rotating CNC Deep Hole Drill (2014), Dehoff & Eldorado Gundrills; Huge Assortment of Gundrills; Summit Hollow Spindle Lathe (2014), Trak CNC Vertical Mill (2014); Support Machinery; Precision Instruments; Material Handling Equip.; Rolling Stock; Real Estate & More

2014



UNISIG MDL. B500-4M COUNTER ROTATING DEEP HOLE BORING MACHINE

2014



TRAK K3SX CNC VERTICAL MILLING MACHINE

CNC

AUCTION: TUESDAY, FEBRUARY 27 10:00 A.M.

Auction Conducted at

GROVER GUNDRILLING
1701 EAST MAIN STREET
EAGLE LAKE, TEXAS 77434

(See Directions on Back Page)

MORE EQUIPMENT IN MAINE TO BE SOLD BY PHOTO SEE PAGES 6 & 7 FOR DETAILS

INSPECTION: Mon., Feb. 26, 9:00 A.M. to 4:00 P.M. & Morning of Sale

BUYER'S PREMIUM: 15% ON-SITE • 18% WEBCAST

On-Site Bidding in Eagle Lake, TX or Bid Via Webcast at BidSpotter.com

14.2" BORE

2014



SUMMIT 42" X 120" HOLLOW SPINDLE LATHE



INDUSTRIAL REAL ESTATE, OFFICE VIEW

Sale Conducted By:

PLANT & MACHINERY INC.
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

Ron Moore, Texas Lic. #7314
HOUSTON • DALLAS • ST. LOUIS

Headquarters:
1304 Langham Creek Drive, Suite 454
Houston, Texas 77084

PHONE: (713) 691-4401 **FAX: (713) 672-7905**

E-MAIL: pmi@pmi-auction.com
WEBSITE: www.pmi-auction.com

CNC & MANUAL MACHINE TOOLS NEW AS 2014, QC, FORKLIFTS, MORE!
REAL ESTATE TO BE OFFERED SUBJECT TO CONFIRMATION (See Page 6)
ONSITE AUCTION IN TEXAS WITH ITEMS IN MAINE SOLD BY PHOTO



< *UNISIG MDL. B500-4M COUNTER ROTATING DEEP HOLE BORING MACHINE*



UNISIG WORK HEAD



UNISIG DRILL HEAD

CNC DEEP HOLE COUNTER ROTATING DRILLING & BORING MACHINE

UNISIG MDL. B500-4M, new 2014, 4" max. drilling dia. from solid, 6" counter boring dia., 6" trepanning dia., 20" sw. over bed, 157" max. workpiece length, 9,634-lb. drilling force, 144 IPM drill headstock rapid traverse, drilling spds.: 0–1,100 RPM, 90 HP drill drive motor, headstock spds.: 0–275 RPM, 40 HP headstock motor, Siemens Simatic programmable control system w/touch screen panel and fully programmable speeds and feeds, (2) 21" dia. 4-jaw independent chucks, (2) damper rests w/interchangeable damper heads, 3 pt. roller steady rest, Turbo chip conveyor, Koolant Koolers coolant refrigerant system, (4) Global Filter cartridge filters, (14) boring bars in sizes: 806, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819 and 821, 4 meters in length, 18'-8" overall bar length, machine accessories incl. split bushings, Phenolic inserts and assorted custom machining pieces, S/N 1851.



UNISIG BORING BARS AND RACK



< *UNISIG COOLANT SYSTEMS*



UNISIG SIEMENS CONTROL



BTA CUTTERS

APPROX. (60) FROM 1" TO 6" BTA CUTTERS; (5) BORING BAR ADAPTERS; WIDE ARRAY OF INSERTS FOR THE PREVIOUSLY DESCRIBED BTA CUTTERS.

< *PARTIAL VIEW OF BTA CUTTERS*

INSPECTION: Monday, February 26, 9:00 A.M. to 4:00 P.M. & Morning of Sale



DEHOFF CNC GUNDRILL



< SUMMIT 42" X 120" HOLLOW SPINDLE LATHE



TRAK K3SX CNC VERTICAL MILLING MACHINE

AUCTION: TUESDAY, FEBRUARY 27 • 10:00 A.M.



ELDORADO GUNDRILL



HUGE ASSORTMENT OF GUNDRILLS



TITANIUM BARSTOCK

CNC GUNDRILL

DEHOFF, new 1997, 18"W. x 58"L. tbl., 60" stroke, 10 HP drill drive motor, 2" drill cap., Allen Bradley PC electronics w/touch screen, DeHoff high pressure coolant system, fd. rate: .1–30 IPM, 150 IPM rapid retraction, spds.: 750–4,000 RPM, 30 HP drive motor, (2) cartridge filters, reservoir, Koolant Koolers refrigeration system, 300 gal. coolant system, large assortment of timing pulleys, bed plates, guides and accessories, S/N DH1893.

GUNDRILL

ELDORADO, approx. 36" stroke, 1" max. drilling cap., Eldorado Mdl. F15-0002 high pressure spray mist coolant system, Allen Bradley PLC control system w/Panelview, 10 HP drill drive, 22" x 36" fixture tbl., S/N 1633.

GUNDRILLS & COMPONENTS

ELDORADO 26"W. X 140"L. PRECISION MACHINE BASE (used as drilling extension); **CAST IRON GUNDRILL BED SECTION** from a Pratt & Whitney 1-1/2B gundrill, consisting of: 20'-6"L. x 20"W. 4-way bed unit and 8-91"L. x 20"W. 4-way bed unit; **ELDORADO GUNDRILL SHARPENING FIXTURE; GUNDRILL GUIDE PLATES; HARDENED AND GROUND DRILL BUSHINGS; LARGE ASSORTMENT OF GUNDRILLS BY ELDORADO AND OTHERS,** up to 10'L. and from .125 dia. up to 1-3/4" dia.; **MORE!**

HOLLOW SPINDLE LATHE

SUMMIT MDL. 42-14X/120, new 2014, 42" sw. over bed, 29.5" sw. over crosslide, 63.38" sw. over gap, 22.44" width of gap, 14.2" spndl. bore, spds.: 4–300 RPM, 30 HP spndl. drive unit, inch/metric thdng., taper attach., pendant control, sliding chuck guards, Air Trip thdng. attach., Newall 2-axis D.R.O., follow rest, 3 pt. steady rest, custom 14" dia. rotating suppt., rotating turret stop, front and rear 28" dia. 4-jaw independent chucks, S/N 13008.

CNC VERTICAL MILLING MACHINE

TRAK MDL. K3SX, new 2014, Prototrak SMX 2-axis CNC control, 10" x 50" tbl., 32" X-axis travel, 12" Y-axis travel, 16" Z-axis travel, 5" manual quill travel, spndl. quill readout, spds.: 60–4,200 RPM, 3 HP spndl. drive motor, pwr. drawbar, pwr. feed on knee, mist coolant system, S/N 133CK46556.

TITANIUM BARSTOCK

APPROX. 3,000-LBS. OF CUT AND CHAMFERED TITANIUM BAR STOCK, nominal size: 1-1/8" dia. x 31-3/16"L. in crates.



GENERAL HYDRAULIC 400 T. CAP. 4-POST HYDRAULIC PRESS



PARKER MAJESTIC 6" X 18"
HAND FEED SURFACE GRINDER



MITUTOYO OPTICAL COMPARATOR

AUCTION

On-Site Bidding in Eagle Lake, Texas or Bid Via Webcast at BidSpotter.com

HYDRAULIC 4-POST PRESS

GENERAL HYDRAULICS 400 T. CAP. MDL. 410-D400-36 4-POST HYDRAULIC PRESS, 36" x 56" ttl. Bed size, 37-1/2" x 17" dist. btwn. posts, Racine 25 HP unitized hyd. unit w/cooler, dual palm button control station, S/N 66004-400.

SUPPORT MACHINERY

PARKER MAJESTIC 6" X 18" HAND FEED SURFACE GRINDER, Walker 6" x 18" perm. magnetic chuck, 1 HP direct drive spndl., pwr. elevation to spndl. head, 7" max. wheel dia., S/N 3509-ZM-78.

ROYAL MDL. UE-918SSA HORIZONTAL BANDSAW, 9" round, 9" x 17-3/4" rectangular–90 deg., 9" x 11-3/4" rectangular–45 deg., 1" blade, spds.: 82–247 FPM, swivel miter base, 5' infeed roller conveyor, S/N 8102273.

SUNNEN MDL. MBB-1800 POWER STROKER HORIZONTAL HONING MACHINE, coolant base, pwr. stroking attach., assorted stones and mandrel, S/N 73113.

BROWN & SHARPE NO. 13 UNIVERSAL TOOL AND CUTTER GRINDER, pwrd. workhead, S/N 525-13-351.

QUALITY CONTROL EQUIPMENT

MITUTOYO MDL. PH-A14 HORIZONTAL BEAM OPTICAL COMPARATOR, QM-Data 200 D.R.O. system, 14" dia. screen, 10X lens, surface illumination, S/N 009821303. **MUCH MORE INCL.: (2) 24" X 36" X 4" THK. GRANITE SURFACE PLATES** on stand; **24" X 18" X 3" THK. GRANITE SURFACE PLATE; 48" X 72" X 8" THK. GRANITE SURFACE PLATE,** Grade A, on fabricated steel stand; **ASSORTED PIN GAUGE SETS; MITUTOYO 11" to 12" DIAL SNAP GAUGE (new); INSIZE 1" TO 12" MICROMETER SET; ASSORTED VERNIER CALIPERS; DIAL TEST INDICATOR STANDS; FEDERAL POCKET SURFACE ROUGHNESS GAUGE; SPI SURFACE ROUGHNESS GAUGE; ASSORTED PLUG GAUGES; TELESCOPING GAUGES; (2) MITUTOYO 12" DIAL TYPE HT. GAUGES; (4) LARGE PRECISION GROUND V BLOCKS; SMALL PRECISION GROUND V BLOCKS** w/keepers; **DIAL VERNIER CALIPERS** up to 12"; **FOWLER BINOCULAR MICROSCOPE; MORE!**

OFFICE FURNITURE & EQUIPMENT

LATE MODEL FURNITURE INCL.: MODULAR DESKS AND CHAIRS; CONFERENCE TBL. AND CHAIRS; FILING CABINETS; RECEPTION AREA FURNITURE; ACOUSTIC CUBICLES; XEROX WORKCENTER MDL. 5645; MORE!



ROYAL HORIZONTAL BANDSAW



< SUNNEN MDL. MBB-1800
POWER STROKER
HONING MACHINE



GRANITE SURFACE PLATE





ASSORTED PRECISION INSTRUMENTS



HILLMAN MACHINE SKATE SET



< FS-CURTIS ROTARY SCREW AIR COMPRESSOR AND DRYER



> NISSAN 15,000-LB. CAP. LPG FORKLIFT

ROTARY SCREW AIR COMPRESSOR

FS-CURTIS MDL. RSB-25, 25 HP motor, 101 CFM @ 125 PSI, mtd. to 125 gal. horiz. tank, Speedaire refrigerated air dryer, S/N RS2501J120010.

MISCELLANEOUS SHOP & WAREHOUSE EQUIPMENT

CENTRAL MACHINERY 20 T. H-FRAME SHOP PRESS, adj. ht. bed, assorted fixtures; **KURT 6" ANGLE LOCK MILLING VISE; 3" PRECISION SINE GRINDING VISE; SELECTION OF R-8 TOOLHOLDERS** incl. collets, endmill holders and boring equipment; **HUOT DRILL INDEXES; WIDE ARRAY OF ENDMILLS, TAPS, REAMERS AND CARBIDE INSERTS** of all varieties; **NUTS, BOLTS AND WASHERS** in sorted cabinets; **ASSORTMENT OF HAND TOOLS** of all descriptions; **JUSTRITE FLAMMABLE MATERIAL STORAGE CABINET; MILLER DYNASTY 200 TIG WELDER** w/accessories and foot pedal; **OXY./ACY. TORCH KIT** w/ bottle cart; **SORTED PARTS CABINET; OXY. BOTTLE SAFETY STORAGE CABINET; (3) BARREL DOLLIES; BALDOR BENCH GRINDER,** on fabricated steel stand; **MORE!**

MATERIAL HANDLING EQUIPMENT

SET OF HILLMAN MACHINE SKATES w/handles; **H.D. ROLLER PLATFORM CARTS; ULINE BANDING CART** w/tools; **SET OF HILLMAN 15 T. CAP. ROLLERS** (new); **GLOBAL 5,000-LB. CAP. DIGITAL PLATFORM SCALE,** 48" dia.; **(2) 4 T. CAP. X 103"L. SPREADER BARS; (2) 2 T. CAP. X 78"L. SPREADER BARS; MORE!**

FORKLIFTS

NISSAN 15,000-LB. CAP. MDL. 15-5, dual LPG system, 14,280-lbs. @ 24" L.C., 2-stage mast, 147" max. lift, 96"L. forks, dual front cushion tires, dock lights, 76"W. fork carriage, S/N JF05-000076.

TOYOTA 6,000-LB. CAP. MDL. 8FGCU30, 5,120-lbs. @ 24" L.C., triple stage see-thru mast, 187" max. lift, 48"L. forks, side shift, cushion tires, dock lights, 756 H.O.M., S/N 18591.

FREE STANDING PEDESTAL JIB CRANES

(2) HANDLING SYSTEMS 3 T. X 18' REACH, approx. 9' ht. under hook, Herrington 3 T. cap. elec. chain hoist, pwr. trolley and chain basket, S/N 00130375, S/N 00130372.

A-FRAME GANTRY CRANES

(4) CALDWELL 2 T. X 11' SPAN, 8' ht. under hook, 2 T. cap. chain fall; **CALDWELL** 1 T. X 11' SPAN, 8' ht. under hook.

FLATBED TRUCK

2005 INTERNATIONAL MDL. 4300SBA4X2, diesel pwrd., DT466 engine, Fuller trans., sgl. axle, 20' wood deck, 3,000-lb. hyd. lift gate, toolbox, rub rails, stake pockets, VIN 1HTMAAN26H193173.



TOYOTA 6,000-LB.CAP. LPG FORKLIFT



HANDLING SYSTEMS 3 T. CAP. PEDESTAL JIB CRANE



INTERNATIONAL DIESEL FLATBED TRUCK



ROLLING GANTRY CRANES



MAPLE TOP WORKSTATIONS



MODULAR OFFICES



XEROX WORKCENTER

REAL ESTATE IN EAGLE LAKE, TEXAS TO BE OFFERED FOR SALE SUBJECT TO THE SELLER'S CONFIRMATION OF THE HIGH BID



APPROX. 13.44 ACRES OF LAND W/SINGLE-TENANT OFFICE/WAREHOUSE TOTALING 23,125 SQUARE FEET (per. Colorado County Appraisal District). 120'W. X 130'L. MAIN MACHINE SHOP BUILDING. 60'W. X 120'L. BACK WAREHOUSE STORAGE SECTION. Drive thru bays w/(10) 22'W. x 18'H. roll-up doors, plumbed for air system, dock wells, dbl. ht. exterior truck ramp, concrete paved parking area, large aggregate lot, retention pond, brick fascia office building, air conditioned shop, heavy 3-phase electrical service.

Real estate will be offered on site only. No internet bidding. To be offered at the beginning of the sale prior to the equipment auction.







ALL ITEMS IN THIS SECTION ARE LOCATED IN MAINE & WILL BE SOLD ONLINE & BY PHOTO AT THE EAGLE LAKE, TEXAS LOCATION

Primary Maine Location:

GROVER GUNDRILLING
59 Industrial Drive
OXFORD, MAINE 04270
(See Directions on Back Page)

AUCTION DATE: FEBRUARY 27
10:00 A.M. CENTRAL

INSPECTION IN MAINE: By Appointment Only



< MIROKU KNEE TYPE CNC GUNDRILL



< MATSUMOTO OUTBOARD ROTARY AXIS



> CLAUSING KONDIA CNC VERTICAL MILLING MACHINE

KNEE TYPE CNC GUNDRILL

MIROKU MDL. E-1000NC, new 2001, Fanuc 21iM CNC control, 0.16" to 1-1/4" drill dia., 40" drill depth, spds.: 580–5250 RPM, ball screw drive, 39.3" x 59" tbl., 4,400 -lb. tbl. cap., 30" X-axis travel, 18" Y-axis travel, 1,500 PSI coolant system, spndl. load monitor, whip guides, coolant retriever, S/N M-5831 (ME).

OUTBOARD ROTARY AXIS

CUSTOM BUILT, consisting of: Matsumoto Mdl. MDHV632R-04, new 2014, 14-1/2" hollow spndl. tbl., 25" dia. 3-jaw chuck w/12-1/2" spndl. hole, mtd. on machine base, 176" x 50" base, approx. 32-1/2" ht., rotary tbl. mtd. to linear guideway runway w/160" travel, gear rack adj., Fanuc servo motor, Turmoil Mdl. OCO-150R oil chiller for cooling during continuous rotary operation S/N 107450 (ME).

CNC VERTICAL MILLING MACHINES

CLAUSING KONDIA MDL. FV1, 9" x 48" tbl., Prototrak EMX 2-axis control, variable spndl. spds.: 60–4,000 RPM, 2.2 kW spndl. motor, Kurt pwr. drawbar, mist coolant, assorted R-8 collets, S/N X-853 (ME).

CLAUSING KONDIA MDL. FV1, 9" x 48" tbl., Prototrak Plus 2-axis control, variable spndl. spds.: 60–4,000 RPM, 2.2 kW spndl. motor, Kurt pwr. drawbar, mist coolant, assorted R-8 collets, S/N X-289 (ME).

SUPERMAX PROMAX MDL. 11/VS, Acu-Rite Millvision 2-axis control, 9" x 49" tbl., spds.: 60–4,200 RPM, 3 HP motor, pwr. knee, S/N 200 (ME).

VERTICAL TURRET MILLING MACHINES

MILLPORT, 10" x 50" tbl., spds.: 60–4,200 RPM, pwr. feed on cross and long., 2-axis D.R.O., pwr. drawbar, (2) 6" milling vises, S/N 6005K2 (ME).


SUPERMAX MDL. YCM40, 9" x 50" tbl., spds.: 60–4,200 RPM, quill D.R.O., S/N 503681 (ME).



< SUNNEN HONING MACHINE



SUMMIT 42" X 120" HOLLOW SPINDLE LATHE



LEBLOND MAKINO 15" X 60" ENGINE LATHE

ALL ITEMS IN THIS SECTION ARE LOCATED IN MAINE & WILL BE SOLD ONLINE & BY PHOTO AT THE EAGLE LAKE, TEXAS LOCATION

INSPECTION IN MAINE:
By Appointment Only

CONTACT: Garth Grover
Phone: (207) 743-7051, Ext. 3040

EMAIL: garth.grover@grovergundrilling.com

HORIZONTAL HONING MACHINE

SUNNEN ECLIPSE MDL. EC3500D, pwr. stroking, variable spd. and feed controls, auto. sizing, S/N 451-1093 *(*Note: this machine currently has electrical problem and needs repair)* (ME).

ENGINE LATHES

SUMMIT 42" X 120" MDL. 42-12X/1200C HOLLOW SPINDLE, new 2014, 42" sw. over bed, 29.5" sw. over crosslide, 63.38" sw. over gap, 22.44" width of gap, 14.2" spndl. bore, spds.: 4–300 RPM, 30 HP spndl. drive unit, inch/metric thdng., taper attach., pendant control, sliding chuck guards, Air Trip thdng. attach., Newall 2-axis D.R.O., follow rest, 3 pt. steady rest, custom 14" dia. rotating suppt., rotating turret stop, front and rear 28" dia. 4-jaw independent chucks, S/N 12012 (ME).

SUMMIT 19" X 84" GAP BED, 28" sw. in gap, 4.15" spndl. bore, spds.: 22–1,500 RPM, inch/metric thdng., taper attach., Adjust-Tru 12" dia. 6-jaw chuck, quick change toolpost, S/N 03255677 (ME).

MILLPORT 18" X 60" MDL. SJ1860G GAP BED, Newall 2-axis D.R.O., 8" dia. 6-jaw chuck, steady rest, quick change toolpost, S/N 3806001 (ME).

LEBLOND MAKINO REGAL 15" X 60", 9" sw. over crosslide, 2-1/4" spndl. bore, spds.: 45–1,800 RPM, inch/metric thdng., Adjust-Tru 8" dia. 6-jaw chuck, Newall 2-axis D.R.O., Dorian quick change toolpost carriage w/(5) toolholders, steady rest, 10" dia. 4-jaw chuck, carriage controls, servo shift headstock, S/N 14C-735 (ME).

MISC. MACHINERY & SUPPORT EQUIPMENT

PRATT & WHITNEY MDL. R-8 TOOL AND CUTTER GRINDER, for radius and tangent grinding, 4,600 RPM spndl., motorized workhead attach., S/N N.A. (ME); **BROWN & SHARPE 6" X 18" MDL. 2L HAND FEED SURFACE GRINDER,** perm. magnetic chuck, S/N 523-2-1668 (ME); **BARRETT CHIP WINGER,** approx. 3 cu. ft., spinner basket, S/N 402594-D (ME); **KOOLANT KOOLER MDL. FC30PRC COOLANT COOLER,** 1-1/2 HP motor, S/N 32340 (ME); **(2) MISTBUSTER MIST COLLECTORS,** variable spd. drive fan (ME); **GRANITE SURFACE PLATE,** 48" x 48" x 6" thk., wood cabinet base, on casters. (ME); **RATCHET STYLE ARBOR PRESS,** approx. 3 T. cap. (ME); **(2) GRANITE SURFACE PLATES,** 12" x 18" x 3" thk. (ME).

BANDSAWS

(2) KALAMAZOO MDL. 13AW HORIZONTAL, 13" rd. cap., approx. 12" x 24" rect. cap., 1" blade size, spds.: 65–360 SFPM, 2 HP blade drive, output tray, 60" infeed conveyor, S/N N2987, S/N 1693 (ME).

DOALL MDL. V-36 VERTICAL, 36" throat depth, 30" sq. tilting tbl., rip fence, blade welder and grinder, S/N N.A. (ME).

FORKLIFT

CLARK 4,150-LB. CAP. MDL. GCX25, LPG engine, 4,150-lb. @ 41" L.C., 188" lift ht., 48"L. forks, non-mar tires, side shift, S/N GX230-464-9140KOF (ME).

CRANES


SPANCO 1/2 T. X 14' REACH FREE STANDING PEDESTAL JIB CRANE, approx. 8' under hook, 500-lb. cap. elec. chain hoist. (ME); **SPANCO 2 T. CAP. ROLLING GANTRY CRANE SYSTEM,** 167"W., approx. 8'H. under hook, non-mar caster, 2 T. cap. manual chain fall (ME); **SPANCO 2 T. CAP. ROLLING GANTRY CRANE,** 128"L., approx. 7' under hook (ME); **CUSTOM BUILT 2 T. CAP. ROLLING GANTRY CRANE SYSTEM,** 115"W., approx. 104" under hook, 115" bridge travel, rolling bridge design, non-mar casters, 2 T. cap. manual chain fall (ME); **CALDWELL 1 T. CAP. ROLLING GANTRY CRANE SPAN,** 101" span, 6' ht. under hook, 1 T. cap. manual chain fall (ME); **CUSTOM BUILT 1 T. CAP. ROLLING GANTRY CRANE SYSTEM,** 114"W. x 116"L., 6' under hook. (ME); **(8) CUSTOM BUILT 1 T. CAP. ROLLING GANTRY CRANE UNITS,** 10'W. x 5' DP., approx. 6' under hook, non-mar casters (ME); **CUSTOM BUILT 1 T. CAP. ROLLING GANTRY CRANE,** 117"L. x 57"W., (2) CM 1/8 T. cap. elec. chain hoist (ME).

RECIPROCATING AIR COMPRESSOR

QUINCY MDL. QR370, (2) 15 HP reciprocating heads, approx. 200-gal. air receiver, S/N 20060913-0041 (ME).

REFRIGERATED AIR DRYERS

SMC MDL. IDFB22E, new 2015, 107 SCFM, S/N TP0570C (ME); **SPEEDAIRE MDL. 52657B,** 36.8 SCFM, S/N XH353 (ME).



ROLLING FRAME GANTRY CRANES



CLARK 4,150-LB. CAP. LPG FORKLIFT



SPANCO 1/2 T. PEDESTAL JIB CRANE

PLANT & MACHINERY INC.
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE
P.O. Box 218568
Houston, TX 77218-8568

DATED MATERIAL – PLEASE DELIVER

GUNDRILLS – MACHINE TOOLS – Q.C. – MATERIAL HANDLING ON-SITE/WEBCAST AUCTION IN TEXAS WITH ITEMS IN MAINE SOLD BY PHOTO REAL ESTATE TO BE OFFERED SUBJECT TO CONFIRMATION (See Page 6)

Featuring: Unisig Counter Rotating CNC Deep Hole Drill (2014), Dehoff & Eldorado Gundrills; Huge Assortment of Gundrills; Summit Hollow Spindle Lathe (2014), Trak CNC Vertical Mill (2014); Support Machinery; Precision Instruments; Material Handling Equip.; Rolling Stock; Real Estate & More

PMI AUCTION

EAGLE LAKE, TEXAS

PUBLIC INVITED

AUCTION: TUESDAY, FEB. 27 • 10:00 A.M.

NAA Auctioneer · ASSOCIATION OF MACHINERY AND EQUIPMENT APPRAISERS · MDNA MACHINERY DEALERS NATIONAL ASSOCIATION · TEXAS AUCTIONEERS ASSOCIATION · IAA

ATTENTION: PLANT MANAGER OR EQUIPMENT BUYER

Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

DIRECTIONS

FROM HOUSTON: Take Interstate 10 West towards San Antonio. In Sealy, TX take Exit 720 for Hwy. 36/Eagle Lake/Rosenberg. The jug handle style exit will bring you to Hwy. 36. You will turn right at the light (south) and then proceed south on Hwy. 36. In a couple of miles, you will come to Farm Road 3013 with a sign indicating to turn right to go to Eagle Lake. Turn right onto FM 3013 and proceed southwesterly all the way to Eagle Lake. After you cross the railroad tracks nearing Eagle Lake, you will intersect with East Main St./Alt. 90. (Caution: There are stop signs on FM 3013 but Alt 90 traffic does not stop.) Turn left (east) onto E. Main St./Alt. 90 and a very short distance ahead, Grover Gundrilling will be on your right. Watch for auction signs.

LODGING

THE SPORTSMAN'S MOTEL IS IN EAGLE LAKE ..... (979) 234-5541

THERE ARE ALSO HOLIDAY INN EXPRESS, BAYMONT INNS, AND LA QUINTAS NEARBY IN THE SEALY AND COLUMBUS, TX AREAS.

DIRECTIONS TO INSPECT THE MAINE LOCATIONS

FROM THE AIRPORT IN PORTLAND MAINE: The Oxford plant is 41 miles from the airport. Approx. 1 hour north of Portland, Maine. Take Interstate 95 north and then take ME-26 north to Oxford. Inspections are by appointment only.

UNABLE TO ATTEND?

Bid on-line in real time at BidSpotter.com
TO PARTICIPATE YOU MUST:

1. **Register at www.BidSpotter.com. Use the link to BidSpotter on PMI's website calendar. DO IT NOW.**
2. **Either send wire transfer, or, overnight delivery service a cashier's check deposit in the amount of $3,000 (U.S. Bidders) or $10,000 (Foreign Bidders) to:**
   Plant & Machinery Inc.
   1304 Langham Creek Drive, Suite 454, Houston, TX 77084
   Wire transfer instructions can be found at pmi-auction.com

You must be registered and have your deposit in the hands of Plant & Machinery, Inc. at least 24 hours prior to the start of the auction. Failure to register and/or failure to send your deposit to Plant & Machinery, Inc. may disqualify you from bidding. DON'T WAIT.
If you need assistance, don't hesitate to call (713) 691-4401.
ALL WEBCAST BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.

PARTIAL TERMS & CONDITIONS

A 15% Buyer's Premium Will Apply On-site.
An 18% Buyer's Premium Will Apply to Webcast Bids. See Above Rules for Participation.

Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.

ALL PAYMENTS MUST BE MADE BY CASH, CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.

Here is an example of what your letter should be: *Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of $_____. This letter is good until March 27, 2018.*

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased "AS IS," WITH "ALL FAULTS" AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE." THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.