



AUCTION

2 MANUFACTURING FACILITIES • 2 CITIES • TO BE SOLD IN 1 DAY

LOCATION #1: Ft. Worth: Huge Tank Car Production Plant w/Fabricating Machinery, Material Handling & More

LOCATION #2: Dallas: Machine Tools, Welding Equipment, Cable Recycling, Railcar Mover, Spotter Truck & More



2006

HAEUSLER 12' X 2" 4-ROLL HYD. BENDING ROLL



2005

ESAB 5-AXIS CNC PLASMA CUTTING MACHINE



2013

ESAB CNC OXY/FUEL CUTTING MACHINE

Sale on Behalf of
TRINITY INDUSTRIES
FT. WORTH &
DALLAS, TEXAS
(SEE LOCATION DETAILS INSIDE)

INSPECTION:
Tuesday & Wednesday,
October 27 & 28,
9:00 A.M. to 4:00 P.M.
Wearing Masks
& Social Distancing
Will Be Required.

THURSDAY, OCTOBER 29 • 10:00 A.M.
LIVE ONLINE WEBCAST (NO ONSITE BIDDING)



VIEW OF POWER
AND IDLER
TURNING ROLLS

Read Partial
Terms & Conditions
on Page 7

**LARGE
QUANTITY**

SHUTTLEWAGON
RAILCAR MOVER



ONLINE BIDDING ONLY (NO ONSITE BIDDING): YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING AT THIS AUCTION.

Go to www.pmi-auction.com and click on INDUSTRIAL BID OR BidSpotter.com on our calendar page for this auction sale.

**18% BUYER'S PREMIUM
WILL APPLY**

Sale Conducted By:

PLANT & MACHINERY INC.
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

Ron Moore, TX Lic. #7314
HOUSTON • DALLAS • ST. LOUIS

Headquarters:
1304 Langham Creek Drive, Suite 454
Houston, Texas 77084

PHONE: (713) 691-4401

FAX: (713) 672-7905

E-MAIL: pmi@pmi-auction.com
WEBSITE: www.pmi-auction.com



HAEUSLER MDL. VRM-HY366X28 4-ROLL HYD. BENDING ROLL



HAEUSLER 10' X 2" 4-ROLL HYD. BENDING ROLL

2006

4-ROLL HYDRAULIC PLATE BENDING ROLLS

HAEUSLER MDL. VRM-HY366X28, modified to roll 10' x 2" cap., new swing-away control panel, digital roll positioning, adj. top suppt. unit, 10' x 35' H.D. infeed roller table, 110 kW hyd. pwr. supply unit, S/N 1494-1980460V

HAEUSLER 10' X 2" MDL. VRM-HY 4-ROLL DESIGN, new 2006, full function pedestal control w/digital roll positioning, joystick controls, press bottom roller compensation, adj. top suppt. unit, 10' x 35' H.D. roller infeed table, hyd. top roll drive, (2) 55 kW hyd. drive motors, S/N 1935

CNC PLASMA CUTTERS

ESAB MDL. AVENGER X MDL. AVG-X5000VIS55, new 2005, ESAB Cutting Systems CNC control, ESAB Precision Plasmarc 400 pwr. supply, 196" max. cutting width, 75' max. cutting length, ESAB Mdl. CC-11 coolant circulator, dual water tables, 5-axis cutting head, S/N 055094321

KOIKE ARONSON VERSAGRAPH MDL. VGM3100, new 2006, Voyager CNC control, 10' max. cutting width, 40' max. cutting length, Hypertherm plasma cutting head, track, Hypertherm HPR260XD plasma pwr. supply unit, S/N 41616

ESAB MDL. AVENGER 2, Hypertherm Voyager CNC control, (3) Hypertherm plasma heads w/motorized torch holders, approx. 25' cutting width, 90' cutting length, (3) Hypertherm Mdl. HPR260XD plasma pwr. supplies

MESSER TITAN, retrofitted w/Hypertherm Voyager CNC control, Hypertherm sgl. plasma cutting head on motorized torch holder, Hypertherm Mdl. HPR260 plasma pwr. supply, 10' max. cutting width, 44'L. downdraft cutting table, S/N 10/4LP-99-3757

OXY-FUEL CNC SHAPE CUTTING MACHINE

ESAB, new 2013, ESAB CNC control system, (2) oxy-fuel cutting heads w/bevel torches, 15' cutting width, open frame cutting table, Asset No. MW18042

WELDING MANIPULATORS

RANSOME, 15' vert. travel, 12' horiz. travel, heavy gear drive, rotating column, twin wire subarc welding systems, Lincoln Mdl. NA3S and NA4 weld controllers, Lincoln DC1000 welding pwr. supply, S/N U1990208481, Lincoln Mdl. AC1200 welding pwr. supply, S/N U1970400867, Videoweld camera system, S/N 9010577

PANDJIRIS, 15' vert. travel, 12' horiz. travel, twin wire subarc welding systems, Lincoln Mdl. NA3S Lincoln weld controller

PANDJIRIS, 15' vert. travel, 12' horiz. travel, rotating base, twin wire subarc welding equipment, seam tracker, flux box, ESAB Mdl. A2-A6 process controllers, closed circuit monitoring, ESAB Mdl. LAF1250 DC pwr. supply, ESAB Mdl. TAF1250 AC pwr. supply, associated control.

PANDJIRIS, approx. 18' lift ht., approx. 18' reach, pwr. car base. (*Note: currently disassembled and ready for transport.)

WELDWARE, approx. 15' vert. travel, 15' horiz. travel, 2-axis slide, twin wire subarc arrangement, Lincoln NA3S and power feed 10A weld control, flux box, pwr. car. (*Note: currently disassembled and ready for transport.)

PANDJIRIS, Lincoln NA3S and NA4 weld controller, 2-axis slide, dual wire subarc arrangement, flux box, pwr. car. (*Note: currently disassembled and ready for transport.)

LOCATION #1:

TRINITY INDUSTRIES

**1000 NE 28TH STREET
FT. WORTH,
TEXAS 76106**



**2
AVAILABLE**

PANDJIRIS WELDING MANIPULATOR



ESAB 5-AXIS CNC PLASMA CUTTING MACHINE

2

2005



ESAB CNC OXY-FUEL CUTTING MACHINE

2013

THURSDAY, OCTOBER 29 • 10:00 A.M.
LIVE ONLINE WEBCAST (NO ONSITE BIDDING)

INSPECTION: Tues. & Wed. October 27 & 28, 9:00 A.M. to 4:00 P.M.
 Wearing Masks & Social Distancing Will Be Required.



VIEW OF POWER AND IDLER TURNING ROLLS

LARGE QUANTITY



DEUMA INTERNAL SEAM WELDER

POWER & IDLER TURNING ROLL SETS

RANSOME 50 T. CAP., triple 22" x 7" rubber wheels.

RANSOME 40 T. CAP., dual 22" x 7" rubber wheels, vert. hyd. cylinders for can orientation, pwr. and triple wheel idler.

(9) **RANSOME 50 T. CAP. IDLERS**, triple 22" x 7" wheels, vert. hyd. cylinder units.

(2) **RANSOME 50 T. CAP. IDLERS**, triple 22" x 7" wheels, mtd. to hyd. cylinder base.

ARONSON 50 T. CAP. POWER TURNING ROLL, triple 22" x 7" triple wheels.

(7) **RANSOME 50 T. CAP. POWER AND IDLER SETS**, triple 22" x 7" wheels.

ARONSON 50 T. CAP. POWER AND IDLER SETS, triple 22" x 7" wheels.

(2) **RANSOME 50 T. CAP. POWER SET**, 22" x 7" wheels, hyd. pwr. base.

(2) **RANSOME 40 T. CAP. POWER AND IDLER SETS**.

(4) **RANSOME 40 T. CAP. IDLERS**, dual 22" x 7" wheels, vert. hyd. cylinders.

WELDING AUTOMATION

LARGE QTY. OF REIS WELD AUTOMATION INCL. LINEAR TRANSPORT BEAMS, MANIPULATOR HEADS, 2-AXIS TILTING WELD HEADS, 6-AXIS WELDING ROBOT, LARGE QTY. OF SIEMENS AUTOMATION for Reis welding equipment.

INTERNAL SEAM WELDERS

DEUMA, approx. 14' travel, (2) Lincoln Mdl. Powerfeed 10A wire feeders, dual wire MIG arrangement, (2) Lincoln Mdl. Powerwave AC/DC 1,000 pwr. supplies, 2-axis pwr. slide, pwr. cart.

CUSTOM/SUBARC, approx. 18' travel, Lincoln Mdl. NA3S weld controller, Lincoln Mdl. MAX10 wire feed controller, dual wire arrangement, flux box, pwr. cart.



IDLER TURNING ROLLS W/HYD. BASE ADJUSTMENT



REIS WELDING AUTOMATION COMPONENTS



LINCOLN WELDING POWER SUPPLIES

WELDING POWER SUPPLIES

(3) **ESAB MDL. TAF1250**, 1,250 amps @ 44 v. AC, 100% duty cycle.

(3) **ESAB MDL. LAF1250**, 1,250 amps @ 44 v. DC.

(2) **LINCOLN MDL. IDEALARC AC1200**, 1,200 amps @ 44 v., 100% duty cycle, S/N U1131000586, S/N U1131007336.
 (*Note: These power supplies are on factory skids and have never been placed into service.)

(7) **LINCOLN MDL. DC1000**, as new as 2012, 1,000 amps @ 44 v., S/N U1060-915103 (2006), S/N U1120700220 (2012), S/N U1051009370 (2005) S/N U1950200216, S/N U1930104648.

LINCOLN MDL. POWERWAVE AC/DC1000.

(2) **LINCOLN MDL. IDEALARC DC600**, S/N U1970605459, S/N U1970605432.
LINCOLN MDL. R3R500.



RANSOME WELDING MANIPULATOR

DON'T MISS THIS SALE!

UNUSED

UNUSED

2016

2 AVAILABLE



MILLER AUTO-AXCESS MIG WELDING SYSTEMS



HYPERTHERM HPR-130 PLASMA POWER SUPPLIES



HYD-MECH H-12 AUTO. HORIZ. BANDSAW

LOCATION #1: TRINITY INDUSTRIES

MIG WELDERS

(4) MILLER MDL. AUTO-AXCESS E450, new 2016, wire feed units on pwrld. slides, S/N MF301024U, S/N MF301023U, S/N MF291014U, S/N MF291015U. (*Note: new and unused.)

(16) ESAB MDL. 653 CV/CC, wire feed unit, on portable cart, S/N MP-J605005, S/N's N.A.

LINCOLN MDL. DC600, Lincoln Mdl. LN7 wire feeder, on portable cart, S/N U1050624653.

MISCELLANEOUS WELDING EQUIPMENT

(2) HYPERTHERM MDL. HPR130XD PLASMA POWER SUPPLIES, Power Pierce Technology, gas consoles, S/N 130XD-002751, S/N 130XD-002738. (*Note: never installed.)

ESAB MDL. POWERCUT 1500 PLASMA CUTTER, on portable cart, w/torch, S/N PG-J544020.

RADIAL ARM DRILL

IKEDA 4' X 13" MDL. RM1375, plain box table, S/N 82264.

HORIZONTAL BANDSAW

HYD-MECH MDL. H12, auto. feed, bundle cutting attach., S/N A1098115H.

VERTICAL BANDSAW

MARVEL MDL. 81/M3M, (2) Demag 20 T. cap. hoists, on pwrld. trollies, S/N E2036.

1000 NE 28TH STREET, FT. WORTH, TEXAS 76106

MISCELLANEOUS SHOP EQUIPMENT

(2) DEMAG 20-TON HOIST AND TROLLEY UNITS, TITAN AIR CORPORATION AIR MAKEUP UNIT, large cap. air makeup on fabricated steel frame; PNEUMATIC ANGLE GRINDERS, HUGE ASSORTMENT OF MRO ITEMS, INCL. MOTORS, CONDUIT, WIRE ROPE, H.D. ELECTRICAL CABLE, BEARINGS, FASTENERS, MISC. WELDING SUPPLIES.

OVERHEAD PLATE HANDLING GANTRY CRANE

CUSTOM 5 T. X 30'-4" SPAN, 12' ht. under beam, double leg gantry design, twin 2-1/2 T. cap. hoists, pendant control, 6-way pwr. travels.

VACUUM LIFTS

CALDWELL 12,000-LB. CAP. MDL. FE120V163505-P, 40' beam length, (12) vacuum cups, Univac Mdl. 1500 pump unit, S/N 05-67450. (*Note: in need of repair.)

(2) CALDWELL 12,000-LB. CAP., 36"L., (10) 18" dia. suction cups, Univac pump unit and surge tank, Univac Mdl. 1500 vacuum system, S/N 07-60786, S/N 12-49320.

VACUUM TECHNOLOGY, 32'L., (10) 15" dia. suction cups, center lift beam.



VIEW OF MRO ITEMS



CALDWELL
12,000-LB.
VACUUM
PLATE LIFTER

3 AVAILABLE



IKEDA 4 X 11" RADIAL ARM DRILL



20 T. DEMAG HOIST AND TROLLEY UNITS

2 AVAILABLE



5 T. PLATE HANDLING CRANE

LOCATION #2:
TRINITY INDUSTRIES
 4001 IRVING BOULEVARD
 DALLAS, TEXAS 75247

THURSDAY, OCTOBER 29 • 10:00 A.M.
LIVE ONLINE WEBCAST (NO ONSITE BIDDING)



SUMMIT
 28" X 18"
 ENGINE LATHE



CINCINNATI
 CNC HORIZ.
 MILLING
 MACHINE

ENGINE LATHES

SUMMIT MDL. 23-4X200, 28" swing over bed, 20" swing over crossslide, 18" distance btwn. centers, taper attach., 4-way rapid traverse, spds: 20–1,500 RPM, 4.1" spdl. hole, 19-1/2" dia. 4-jaw chuck, steadyrest, 4-way toolpost, S/N 8181.

AMERICAN HEAVY DUTY, 28" swing over bed, 17" swing over crossslide, 198" distance btwn. centers, spds: 11–450 RPM, 2-1/4" spdl. hole, 24" dia. 4-jaw chuck, taper attach., (2) steadyrests, S/N 68214-44.

LEBLOND REGAL 19" X 102", spds: 25–1,000 RPM, 1-3/4" spdl. hole, taper attach., (2) steadyrests, S/N 2E884.

CLAUSING COLCHESTER 17" X 80", spds: 20–1,600 RPM, 3.15" spdl. hole, Adjust-Tru 3-jaw chuck, taper attach., steadyrest, S/N 7/0221/1537C.

CNC HORIZONTAL MILL

CINCINNATI MILACRON MDL. 5H-2500, Allen Bradley 9 Series CNC control, 5 HP variable spd. milling drive, 31" x 102" table, 100" X-axis travel, approx. 36" vert. travel, No. 40 quick switch spdl. taper, S/N 55131H5-78-10.

INSPECTION: Tues. & Wed. Oct. 27 & 28,
 9:00 A.M. to 4:00 P.M. Wearing Masks
 & Social Distancing Will Be Required.

**HORIZONTAL BED STYLE
 MILLING MACHINES**

CINCINNATI VERCIPOWER, spds: 14–1,400 RPM, 25" x 105" plain table w/auto. cycle, independent pwrdr. overarm, horiz. overarm suppt., 2-axis D.R.O., (2) Kurt 8" milling vises.

OKK MDL MH-3P, 15" x 65" table size, 1,600 RPM, 10 HP, w/double swivel vert. head, Newall DRO, auto-cycle controls.

MECHANICAL KEYSEATERS

MORTON MDL. MC142, H.D. mechanical drive, 30" x 25" table, mechanical pick feed, 3" stroke length, adj. rear suppt., hold-down and operator's platform surround, S/N 2150.

DAVIS MDL. 5, overhead suppt., overhead clamp, S/N 5-1408.

HORIZONTAL BORING MILL

GIDDINGS & LEWIS MDL. 340T, 4" spdl. dia., 2-1/2" aux. spdl. dia., 30" x 62" table, 48" cross travel, approx. 60" long. travel, 36" vert. travel, S/N 6429.

**SINGLE COLUMN
 VERTICAL BORING MILL**

WEBSTER & BENNET 72" MDL. EM, table spds: 4.5–100 RPM, 5 pos. sgl. vert. turret head, 72" built-in 4-jaw chuck, elevating rail design, Dynatrace hyd. tracer attach. w/template bar, R.H. mount, 40 HP spdl. drive motor.



MORTON MECHANICAL KEAYSEATER



WEBSTER & BENNETT 72" VERT. TURRET LATHE



COLCHESTER 17" X 60" ENGINE LATHE



CINCINNATI
 VERCIPOWER
 HORIZ.
 MILLING
 MACHINE

AMERICAN
 7' X 17"
 RADIAL
 ARM DRILL





OKK BED TYPE HORIZ. MILLING MACHINE



WEBB VERT. TURRET MILLING MACHINE



MINSTER #7 OBI PUNCH PRESS



**PACIFIC 200 T. PRESSFORMER
HYD. PRESS**

VERTICAL TURRET MILLS

WEBB CHAMP, 10" x 50" table, hardened and ground knee, pwr. feed on cross and long., spds: 200–4,200 RPM, 2-axis D.R.O., Kurt 6" milling vise, S/N 6783.

BRIDGEPORT SERIES 1, (3) pwr. feeds, 2-axis D.R.O., variable spd. head from 42–4,200 RPM, S/N 193146.

OBI PUNCH PRESS

MINSTER 75 T. CAP. MDL. 7, 4" stroke, 75–150 SPM, 4" adj., 18.5" shut height SDAU, 36" x 24" bed side, air clutch, S/N 7-19958.

H-FRAME PRESSES

CUSTOM 200 T., 60" dist. btwn. uprights, adj. height bed, adj. height cross head, Enerpac approx. 200 T. hyd. cylinder w/12" stroke, Enerpac elec. driven hyd. system.

OTC 25 T. CAP. MDL. AY15, elec. pwrdr. hyd. unit, adj. height bed w/raising mechanism, S/N 3569.

RADIAL ARM DRILL

AMERICAN 7' X 17", double end base, spds: 27–1,200 RPM, plain box table, S/N 72068/50.

C-FRAME HYDRAULIC PRESS

PACIFIC PRESSFORMER 300 T. CAP. MDL. 300PF, 24" x 60" bed size, S/N 5850.

OPEN SIDE HYDRAULIC PLANER

ROCKFORD HYDRAULIC 42" X 144", (2) rail sides, side head, approx. 36" under cross rail, war finish as directed by Oder No. L-108 of the U.S. War production board.

SAWS

DOALL 16" METAL MASTER VERTICAL BANDSAW, blade welder and grinder, S/N 39772.

BOLTON TOOLS MDL. CS350 CIRCULAR CUT-OFF, new 2013, swivel miter base, 14" blade dia., S/N A13061075.



ROCKFORD HYD. OPENSIDE PLANER

MISCELLANEOUS SHOP & WAREHOUSE EQUIPMENT

APPROX. (16) TULSA MDL. T64-SLRFXX GEAR BOXES; MARTIN DECKER 50,000-LB. CRANE SCALE w/fabricated steel stand; (2) BALLEMORE TILT-UP FRAME ELECTRIC PERSONNEL LIFTS; LARGE QTY. OF WELDING LEADS AND GOUGING TORCHES; DOZENS OF HYDRAULIC POWER SUPPLIES; LARGE CAPACITY ELECTRIC MOTORS; THOUSANDS OF FASTENERS IN SORTED BINS.



CUSTOM HYD. H-FRAME PRESS



BOLTON CUTOFF SAW



BALLYMORE TILT-UP MOBILE PLATFORMS



TULSA WINCH GEARBOXES

LOCATION #2:



MOTOMAN 6-AXIS WELDING ROBOT



STRIPTEC COPPER WIRE GRANULATOR



SHUTTLEWAGON RAILCAR MOVER

6-AXIS WELDING ROBOTS

MOTOMAN MDL. YRSK16M-J02, new 2000, Mdl. SK16MX controller, Lincoln Mdl. Powerwave 455 pwr. supply, S/N U1071103543, Flowmax chiller unit, Touch Sense Calmark 2 system, S/N S9M593-1-9.

MOTOMAN MDL. SK16MX & MOTOMAN MDL. SK16, Type RM2-250SE2, Motoman 2-side positioner frame, S/N 303134. (*Note: to be sold as a unit.)

WELDING POWER SUPPLIES

LINCOLN MDL. POWERWAVE AC/DC1000SD, stainless steel case.

LINCOLN MDL. POWERWAVE AC/DC1000.

(4) LINCOLN MDL. POWERWAVE AC/DC1000, S/N U10801006097, S/N U1080105975, S/N U1080205188, S/N U1070811088.

LOAD BANK

MILLER, S/N KK126483.

MIG WELDER

MILLER MDL. DELTAWELD 300, S/N KB14044D.

ELECTICAL CABLE RECYCLING EQUIPMENT

STRIPTEC TECHNOLOGY INC. MDL. STI-8 HYDRAULIC ALLIGATOR SHEAR, new 2008, 8" blades, 60 T. cap., S/N 4069.

STRIPTEC MDL. 1500 POWER STRIPPER, (5) stripping ports for stripping insulation from copper cable, S/N 4624.

STRIPTEC WIRE GRANULATOR, new 2008, 30 HP motor, 2-layer 2-deck dry separator screen, S/N 4452.

SPOTTING TRUCK

OTTAWA MDL. 30, new 2002, auto. trans., pwr. 5th wheel, odometer reads: 9,087 miles, S/N 305104.

RAILCAR MOVER

SHUTTLEWAGON MDL. SWX315, 27,000-lb. drawbar pull, Cummins diesel engine, AAR couplers, sand boxes, rotating operator's console.



5 T. SINGLE LEG GANTRY CRANE



OTTAWA SPOTTING TRUCK

ONLINE BIDDING ONLY

(NO ONSITE BIDDING):

YOU MUST REGISTER IN ADVANCE FOR ONLINE BIDDING AT THIS AUCTION.

Go to www.pmi-auction.com and click on  **INDUSTRIAL BID** or BidSpotter.com

on our calendar page for this auction sale.

PARTIAL TERMS & CONDITIONS

An 18% Buyer's Premium Will Apply. See Rules for Participation.

Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.

ALL PAYMENTS MUST BE MADE BY CASH, CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.

Here is an example of what your letter should be: *Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$_____.* This letter is good until November 30, 2020.

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased **"AS IS," WITH "ALL FAULTS" AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE."** THE AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO

FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.

REGISTRATION

Bid on-line at:

 **BidSpotter.com** OR  **INDUSTRIAL BID**

1. Register to bid at BidSpotter.com or Industrialbid.com. Use the link to BidSpotter or Industrialbid on PMI's website calendar. DO IT NOW.

2. This auction may require a credit or debit card 100% refundable deposit. Your credit/debit card added through the Bidspotter.com or Industrialbid.com fully secure and PCI compliant registration process will be assessed a 100% refundable \$3,000 (US Bidder) or a \$10,000 (Foreign Bidder) deposit in order to be approved to bid online within this auction. **DON'T WAIT. If you are unsuccessful in the auction, your card will be refunded of your deposit within 24 hours post auction.**

If you need assistance, don't hesitate to call (713) 691-4401.

ALL BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.

PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

P.O. Box 218568
Houston, TX 77218-8568

DATED MATERIAL – PLEASE DELIVER

2 MANUFACTURING FACILITIES • 2 CITIES TO BE SOLD IN 1 DAY

LOCATION #1: Ft. Worth:

**Huge Tank Car Production Plant w/
Fabricating Machinery, Material
Handling & More**

LOCATION #2: Dallas:

**Machine Tools, Welding Equipment,
Cable Recycling, Railcar Mover,
Spotter Truck & More**



**THURSDAY, OCTOBER 29 • 10:00 A.M.
LIVE ONLINE WEBCAST (NO ONSITE BIDDING)**

PUBLIC AUCTION



**ATTENTION: PLANT MANAGER
OR EQUIPMENT BUYER**

Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

LOCATION #1: TRINITY INDUSTRIES 1000 NE 28TH STREET, FT. WORTH, TEXAS 76106

FORKLIFTS

CATERPILLAR 12,000-LB. BASE CAP. MDL. GC55K, LPG, 189" max. lift ht., 89" 3-stage mast, cushion tires, 48" forks, S/N AT8800739.

CATERPILLAR 11,000-LB. BASE CAP. MDL. PD11000, new 2013, diesel, 188" max. lift ht., 90" 3-stage mast, side shift, dual drive pneumatic tires, 48" forks, S/N AT28C50395.

YALE 8,000-LB. BASE CAP. MDL. GLC080, new 2014, LPG, 200" max. lift ht., 94" 3-stage mast, side shift, cushion tires, 48" forks, S/N F818V02534M.

TOYOTA 8,000-LB. BASE CAP. MDL. 7FDKU40, new 2004, diesel, 159" max. lift ht., 2-stage mast, side shift, pneumatic tires, 48" forks, S/N 61631.

KOMATSU 8,000-LB. BASE CAP. MDL. FD40ZT-8, new 2004, diesel, 185" max. lift ht., 85" 3-stage mast, side shift, pneumatic tires, 48" forks, S/N 131749A.

MITSUBISHI 8,000-LB. BASE CAP. MDL. FD40, diesel, 130" max. lift ht., 2-stage mast, dual drive pneumatic tires, 48" forks, S/N AF19B-00264.

HYSTER 6,000-LB. BASE CAP. MDL. S60FT, new 2016, LPG, 192" max. lift ht., 89" 3-stage mast, side shift, cushion tires, 42" forks, S/N H187V04120P.

HYSTER 6,000-LB. BASE CAP. MDL. H60FT, new 2016, LPG, 122" max. lift ht., 87" view mast, pneumatic style tires, fork positioner, forks. S/N P177V04483P.

(2) HYSTER 4,000-LB. BASE CAP. MDL. S40FTS, new 2013, LPG, 189" max. lift ht., 83" 3-stage mast, side shift, cushion tires, forks, S/N E010V04155L; E010V04156L.



**HYSTER 6,000-LB.
BASE CAP. MDL. S60FT**



TOYOTA 8,000-LB. BASE CAP. MDL. 7FDKU40 FORKLIFT



KOMATSU 8,000-LB. BASE CAP. MDL. FD40ZT-8 FORKLIFT