



AUCTION

WELL MAINTAINED CLIMATE CONTROLLED PRECISION MACHINE SHOP

Featuring: CNC Horizontal Boring Mill; (4) CNC Vertical Machining Centers; (3) CNC Lathes; Horizontal Bandsaw; Vertical Turret Mill; Engine Lathe; Q.C. Department; Precision Machine Accessories; Expendable Cutting Tools; Marking Machines; Air Compressor; (4) Forklifts; Jib Cranes; Shop & Warehouse Support Equipment

INSTALLED
2013



POREBA HBM4 HORIZONTAL CNC BORING MILL

4.3"
SPDL.

AS NEW AS
2013



MAZAK NEXUS 700E-II/50 VERTICAL MACHINING CENTER

2
AVAILABLE

At the Premises of
QUICK TURN MACHINING INC.
428 SOUTH PERSIMMON STREET
TOMBALL, TEXAS 77375

Wearing masks and social distancing are required.

THURSDAY, AUGUST 13 • 10:00 A.M.

INSPECTION: Wednesday, August 12, 9:00 A.M. to 4:00 P.M.
Wearing masks and social distancing are required.

BUYER'S PREMIUM: 15% ON-SITE • 18% WEBCAST



MAZAK QTN-350-II CNC LATHE

14" SPDL.
BORE

2007

26.77"
SWING



MICRO CUT CHALLENGER FLATBED HOLLOW SPDL. CNC LATHE

INSTALLED
2013

On-Site Bidding in Tomball, Texas or Bid Via Webcast at BidSpotter.com or INDUSTRIAL BID

Read Partial Terms & Conditions
on Page 5 of Brochure

Sale Conducted By:

PLANT & MACHINERY INC.
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

Ron Moore, TX Lic. #7314
HOUSTON • DALLAS • ST. LOUIS

Headquarters:
1304 Langham Creek Drive, Suite 454
Houston, Texas 77084

PHONE: (713) 691-4401

FAX: (713) 672-7905

E-MAIL: pmi@pmi-auction.com
WEBSITE: www.pmi-auction.com

INSTALLED
2013

4.3"
SPDL.



CNC HORIZONTAL BORING MILL

POREBA MDL. HBM4, new 2011, installed 2013, 4.3" quill dia., Fanuc 18i-MB control, full 4th axis rotary, 49" x 59" tbl., 86.6" X, 62.9" Y, 62.9" Z-axis travels, 21.6" quill travel, 35-3,000 RPM, 50 taper, 1,000 PSI, thru spdl. coolant, 11,000-lb. max. tbl. load, 60-pos. ATC, Renishaw radio frequency probe, chip conveyor, S/N 114001198.

At the Premises of
**QUICK TURN
MACHINING INC.**
428 SOUTH PERSIMMON ST.
TOMBALL, TEXAS 77375

*Wearing masks and social distancing
are required.*

INSPECTION: Wednesday, August 12,
9:00 A.M. to 4:00 P.M.

*Wearing masks and social distancing
are required.*

CNC VERTICAL MACHINING CENTERS

MAZAK NEXUS 700E-II/50, new 2011, Mazatrol Matrix Nexus CNC control, wired for 4th axis, 27-1/2" x 80" tbl., 80" X, 27.66" Y, 28.35" Z-axis travels, 30 HP, 6,000 RPM, 50 taper, 24-pos. ATC, Renishaw probe and tool presetter, thru spdl. hi-pressure coolant, S/N 227734.

MAZAK NEXUS 510C-II, new 2008, Matrix Nexus CNC control, wired for 4th axis, 21.66" x 61.18" tbl., 41.34" X, 20.87" Y, 20.08" Z-axis travels, 15 HP, 12,000 RPM, 40 taper, Renishaw probe and tool presetter, chip conveyor, thru spdl. hi-pressure coolant, 30-pos. ATC, S/N 205155.

MAZAK MDL. VTC-250/50, new 2001, Mazatrol 640M CNC control, 73" x 25" tbl. size, 60" X, 25" Y, 25.9" Z-axis travels, 20/15 HP, 6,000 RPM, 50 taper, wired for 4th axis, Renishaw probe, thru spdl. hi-pressure coolant, chip conveyor, 24-pos. ATC, S/N 152251.

2011



WIRED FOR
4TH AXIS

MAZAK NEXUS 700E-II/50 VERTICAL MACHINING CENTER

2008



WIRED FOR
4TH AXIS

MAZAK NEXUS 510C-II VERTICAL MACHINING CENTER

WIRED FOR
4TH AXIS



MAZAK VTC-250/50 VERTICAL MACHINING CENTER



AUCTION

CNC LATHES

MAZAK MDL. QTN-350-II, new 2007, Mazatrol Matrix Nexus CNC control, 26.77" max. swing, 16.54" max. turning dia., 60" max. turning length, 4" bar cap., Kitagawa Mdl. B-15 pwr. chuck, VDI 12-pos. turret, pass through steady rest, chip conveyor, S/N 192554.

MAZAK SUPER QUICKTURN 15 MARK II MDL. SQT15M, Mazatrol T Plus, 20.9" swing over bed, 15.7" swing over carriage, 20.8" max. turning length, 20 HP, 5,000 RPM, VDI 12-pos. turret, 10" dia. 3-jaw chuck, chip conveyor, S/N 121900.



MAZAK QTN-350-II CNC LATHE

2007
26.77"
SWING



MAZAK SQT15M CNC LATHE

THE TWO MACHINES BELOW ARE LOCATED OFF SITE AND WILL BE SOLD BY PHOTO AT THE QUICK TURN MACHINING AUCTION

MORGAN PERFORMANCE
6715 KLEIN CEMETERY ROAD, SPRING, TEXAS 77379

INSPECTION: Wednesday, August 12, 9:00 A.M. to 4:00 P.M.

CNC VERTICAL MACHINING CENTER

MAZAK NEXUS 700EII/50, new 2013, Mazatrol Matrix Nexus CNC control, wired for 4th axis, 27-1/2" x 80" tbl., 80" X, 27.66" Y, 28.35" Z-axis travels, 30 HP, 6,000 RPM, 50 taper, 24-pos. ATC, Renishaw probe and tool presetter, thru spdl. hi-pressure coolant, S/N 246725.

CNC FLAT BED HOLLOW SPINDLE LATHE

MICROCUT THE CHALLENGER, BNC-40160VXXXXL, new 2012, installed in 2013, 1,876 hours of run time, Fanuc Oi-TD CNC control, 14" spdl. bore, 40" swing over bed, 26.77" swing over cross slide, 157" max. cutting length, double chucks 32" dia. 4-jaw front and 24" 4-jaw on rear, 8-pos. turret, 35 HP, full length chip conveyor, (2) steady rests 12" and 24" cap., S/N 121110148.



INSTALLED
2013

WIRED FOR
4TH AXIS

MAZAK NEXUS 700E-II/50 VERTICAL MACHINING CENTER



INSTALLED
2013

14" SPDL.
BORE

MICROCUT CHALLENGER FLATBED HOLLOW SPDL. CNC LATHE




HYD-MECH S-20P SERIES III HORIZONTAL BANDSAW



15" X 50"
ENGINE LATHE

SUPERMAX 20VS
VERTICAL TURRET MILL

**DON'T MISS
THIS SALE!**



VIEW OF HEIGHT GAUGES



SAMPLE VIEW OF 4TH AXIS
ROTARY INDEXERS

COORDINATE MEASURING MACHINE

NUMEREX MDL. C100N-2828-18.MNL, w/
software and computer, 28" cap., S/N CMM9-
20301482.

4TH AXIS ROTARY TABLES

TROYKE MDL. DL-15.5B, 15" 4-jaw w/6" bore,
Lot No. 6141-7.

KITAGAWA, 12" 3-jaw w/4" bore.

PRECISION MACHINE ACCESSORIES

KURT MACHINE VISES; TOOL PRESETTERS;
3- AND 4-JAW CHUCKS; CHUCK JAWS;
MACHINE TOOLING; FIXTURES; VISES; IN-
DEXERS; CAT-50 HOLDERS; SET-UP TOOL-
ING; ASSORTED LARGE CAP. ANGLE PLATES;
V-BLOCKS; CAT-50 TOOLING; BORING AND
TURNING TOOLS AND MUCH MORE.

TOOLING & CONSUMABLES

CABINETS W/INSERTS, CARBIDE; SANDVIK
DEBIBE BORING BARS, COLLETS AND MUCH
MORE.



SAMPLE VIEW OF TOOLING



NUMEREX C.M.M.



SAMPLE VIEW OF
CAT-50 TOOLING



SAMPLE VIEW OF KURT VISES

HORIZONTAL BANDSAW

HYD-MECH MDL. S-20P SERIES III, semi auto scissor style
w/miter capability, 13" round cap., 13" x 18" rectangular cap.,
1" blade size, 3 HP, S/N 700614657.

ENGINE LATHE

K 15" X 50", 3" bore, 12" chuck, toolpost, Trav-A-Dial.

VERTICAL TURRET MILL

SUPERMAX MDL. 20VS, new 1996, 9" x 49" tbl., pwr. feed,
Newall D.R.O., S/N T329492.

QUALITY CONTROL EQUIPMENT

PIN GAUGE SETS; (2) 48" X 36" GRADE A GRANITE SURFACE
PLATES; SMALL GRANITE SURFACE PLATES, up to 60" caliper;
MITUTOYO O.D. MICROMETER SETS; PLUG AND THREAD
GAUGES; GAGEMAKER BORE GAUGES; GAGE BLOCK SETS;
PIN GAUGE SETS; 12" OPTICAL COMPARATOR; PHASE II
ROCKWELL HARDNESS TESTER.

DIGITAL HEIGHT GAUGES

BROWN & SHARPE TESAHITE MAGNA 770, Item No. 007.30059,
S/N 4U 0019; MITUTOYO AND FOWLER 24" DIGITAL.

THURSDAY, AUGUST 13 • 10:00 A.M.



2013

**FLEXMARK
DAPRA
MARKING
MACHINE**



**KAESER
25 HP
AIR COMPRESSOR**

**HYSTER
15,000-LB.
BASE CAP.
DIESEL
FORKLIFT**



2009

MARKING MACHINE

FLEXMARK DAPRA MARKING SYSTEMS, new 2013, S/N FXD13-020229.

ELECTROCHEMICAL MARKING MACHINE

MARKING METHODS MDL. MARK 300.

MISCELLANEOUS SHOP & WAREHOUSE EQUIPMENT

VIDMAR SUPPLY CABINET; (2) MOBILE HYDRAULIC LIFT CARTS, 4,500-lb. cap.; JAMCO SUPPLY CABINET; TORIN BIG RED 40 T. PNEUMATIC PRESS; CRYSTAL CLEAN PARTS CLEANER; ROLLER CARTS; CONTAINERS; ADJUSTABLE PALLET RACK; PALLET JACKS; WORK BENCHES; TOOL CART; KOBALT TOOLBOX; (4) HIPPO HOPPER CHIP HOPPERS; BANDING CART; ELECTRIC AND PNEUMATIC POWER TOOLS; CRAFTSMAN DRILL PRESS; CUT-OFF SAW; DOUBLE END GRINDER; CARBIDE GRINDER; PORTER CABLE BELT AND DISC GRINDER; AIR GRINDERS; POWER TOOLS; DAREX V390 DRILL SHARPENER; COME-A-LONGS.

ROTARY SCREW AIR COMPRESSOR

KAESER MDL. AS-25T, new 2013, 25 HP, Sigma air center w/dryer and built in horiz. Air receiving tank, 125 PSI, S/N 1297.

FORKLIFTS

HYSTER 15,000-LB. BASE CAP. MDL. S155FT, new 2009, turbo diesel pwr., 2-stage mast, 94.5" lift ht., cushion tires, S/N E024V01895G.

HYSTER 10,000-LB. BASE CAP. MDL. S100FTBCS, new 2012, LPG, 185" max. lift ht., 3-stage mast, cushion tires, side shift, forks, 3,524 H.O.M., S/N G004V06804K.

NISSAN 5,000-LB. BASE CAP. MDL. CPH02A25V, LPG, 3-stage mast, 188" max. lift ht., cushion tires, S/N 922034.

YALE 3,000-LB. BASE CAP. MDL. GLP030, new 2002, LPG, 2-stage compact style mast, 90" max. lift ht., 42" forks, cushion tires, S/N B810N02206Z.

FLOOR TYPE PEDESTAL JIB CRANES

2 T. CAP. JM ELECTRIC HOIST; 1/2 T. CAP. DAYTON ELECTRIC HOIST; 14 T. CAP. DAYTON ELECTRIC HOIST.

INSPECTION: Wednesday, August 12, 9:00 A.M. to 4:00 P.M.

Wearing masks and social distancing are required.



**SAMPLE VIEW OF
ROLLER DRAWER
CABINETS**



**SAMPLE VIEW OF
SUPPLY CABINETS**



**TORIN 40 T.
PNEUMATIC
H-FRAME PRESS**



**SAMPLE VIEW OF
PEDESTAL JIB CRANES**



**HYSTER 10,000-LB.
BASE CAP. LPG FORKLIFT**

2012

PARTIAL TERMS & CONDITIONS

A 15% Buyer's Premium Will Apply On-site.

A 18% Buyer's Premium Will Apply to Webcast Bids. See Above Rules for Participation.

Everything will be sold to the highest bidder or bidders for cash in accordance with the auctioneer's Customary Terms of Sale, copies of which will be posted on the premises.

ALL PAYMENTS MUST BE MADE BY CASH, CASHIER'S CHECK, WIRE TRANSFER OR COMPANY CHECK WITH BANK LETTER GUARANTEEING PAYMENT TO PLANT & MACHINERY INC.

Here is an example of what your letter should be: *Mr. "Customer Name" is a customer of this bank. This bank will guarantee unqualified payment to PMI on the account listed herein up to the amount of \$ _____. This letter is good until September 14, 2020.*

In default of payment of bills in full within the time therein specified, the Auctioneer in addition to all other remedies allowed by law, may retain all monies received as deposit or otherwise, as liquidated damages. All items must be removed by the time announced at the start of the sale.

Lots not paid for and/or removed within the time allowed may be resold at public or private sale without further notice, and any deficiency, together with all expenses and charge of resale, will be charged to the defaulting purchaser.

The buyer acknowledges that he or an agent has inspected all of the assets upon which he will be bidding and/or does purchase.

Buyer agrees to accept assets purchased "AS IS," WITH "ALL FAULTS" AND "WITH REMOVAL AT BUYER'S RISK AND EXPENSE." THE

AUCTIONEER EXPRESSLY DISCLAIMS ON THE PART OF THE AUCTIONEER AS AGENT AND THE SELLER, ANY WARRANTY AS TO FITNESS OR USABILITY OF ALL THE ASSETS, AND THE BUYER EXPRESSLY WAIVES ANY CLAIM IN RESPECT TO ANY POSSIBLE FUTURE USE OF ANY ASSET PURCHASED FOR ANY PURPOSE WHATSOEVER.

The buyer does hereby assume and does agree to indemnify and hold the auctioneer harmless from any future claim which shall pertain to the fitness or use of that asset as being purchased. Riggers, movers, electricians and buyers performing work at the Auction Site must provide PMI with evidence of insurance. The insurance coverage must be at a level acceptable to PMI and to the seller. PMI reserves the right to withdraw items, alter the order of the sale, accept bids from the seller, and group lots as it may deem appropriate. This auction may include consignment items.

Although all information has been obtained from sources deemed reliable, the auctioneer and seller make no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained, or contained in our catalog. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the auction. Although it is not likely, auction sales are subject to cancellation or postponement. Kindly contact auctioneer prior to attendance.

These terms and conditions may be modified or supplemented by language in the catalog available at the sale site or by announcement at the start of the sale. Bidders should be attentive to those announcements and to the catalog language.

UNABLE TO ATTEND?

Bid on-line in real time at:



1. Register to bid at BidSpotter.com or Industrialbid.com.

Use the link to BidSpotter or Industrialbid on PMI's website calendar. DO IT NOW.

2. This auction may require a credit or debit card 100% refundable deposit. Your credit/debit card added through the BidSpotter.com or Industrialbid.com fully secure and PCI compliant registration process will be assessed a 100% refundable \$3,000 (US Bidder) or a \$10,000 (Foreign Bidder) deposit in order to be approved to bid online within this auction. **DON'T WAIT. If you are unsuccessful in the auction, your card will be refunded of your deposit within 24 hours post auction.**

If you need assistance, don't hesitate to call (713) 691-4401.

ALL WEBCAST BIDS ARE SUBJECT TO AN 18% BUYER'S PREMIUM.

PLANT & MACHINERY INC.
AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

P.O. Box 218568
Houston, TX 77218-8568

DATED MATERIAL – PLEASE DELIVER

**WELL MAINTAINED
CLIMATE CONTROLLED
PRECISION MACHINE SHOP**

Featuring: CNC Horizontal Boring Mill;
(4) CNC Vertical Machining Centers;
(3) CNC Lathes; Horizontal Bandsaw;
Vertical Turret Mill; Engine Lathe;
Q.C. Department; Precision Machine
Accessories; Expendable Cutting Tools;
Marking Machines; Air Compressor;
(4) Forklifts; Jib Cranes;
Shop & Warehouse Support Equipment



PUBLIC INVITED

THURSDAY, AUGUST 13 • 10:00 A.M.



**ATTENTION: PLANT MANAGER
OR EQUIPMENT BUYER**

Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17



**AS NEW AS
2013**

**2
AVAILABLE**

MAZAK NEXUS 700E-II/50 VERTICAL MACHINING CENTER



**INSTALLED
2013**

**14" SPDL.
BORE**

**MICROCUT CHALLENGER FLATBED
HOLLOW SPDL. CNC LATHE**



**SAMPLE VIEW OF
CAT-50 TOOLING**



HYD-MECH S-20P SERIES III HORIZONTAL BANDSAW

At the Premises of
**QUICK TURN
MACHINING INC.**
428 SOUTH
PERSIMMON STREET
TOMBALL, TX 77375
*Wearing masks and social
distancing are required.*



**SAMPLE VIEW OF DRAWERS FULL OF
CARBIDE INSERTS**

THURSDAY, AUGUST 13 • 10:00 A.M.

On-Site Bidding in Tomball, Texas or Bid Via Webcast at BidSpotter.com or **INDUSTRIAL BID**

INSPECTION: Wed., Aug. 12,
9:00 A.M. to 4:00 P.M.
Wearing masks and social
distancing are required.